

Technical details on texvcjs

Moritz Schubotz

October 8, 2026

Chapter 1

Technical details on texvc identifier extraction

1.1 Introduction

This chapter describes which mathematical symbols are identified as identifiers. In general every single Latin letter [a-zA-Z] is regarded as identifier. In addition, we accept multi-letter-subscripts that match [0-9a-zA-Z]+, such as a_0 but also ε_{ijk} . Moreover, the Literals described in section 1.2, and the Identifier variants (section 1.3) are supported.

1.2 Literals

The following literals are supported:

`\Bbbk` is rendered as $\mathbb{k}$

`\Delta` is rendered as Δ

`\Finv` is rendered as $\mathfrak{F}$

`\Game` is rendered as $\mathfrak{G}$

`\Gamma` is rendered as Γ

`\Lambda` is rendered as Λ

`\Omega` is rendered as Ω

`\P` is rendered as $\mathbb{P}$

`\Phi` is rendered as Φ
`\Pi` is rendered as Π
`\Psi` is rendered as Ψ
`\S` is rendered as $\S$
`\Sigma` is rendered as Σ
`\Theta` is rendered as Θ
`\Xi` is rendered as Ξ
`\aleph` is rendered as $\aleph$
`\alpha` is rendered as α
`\amalg` is rendered as $\amalg$
`\backepsilon` is rendered as ϵ
`\beta` is rendered as β
`\beth` is rendered as $\beth$
`\chi` is rendered as χ
`\complement` is rendered as $\complement$
`\daleth` is rendered as $\daleth$
`\delta` is rendered as δ
`\digamma` is rendered as $\digamma$
`\ell` is rendered as ℓ
`\epsilon` is rendered as ϵ
`\eta` is rendered as η
`\eth` is rendered as $\eth$
`\flat` is rendered as $\flat$
`\gamma` is rendered as γ
`\gimel` is rendered as $\gimel$
`\hslash` is rendered as $\hslash$
`\imath` is rendered as $\imath$

`\intercal` is rendered as $\intercal$
`\iota` is rendered as ι
`\jmath` is rendered as $\jmath$
`\kappa` is rendered as κ
`\lambda` is rendered as λ
`\mho` is rendered as $\mho$
`\mu` is rendered as μ
`\natural` is rendered as $\natural$
`\nu` is rendered as ν
`\omega` is rendered as ω
`\phi` is rendered as ϕ
`\pi` is rendered as π
`\pitchfork` is rendered as $\pitchfork$
`\psi` is rendered as ψ
`\rho` is rendered as ρ
`\sigma` is rendered as σ
`\tau` is rendered as τ
`\theta` is rendered as θ
`\top` is rendered as $\top$
`\varepsilon` is rendered as ε
`\varkappa` is rendered as $\varkappa$
`\varnothing` is rendered as $\varnothing$
`\varphi` is rendered as φ
`\varpi` is rendered as ϖ
`\varrho` is rendered as ϱ
`\varsigma` is rendered as ς
`\vartheta` is rendered as ϑ

`\wp` is rendered as $\wp$

`\xi` is rendered as ξ

`\zeta` is rendered as ζ

1.3 Identifier variants

The following variants are supported¹:

`\Bbb` applied on x , X is rendered as $\mathbb{x}$, $\mathbb{X}$

`\acute` applied on x , X is rendered as $\acute{x}$, $\acute{X}$

`\bar` applied on x , X is rendered as $\bar{x}$, $\bar{X}$

`\bcancel` applied on x , X is rendered as $\cancel{x}$, $\cancel{X}$

`\bmod` applied on x , X is rendered as $\bmod x$, $\bmod X$

`\bold` applied on x , X is rendered as $\mathbf{x}$, $\mathbf{X}$

`\boldsymbol` applied on x , X is rendered as $\mathbf{x}$, $\mathbf{X}$

`\breve` applied on x , X is rendered as $\breve{x}$, $\breve{X}$

`\cancel` applied on x , X is rendered as $\cancel{x}$, $\cancel{X}$

`\check` applied on x , X is rendered as $\check{x}$, $\check{X}$

`\ddot` applied on x , X is rendered as $\ddot{x}$, $\ddot{X}$

`\dot` applied on x , X is rendered as $\dot{x}$, $\dot{X}$

`\emph` applied on x , X is rendered as x , X

`\grave` applied on x , X is rendered as $\grave{x}$, $\grave{X}$

`\hat` applied on x , X is rendered as $\hat{x}$, $\hat{X}$

`\mathbb` applied on x , X is rendered as $\mathbb{x}$, $\mathbb{X}$

`\mathbf` applied on x , X is rendered as $\mathbf{x}$, $\mathbf{X}$

`\mathbin` applied on x , X is rendered as x , X

`\mathcal` applied on x , X is rendered as $\mathcal{x}$, $\mathcal{X}$

`\mathclose` applied on x , X is rendered as x , X

¹Note that `\mathcal` is not available for lowercase Latin letters.

$\backslash\mathrm{mathfrak}$ applied on x, X is rendered as $\mathfrak{x}, \mathfrak{X}$
 $\backslash\mathrm{mathit}$ applied on x, X is rendered as x, X
 $\backslash\mathrm{mathop}$ applied on x, X is rendered as $\mathop{x}, \mathop{X}$
 $\backslash\mathrm{mathopen}$ applied on x, X is rendered as $\mathop{x}, \mathop{X}$
 $\backslash\mathrm{mathord}$ applied on x, X is rendered as $\mathop{x}, \mathop{X}$
 $\backslash\mathrm{mathpunct}$ applied on x, X is rendered as $\mathop{x}, \mathop{X}$
 $\backslash\mathrm{mathrel}$ applied on x, X is rendered as $\mathop{x}, \mathop{X}$
 $\backslash\mathrm{mathrm}$ applied on x, X is rendered as x, X
 $\backslash\mathrm{mathsf}$ applied on x, X is rendered as x, X
 $\backslash\mathrm{mathtt}$ applied on x, X is rendered as $\mathtt{x}, \mathtt{X}$
 $\backslash\mathrm{overleftarrow}$ applied on x, X is rendered as $\overleftarrow{x}, \overleftarrow{X}$
 $\backslash\mathrm{overleftrightharpoon}$ applied on x, X is rendered as $\overleftrightharpoon{x}, \overleftrightharpoon{X}$
 $\backslash\mathrm{overline}$ applied on x, X is rendered as $\overline{x}, \overline{X}$
 $\backslash\mathrm{overrightarrow}$ applied on x, X is rendered as $\overrightarrow{x}, \overrightarrow{X}$
 $\backslash\mathrm{textbf}$ applied on x, X is rendered as $\mathbf{x}, \mathbf{X}$
 $\backslash\mathrm{textit}$ applied on x, X is rendered as x, X
 $\backslash\mathrm{textrm}$ applied on x, X is rendered as x, X
 $\backslash\mathrm{textsf}$ applied on x, X is rendered as x, X
 $\backslash\mathrm{texttt}$ applied on x, X is rendered as $\mathtt{x}, \mathtt{X}$
 $\backslash\mathrm{tilde}$ applied on x, X is rendered as $\tilde{x}, \tilde{X}$
 $\backslash\mathrm{underline}$ applied on x, X is rendered as $\underline{x}, \underline{X}$
 $\backslash\mathrm{vec}$ applied on x, X is rendered as $\vec{x}, \vec{X}$
 $\backslash\mathrm{widehat}$ applied on x, X is rendered as $\hat{x}, \hat{X}$
 $\backslash\mathrm{widetilde}$ applied on x, X is rendered as $\widetilde{x}, \widetilde{X}$
 $\backslash\mathrm{xcancel}$ applied on x, X is rendered as $\cancel{x}, \cancel{X}$
 $\backslash\mathrm{xleftarrow}$ applied on x, X is rendered as $\overset{x}{\leftarrow}, \overset{X}{\leftarrow}$

`\xrightarrow` applied on x, X is rendered as $\overset{x}{\rightarrow}, \overset{X}{\rightarrow}$

Chapter 2

List of all commands supported

Chapter 2 lists all commands allowed by texvcjs.

2.1 Group `big_literals`

`\Big` is rendered as $\Big$

`\Bigg` is rendered as $\Bigg$

`\Biggl` is rendered as $\Biggl$

`\Biggr` is rendered as $\Biggr$

`\Bigl` is rendered as $\Bigl$

`\Bigr` is rendered as $\Bigr$

`\big` is rendered as $\big$

`\bigg` is rendered as $\bigg$

`\biggl` is rendered as $\biggl$

`\biggr` is rendered as $\bigg($

`\bigl` is rendered as $\bigl($

`\bigr` is rendered as $\bigr($

2.2 Group `box_functions`

`\hbox` is rendered as x

`\mbox` is rendered as x

`\text` is rendered as x

`\vbox` is rendered as x

2.3 Group `color_function`

`\color` is rendered as *red*

`\pagecolor` is not rendered.

2.4 Group `declh_function`

`\bf` is rendered as

`\cal` is rendered as $\mathcal{A}$

`\it` is rendered as

`\rm` is rendered as $\mathbb{R}$

2.5 Group `definecolor_function`

`\definecolor` is rendered as

2.6 Group `fun_ar1`

`\acute` is rendered as $\acute{x}$

`\bar` is rendered as $\bar{x}$

`\bcancel` is rendered as $\cancel{x}$
`\bmod` is rendered as $\bmod x$
`\boldsymbol` is rendered as $\boldsymbol{x}$
`\breve` is rendered as $\breve{x}$
`\cancel` is rendered as $\cancel{x}$
`\check` is rendered as $\check{x}$
`\ddot` is rendered as $\ddot{x}$
`\dot` is rendered as $\dot{x}$
`\emph` is rendered as x
`\grave` is rendered as $\grave{x}$
`\hat` is rendered as $\hat{x}$
`\hphantom` is rendered as
`\mathcal` is rendered as $\mathcal{x}$
`\mathclose` is rendered as $\mathclose{x}$
`\mathfrak` is rendered as $\mathfrak{x}$
`\mathit` is rendered as x
`\mathopen` is rendered as $\mathopen{x}$
`\mathord` is rendered as $\mathord{x}$
`\mathpunct` is rendered as $\mathpunct{x}$
`\mathsf` is rendered as x
`\mathtt` is rendered as $\mathtt{x}$
`\overleftarrow` is rendered as $\overleftarrow{x}$
`\overleftrightharpoon` is rendered as $\overleftrightharpoon x$
`\overline` is rendered as $\overline{x}$
`\overrightarrow` is rendered as $\overrightarrow{x}$
`\phantom` is rendered as
`\pmod` is rendered as $\pmod{x}$

`\sqrt` is rendered as $\sqrt{x}$
`\textbf` is rendered as **x**
`\textit` is rendered as *x*
`\textrm` is rendered as x
`\textsf` is rendered as x
`\texttt` is rendered as x
`\tilde` is rendered as $\tilde{x}$
`\underline` is rendered as x
`\vec` is rendered as $\vec{x}$
`\vphantom` is rendered as
`\widehat` is rendered as $\hat{x}$
`\widetilde` is rendered as $\widetilde{x}$
`\xcancel` is rendered as ~~x~~

2.7 Group fun_ar1nb

`\mathbb` is rendered as $\mathbb{x}$
`\mathbf` is rendered as **x**
`\mathbin` is rendered as x
`\mathop` is rendered as x
`\mathrel` is rendered as x
`\mathrm` is rendered as x
`\operatorname` is rendered as x
`\overarc` is rendered as $\overarc{6.0ptx}$
`\overbrace` is rendered as $\overbrace{x}$
`\underbrace` is rendered as $\underbrace{x}$
`\xleftarrow` is rendered as $\xleftarrow{x}$

`\xrightarrow` is rendered as $\xrightarrow{x}$

2.8 Group `fun_ar1opt`

`\sqrt` is rendered as $\sqrt{x}$

`\xleftarrow` is rendered as $\xleftarrow{x}$

`\xrightarrow` is rendered as $\xrightarrow{x}$

2.9 Group `fun_ar2`

`\binom` applied on xx is rendered as $\binom{x}{x}$

`\cancelto` applied on xx is rendered as $x \xrightarrow{x}$

`\cfrac` applied on xx is rendered as $\frac{x}{x}$

`\dbinom` applied on xx is rendered as $\dbinom{x}{x}$

`\dfrac` applied on xx is rendered as $\dfrac{x}{x}$

`\frac` applied on xx is rendered as $\frac{x}{x}$

`\overset` applied on xx is rendered as $\overset{x}{x}$

`\stackrel` applied on xx is rendered as $\stackrel{x}{x}$

`\tbinom` applied on xx is rendered as $\tbinom{x}{x}$

`\tfrac` applied on xx is rendered as $\tfrac{x}{x}$

`\underset` applied on xx is rendered as $\underset{x}{x}$

2.10 Group `fun_ar2nb`

`\sideset` applied on ${}_{13}^{24}\Sigma$ is rendered as ${}_{13}^{24}\Sigma$

2.11 Group `fun_infix`

`\atop` applied on x, y is rendered as $\frac{x}{y}$

`\choose` applied on x, y is rendered as $\binom{x}{y}$

`\over` applied on x, y is rendered as $\frac{x}{y}$

2.12 Group `fun_mhchem`

`\ce` is rendered as x

`\pu` is not part of the $\text{\LaTeX}$ package `mhchem`.

2.13 Group `hline_function`

`\hline` applied in a table is rendered as $\underline{x_{11} \quad x_{12}}$

2.14 Group `latex_function_names`

`\Pr` is rendered as $\Pr$

`\arccos` is rendered as $\arccos$

`\arcsin` is rendered as $\arcsin$

`\arctan` is rendered as $\arctan$

`\arg` is rendered as $\arg$

`\cos` is rendered as $\cos$

`\cosh` is rendered as $\cosh$

`\cot` is rendered as $\cot$

`\coth` is rendered as $\coth$

`\csc` is rendered as $\csc$

`\deg` is rendered as $\deg$

`\det` is rendered as $\det$

`\dim` is rendered as $\dim$

$\backslash\exp$ is rendered as $\exp$
 $\backslash\gcd$ is rendered as $\gcd$
 $\backslash\hom$ is rendered as $\hom$
 $\backslash\inf$ is rendered as $\inf$
 $\backslash\ker$ is rendered as $\ker$
 $\backslash\lg$ is rendered as $\lg$
 $\backslash\lim$ is rendered as $\lim$
 $\backslash\liminf$ is rendered as $\liminf$
 $\backslash\limsup$ is rendered as $\limsup$
 $\backslash\ln$ is rendered as $\ln$
 $\backslash\log$ is rendered as $\log$
 $\backslash\max$ is rendered as $\max$
 $\backslash\min$ is rendered as $\min$
 $\backslash\sec$ is rendered as $\sec$
 $\backslash\sin$ is rendered as $\sin$
 $\backslash\sinh$ is rendered as $\sinh$
 $\backslash\sup$ is rendered as $\sup$
 $\backslash\tan$ is rendered as $\tan$
 $\backslash\tanh$ is rendered as $\tanh$

2.15 Group `left_function`

$\backslash\left$ is rendered as $($

2.16 Group `mediawiki_function_names`

$\backslash\operatorname{arccot}$ is rendered as $\operatorname{arccot} y$
 $\backslash\operatorname{arccsc}$ is rendered as $\operatorname{arccsc} y$
 $\backslash\operatorname{arcsec}$ is rendered as $\operatorname{arcsec} y$

`\sen` is rendered as $\text{sen } y$

`\sgn` is rendered as $\text{sgn } y$

2.17 Group nullary_macro

`\And` is rendered as $\wp$

`\Bbbk` is rendered as $\mathbb{k}$

`\Box` is rendered as $\square$

`\Bumpeq` is rendered as $\approx$

`\Cap` is rendered as $\pitchfork$

`\Cup` is rendered as $\wp$

`\Delta` is rendered as Δ

`\Diamond` is rendered as $\diamond$

`\Finv` is rendered as $\nexists$

`\Game` is rendered as $\oslash$

`\Gamma` is rendered as Γ

`\Im` is rendered as $\Im$

`\Lambda` is rendered as Λ

`\Leftarrow` is rendered as $\Leftarrow$

`\Leftrightarrow` is rendered as $\Leftrightarrow$

`\Lleftarrow` is rendered as $\Lleftarrow$

`\Longleftarrow` is rendered as $\Longleftarrow$

`\Longleftrightarrow` is rendered as $\Longleftrightarrow$

`\Longrightarrow` is rendered as $\Longrightarrow$

`\Lsh` is rendered as $\lsh$

`\Omega` is rendered as Ω

`\P` is rendered as $\P$

`\Phi` is rendered as Φ

$\backslash$ Pi is rendered as Π
 $\backslash$ Psi is rendered as Ψ
 $\backslash$ Re is rendered as $\Re$
 $\backslash$ Rightarrow is rendered as $\Rightarrow$
 $\backslash$ Rrightarrow is rendered as $\Rrightarrow$
 $\backslash$ Rsh is rendered as $\rsh$
 $\backslash$ S is rendered as $\S$
 $\backslash$ Sigma is rendered as Σ
 $\backslash$ Subset is rendered as $\subseteq$
 $\backslash$ Supset is rendered as $\supseteq$
 $\backslash$ Theta is rendered as Θ
 $\backslash$ Upsilon is rendered as Υ
 $\backslash$ Vdash is rendered as $\Vdash$
 $\backslash$ Vvdash is rendered as $\Vvdash$
 $\backslash$ Xi is rendered as Ξ
 $\backslash$ aleph is rendered as $\aleph$
 $\backslash$ alpha is rendered as α
 $\backslash$ amalg is rendered as $\amalg$
 $\backslash$ angle is rendered as $\angle$
 $\backslash$ approx is rendered as $\approx$
 $\backslash$ approxeq is rendered as $\approxeq$
 $\backslash$ ast is rendered as $*$
 $\backslash$ asympt is rendered as $\asymp$
 $\backslash$ backepsilon is rendered as ϵ
 $\backslash$ backprime is rendered as $\backprime$
 $\backslash$ backsim is rendered as $\sim$
 $\backslash$ backsimeq is rendered as $\backsimeq$

`\barwedge` is rendered as $\bar{\wedge}$
`\because` is rendered as $\because$
`\beta` is rendered as β
`\beth` is rendered as $\beth$
`\between` is rendered as $\between$
`\bigcap` is rendered as $\bigcap$
`\bigcirc` is rendered as $\bigcirc$
`\bigcup` is rendered as $\bigcup$
`\bigodot` is rendered as $\bigodot$
`\bigoplus` is rendered as $\bigoplus$
`\bigotimes` is rendered as $\bigotimes$
`\bigsqcup` is rendered as $\bigsqcup$
`\bigstar` is rendered as $\bigstar$
`\bigtriangledown` is rendered as $\bigtriangledown$
`\bigtriangleup` is rendered as $\bigtriangleup$
`\biguplus` is rendered as $\biguplus$
`\bigvee` is rendered as $\bigvee$
`\bigwedge` is rendered as $\bigwedge$
`\blacklozenge` is rendered as $\blacklozenge$
`\blacksquare` is rendered as $\blacksquare$
`\blacktriangle` is rendered as $\blacktriangle$
`\blacktriangledown` is rendered as $\blacktriangledown$
`\blacktriangleleft` is rendered as $\blacktriangleleft$
`\blacktriangleright` is rendered as $\blacktriangleright$
`\bot` is rendered as $\bot$
`\bowtie` is rendered as $\bowtie$
`\boxdot` is rendered as $\boxdot$

`\boxminus` is rendered as $\boxminus$
`\boxplus` is rendered as $\boxplus$
`\boxtimes` is rendered as $\boxtimes$
`\bullet` is rendered as $\bullet$
`\bumpeq` is rendered as $\bumpeq$
`\cap` is rendered as $\cap$
`\cdot` is rendered as $\cdot$
`\cdots` is rendered as $\cdots$
`\centerdot` is rendered as $\cdot$
`\checkmark` is rendered as $\checkmark$
`\chi` is rendered as χ
`\circ` is rendered as $\circ$
`\circeq` is rendered as $\overset{\circ}{=}$
`\circlearrowleft` is rendered as $\circlearrowleft$
`\circlearrowright` is rendered as $\circlearrowright$
`\circledS` is rendered as $\textcircled{S}$
`\circledast` is rendered as $\textcircled{*}$
`\circledcirc` is rendered as $\textcircled{\circ}$
`\circleddash` is rendered as $\ominus$
`\clubsuit` is rendered as $\clubsuit$
`\colon` is rendered as $:$
`\complement` is rendered as $\complement$
`\cong` is rendered as $\cong$
`\coprod` is rendered as $\coprod$
`\cup` is rendered as $\cup$
`\curlyeqprec` is rendered as $\curlyeqprec$
`\curlyeqsucc` is rendered as $\curlyeqsucc$

`\curlyvee` is rendered as $\curlyvee$
`\curlywedge` is rendered as $\curlywedge$
`\curvearrowleft` is rendered as $\curvearrowleft$
`\curvearrowright` is rendered as $\curvearrowright$
`\dagger` is rendered as $\dagger$
`\daleth` is rendered as $\daleth$
`\dashv` is rendered as $\dashv$
`\ddagger` is rendered as $\ddagger$
`\ddots` is rendered as $\ddots$
`\delta` is rendered as δ
`\diagdown` is rendered as $\diagdown$
`\diagup` is rendered as $\diagup$
`\diamond` is rendered as $\diamond$
`\diamondsuit` is rendered as $\diamondsuit$
`\digamma` is rendered as $\digamma$
`\displaystyle` is rendered as
$$$$

`\div` is rendered as $\div$
`\divideontimes` is rendered as $\divideontimes$
`\doteq` is rendered as $\doteq$
`\doteqdot` is rendered as $\doteqdot$
`\dotplus` is rendered as $\dotplus$
`\dots` is rendered as $\dots$
`\dotsb` is rendered as $\dotsb$
`\dotsc` is rendered as $\dotsc$
`\dotsi` is rendered as $\dotsi$
`\dotsm` is rendered as $\dotsm$
`\dotso` is rendered as $\dotso$

`\doublebarwedge` is rendered as $\overline{\overline{\wedge}}$
`\downdownarrows` is rendered as $\Downarrow$
`\downharpoonleft` is rendered as $\harpoonleft$
`\downharpoonright` is rendered as $\harpoonright$
`\ell` is rendered as ℓ
`\emptyset` is rendered as $\emptyset$
`\epsilon` is rendered as ϵ
`\eqcirc` is rendered as $\circ\!\approx$
`\eqsim` is rendered as $\approx$
`\eqslantgtr` is rendered as $\gtrless$
`\eqslantless` is rendered as $\lessgtr$
`\equiv` is rendered as $\equiv$
`\eta` is rendered as η
`\eth` is rendered as $\eth$
`\exists` is rendered as $\exists$
`\fallingdotseq` is rendered as $\fallingdotseq$
`\flat` is rendered as $\flat$
`\forall` is rendered as $\forall$
`\frown` is rendered as $\frown$
`\gamma` is rendered as γ
`\geq` is rendered as $\geq$
`\geqq` is rendered as $\geq\!\!=$
`\geqslant` is rendered as $\gtrsim$
`\gets` is rendered as $\leftarrow$
`\gg` is rendered as $\gg$
`\ggg` is rendered as $\ggg$
`\gimel` is rendered as $\gimel$

$\backslash\mathrm{gnapprox}$ is rendered as $\gtrapprox$
 $\backslash\mathrm{gneq}$ is rendered as $\gtrneq$
 $\backslash\mathrm{gneqq}$ is rendered as $\gtrneqq$
 $\backslash\mathrm{gnsim}$ is rendered as $\gtrsim$
 $\backslash\mathrm{gtrapprox}$ is rendered as $\gtrsim$
 $\backslash\mathrm{gtrdot}$ is rendered as $\gtrdot$
 $\backslash\mathrm{gtreqless}$ is rendered as $\gtrless$
 $\backslash\mathrm{gtreqqlless}$ is rendered as $\gtrless$
 $\backslash\mathrm{gtrless}$ is rendered as $\gtrless$
 $\backslash\mathrm{gtrsim}$ is rendered as $\gtrsim$
 $\backslash\mathrm{gvertneqq}$ is rendered as $\gtrneqq$
 $\backslash\mathrm{hbar}$ is rendered as $\hbar$
 $\backslash\mathrm{heartsuit}$ is rendered as $\heartsuit$
 $\backslash\mathrm{hookleftarrow}$ is rendered as $\hookleftarrow$
 $\backslash\mathrm{hookrightarrow}$ is rendered as $\hookrightarrow$
 $\backslash\mathrm{hslash}$ is rendered as $\hslash$
 $\backslash\mathrm{iff}$ is rendered as $\iff$
 $\backslash\mathrm{iiint}$ is rendered as $\iiint$
 $\backslash\mathrm{iiint}$ is rendered as $\iiint$
 $\backslash\mathrm{iint}$ is rendered as $\iint$
 $\backslash\mathrm{imath}$ is rendered as $\imath$
 $\backslash\mathrm{implies}$ is rendered as $\implies$
 $\backslash\mathrm{in}$ is rendered as $\in$
 $\backslash\mathrm{infty}$ is rendered as ∞
 $\backslash\mathrm{injl\lim}$ is rendered as $\mathrm{inj\lim}$
 $\backslash\mathrm{int}$ is rendered as $\int$
 $\backslash\mathrm{intBar}$ is rendered as $\intbar$

`\intbar` is rendered as $\int$
`\intercal` is rendered as $\intercal$
`\iota` is rendered as ι
`\jmath` is rendered as $\jmath$
`\kappa` is rendered as κ
`\lVert` is rendered as $\lVert$
`\lambda` is rendered as λ
`\land` is rendered as $\wedge$
`\ldots` is rendered as $\dots$
`\leftarrow` is rendered as $\leftarrow$
`\leftarrowtail` is rendered as $\leftarrowtail$
`\leftharpoondown` is rendered as $\leftharpoondown$
`\leftharpoonup` is rendered as $\leftharpoonup$
`\leftleftarrows` is rendered as $\longleftrightarrow$
`\leftrightarrows` is rendered as $\leftrightarrow$
`\leftrightharpoons` is rendered as $\leftrightharpoons$
`\leftrightsquigarrow` is rendered as $\leftrightsquigarrow$
`\leftthreetimes` is rendered as $\leftthreetimes$
`\leq` is rendered as $\leq$
`\leqq` is rendered as $\leqslant$
`\leqslant` is rendered as $\leqslant$
`\lessapprox` is rendered as $\lessapprox$
`\lessdot` is rendered as $\lessdot$
`\lesseqgtr` is rendered as $\lesseqgtr$
`\lesseqqgtr` is rendered as $\lesseqqgtr$
`\lessgtr` is rendered as $\lessgtr$

`\lesssim` is rendered as $\lesssim$
`\limits` is rendered for example as $\bigcap_a^b$
`\ll` is rendered as $\ll$
`\lll` is rendered as $\lll$
`\lnapprox` is rendered as $\lnapprox$
`\lneq` is rendered as $\lneq$
`\lneqq` is rendered as $\lneqq$
`\lnot` is rendered as $\lnot$
`\lnsim` is rendered as $\lnsim$
`\longleftarrow` is rendered as $\longleftarrow$
`\longleftrightarrow` is rendered as $\longleftrightarrow$
`\longmapsto` is rendered as $\longmapsto$
`\longrightarrow` is rendered as $\longrightarrow$
`\looparrowleft` is rendered as $\looparrowleft$
`\looparrowright` is rendered as $\looparrowright$
`\lor` is rendered as $\lor$
`\lozenge` is rendered as $\lozenge$
`\ltimes` is rendered as $\ltimes$
`\lvertneqq` is rendered as $\lvertneqq$
`\mapsto` is rendered as $\mapsto$
`\measuredangle` is rendered as $\measuredangle$
`\mho` is rendered as $\mho$
`\mid` is rendered as $\mid$
`\mod` is rendered as $\bmod$
`\models` is rendered as $\models$
`\mp` is rendered as $\mp$
`\mu` is rendered as μ

$\backslash\multimap$ is rendered as $\multimap$
 $\backslash\Leftarrow$ is rendered as $\Leftarrow$
 $\backslash\Leftrightarrow$ is rendered as $\Leftrightarrow$
 $\backslash\Rightarrow$ is rendered as $\Rightarrow$
 $\backslash\VDash$ is rendered as $\Vdash$
 $\backslash\Vdash$ is rendered as $\Vdash$
 $\backslash\nabla$ is rendered as ∇
 $\backslash\natural$ is rendered as $\natural$
 $\backslash\ncong$ is rendered as $\ncong$
 $\backslash\nearrow$ is rendered as $\nearrow$
 $\backslash\neg$ is rendered as $\neg$
 $\backslash\neq$ is rendered as $\neq$
 $\backslash\nexists$ is rendered as $\nexists$
 $\backslashngeq$ is rendered as $\ngeq$
 $\backslashngeqq$ is rendered as $\ngeqq$
 $\backslashngeqslant$ is rendered as $\ngeqslant$
 $\backslashngtr$ is rendered as $\ngtr$
 $\backslashni$ is rendered as $\ni$
 $\backslashnleftarrow$ is rendered as $\nleftarrow$
 $\backslashnleftrightarrow$ is rendered as $\nleftrightarrow$
 $\backslashnleq$ is rendered as $\nleq$
 $\backslashnleqq$ is rendered as $\nleqq$
 $\backslashnleqslant$ is rendered as $\nleqslant$
 $\backslashnless$ is rendered as $\nless$
 $\backslashnmid$ is rendered as $\nmid$
 $\backslashnolimits$ is rendered for example as $\cap_a^b$
 $\backslashnot$ is rendered as $\not$

$\backslash\mathrm{notin}$ is rendered as $\notin$
 $\backslash\mathrm{nparallel}$ is rendered as $\nparallel$
 $\backslash\mathrm{nprec}$ is rendered as $\nprec$
 $\backslash\mathrm{npreceq}$ is rendered as $\npreceq$
 $\backslash\mathrm{nrightarrow}$ is rendered as $\nrightarrow$
 $\backslash\mathrm{nshortmid}$ is rendered as $\nshortmid$
 $\backslash\mathrm{nshortparallel}$ is rendered as $\nshortparallel$
 $\backslash\mathrm{nsim}$ is rendered as $\nsim$
 $\backslash\mathrm{nsubseteq}$ is rendered as $\nsubseteq$
 $\backslash\mathrm{nsubseteqq}$ is rendered as $\nsubseteqq$
 $\backslash\mathrm{nsucc}$ is rendered as $\nsucc$
 $\backslash\mathrm{nsucceq}$ is rendered as $\nsucceq$
 $\backslash\mathrm{nsupseteq}$ is rendered as $\nsupseteq$
 $\backslash\mathrm{nsupseteqq}$ is rendered as $\nsupseteqq$
 $\backslash\mathrm{ntriangleleft}$ is rendered as $\ntriangleleft$
 $\backslash\mathrm{ntrianglelefteq}$ is rendered as $\ntrianglelefteq$
 $\backslash\mathrm{ntriangleright}$ is rendered as $\ntriangleright$
 $\backslash\mathrm{ntrianglerighteq}$ is rendered as $\ntrianglerighteq$
 $\backslash\mathrm{nu}$ is rendered as ν
 $\backslash\mathrm{nvDash}$ is rendered as $\nvDash$
 $\backslash\mathrm{nvdash}$ is rendered as $\nvdash$
 $\backslash\mathrm{nwarrow}$ is rendered as $\nwarrow$
 $\backslash\mathrm{odot}$ is rendered as $\odot$
 $\backslash\mathrm{oiint}$ is rendered as $\oiint$
 $\backslash\mathrm{ooint}$ is rendered as $\ooint$
 $\backslash\mathrm{oint}$ is rendered as $\oint$
 $\backslash\mathrm{ointctrclockwise}$ is rendered as $\ointctrclockwise$

`\omega` is rendered as ω
`\ominus` is rendered as $\ominus$
`\oplus` is rendered as $\oplus$
`\oslash` is rendered as $\oslash$
`\otimes` is rendered as $\otimes$
`\parallel` is rendered as $\parallel$
`\partial` is rendered as ∂
`\perp` is rendered as $\perp$
`\phi` is rendered as ϕ
`\pi` is rendered as π
`\pitchfork` is rendered as $\pitchfork$
`\pm` is rendered as $\pm$
`\prec` is rendered as $\prec$
`\preccurlyeq` is rendered as $\preccurlyeq$
`\preceq` is rendered as $\preceq$
`\precsim` is rendered as $\precsim$
`\precnsim` is rendered as $\precnsim$
`\precneqq` is rendered as $\precneqq$
`\precnsim` is rendered as $\precnsim$
`\precsim` is rendered as $\precsim$
`\prime` is rendered as $\prime$
`\prod` is rendered as $\prod$
`\projlim` is rendered as $\projlim$
`\propto` is rendered as $\propto$
`\psi` is rendered as ψ
`\quad` is rendered as $\quad$
`\quad` is rendered as $\quad$

`\rVert` is rendered as $\parallel$
`\rho` is rendered as ρ
`\rightarrow` is rendered as $\rightarrow$
`\rightarrowtail` is rendered as $\rightarrowtail$
`\rightharpoondown` is rendered as $\searrow$
`\rightharpoonup` is rendered as $\nearrow$
`\rightleftarrows` is rendered as $\rightleftarrows$
`\rightrightarrows` is rendered as $\rightrightarrows$
`\rightsquigarrow` is rendered as $\rightsquigarrow$
`\rightthreetimes` is rendered as $\rightthreetimes$
`\risingdotseq` is rendered as $\risingdotseq$
`\rtimes` is rendered as $\rtimes$
`\scriptscriptstyle` is rendered as $\scriptscriptstyle$
`\scriptstyle` is rendered as $\scriptstyle$
`\searrow` is rendered as $\searrow$
`\setminus` is rendered as $\setminus$
`\sharp` is rendered as $\sharp$
`\shortmid` is rendered as $\shortmid$
`\shortparallel` is rendered as $\shortparallel$
`\sigma` is rendered as σ
`\sim` is rendered as $\sim$
`\simeq` is rendered as $\simeq$
`\smallfrown` is rendered as $\smallfrown$
`\smallsetminus` is rendered as $\smallsetminus$
`\smallsmile` is rendered as $\smallsmile$
`\smile` is rendered as $\smile$
`\spadesuit` is rendered as $\spadesuit$

`\sphericalangle` is rendered as $\sphericalangle$

`\sqcap` is rendered as $\sqcap$

`\sqcup` is rendered as $\sqcup$

`\sqsubset` is rendered as $\sqsubset$

`\sqsubseteq` is rendered as $\sqsubseteq$

`\sqsupset` is rendered as $\sqsupset$

`\sqsupseteq` is rendered as $\sqsupseteq$

`\square` is rendered as $\square$

`\star` is rendered as $\star$

`\subset` is rendered as $\subset$

`\subseteq` is rendered as $\subseteq$

`\subseteqq` is rendered as $\subseteqq$

`\subsetneq` is rendered as $\subsetneq$

`\subsetneqq` is rendered as $\subsetneqq$

`\succ` is rendered as $\succ$

`\succapprox` is rendered as $\succapprox$

`\succcurlyeq` is rendered as $\succcurlyeq$

`\succeq` is rendered as $\succeq$

`\succnapprox` is rendered as $\succnapprox$

`\succneqq` is rendered as $\succneqq$

`\succnsim` is rendered as $\succnsim$

`\succsim` is rendered as $\succsim$

`\sum` is rendered as $\sum$

`\supset` is rendered as $\supset$

`\supseteq` is rendered as $\supseteq$

`\supseteqq` is rendered as $\supseteqq$

`\supsetneq` is rendered as $\supsetneq$

`\supsetneqq` is rendered as $\supsetneqq$
`\surd` is rendered as $\surd$
`\swarrow` is rendered as $\swarrow$
`\tau` is rendered as τ
`\textstyle` is rendered as $\textstyle$
`\therefore` is rendered as $\therefore$
`\theta` is rendered as θ
`\thickapprox` is rendered as $\thickapprox$
`\thicksim` is rendered as $\thicksim$
`\times` is rendered as $\times$
`\to` is rendered as $\rightarrow$
`\top` is rendered as $\top$
`\triangle` is rendered as $\triangle$
`\triangledown` is rendered as $\triangledown$
`\triangleleft` is rendered as $\triangleleft$
`\trianglelefteq` is rendered as $\trianglelefteq$
`\triangleq` is rendered as $\triangleq$
`\triangleright` is rendered as $\triangleright$
`\trianglerighteq` is rendered as $\trianglerighteq$
`\upharpoonleft` is rendered as $\upharpoonleft$
`\upharpoonright` is rendered as $\upharpoonright$
`\uplus` is rendered as $\uplus$
`\upsilon` is rendered as υ
`\upuparrows` is rendered as $\upuparrows$
`\vDash` is rendered as $\vDash$
`\varDelta` is rendered as $\varDelta$
`\varGamma` is rendered as $\varGamma$

`\varLambda` is rendered as Λ
`\varOmega` is rendered as Ω
`\varPhi` is rendered as Φ
`\varPi` is rendered as Π
`\varSigma` is rendered as Σ
`\varTheta` is rendered as Θ
`\varUpsilon` is rendered as Υ
`\varXi` is rendered as Ξ
`\varepsilon` is rendered as ε
`\varinjlim` is rendered as $\varinjlim$
`\varkappa` is rendered as κ
`\varliminf` is rendered as $\varliminf$
`\varlimsup` is rendered as $\varlimsup$
`\varnothing` is rendered as $\emptyset$
`\varointclockwise` is rendered as $\oint$
`\varphi` is rendered as φ
`\varpi` is rendered as ϖ
`\varprojlim` is rendered as $\varprojlim$
`\varpropto` is rendered as $\propto$
`\varrho` is rendered as ϱ
`\varsigma` is rendered as ς
`\varsubsetneq` is rendered as $\subsetneq$
`\varsubsetneqq` is rendered as $\subsetneqq$
`\varsupsetneq` is rendered as $\supsetneq$
`\varsupsetneqq` is rendered as $\supsetneqq$
`\vartheta` is rendered as ϑ
`\vartriangle` is rendered as $\triangle$

`\vartriangleleft` is rendered as $\triangleleft$
`\vartriangleright` is rendered as $\triangleright$
`\vdash` is rendered as $\vdash$
`\vdots` is rendered as $\vdots$
`\vee` is rendered as $\vee$
`\veebar` is rendered as $\veebar$
`\vline` is rendered as $\vline$
`\wedge` is rendered as $\wedge$
`\wp` is rendered as $\wp$
`\wr` is rendered as $\wr$
`\xi` is rendered as ξ
`\zeta` is rendered as ζ

2.18 Group nullary_macro_in_mbox

`\AA` is rendered as $\AA$
`\Coppa` is rendered as λ
`\Digamma` is rendered as D
`\Koppa` is rendered as λ
`\Sampi` is rendered as ν
`\Stigma` is rendered as μ
`\coppa` is rendered as c
`\euro` is rendered as e
`\geneuro` is rendered as €
`\geneuronarrow` is rendered as €
`\geneurowide` is rendered as €
`\koppa` is rendered as θ
`\officialeguro` is rendered as e

`\sampi` is rendered as σ

`\stigma` is rendered as Σ

`\textvisiblespace` is rendered as

`\varstigma` is rendered as Υ

2.19 Group `other_delimiters1`

`\Downarrow` is rendered as $\Downarrow$

`\Uparrow` is rendered as $\Uparrow$

`\Updownarrow` is rendered as $\Updownarrow$

`\Vert` is rendered as $\|$

`\backslash` is rendered as $\backslash$

`\downarrow` is rendered as $\downarrow$

`\langle` is rendered as $\langle$

`\lbrace` is rendered as $\{$

`\lbrack` is rendered as $[$

`\lceil` is rendered as $\lceil$

`\lfloor` is rendered as $\lfloor$

`\llcorner` is rendered as $\llcorner$

`\lrcorner` is rendered as $\lrcorner$

`\rangle` is rendered as $\rangle$

`\rbrace` is rendered as $\}$

`\rbrack` is rendered as $]$

`\rceil` is rendered as $\rceil$

`\rfloor` is rendered as $\rfloor$

`\rightleftharpoons` is rendered as $\rightleftharpoons$

`\twoheadleftarrow` is rendered as $\twoheadleftarrow$

`\twoheadrightarrow` is rendered as $\twoheadrightarrow$

`\ulcorner` is rendered as $\ulcorner$
`\uparrow` is rendered as $\uparrow$
`\updownarrow` is rendered as $\updownarrow$
`\urcorner` is rendered as $\urcorner$
`\vert` is rendered as $\mid$

2.20 Group `other_delimiters2`

`\Darr` is rendered as $\Downarrow$
`\Uarr` is rendered as $\Uparrow$
`\dArr` is rendered as $\Downarrow$
`\darr` is rendered as $\downarrow$
`\lang` is rendered as $\langle$
`\rang` is rendered as $\rangle$
`\uArr` is rendered as $\Uparrow$
`\uarr` is rendered as $\uparrow$

2.21 Group `right_function`

`\right` is rendered as $)$