

# CF Predictor

## Rating Predictor for Codeforces

Anadi Agrawal, Hubert Obrzut, Wiktor Pilarczyk i Michał Syposz

Uniwersytet Wrocławski

December 15, 2020

# Why codeforces?

- The world's largest platform for programming;

# Why codeforces?

- The world's largest platform for programming;
- A lot of data to process;

# Why codeforces?

- The world's largest platform for programming;
- A lot of data to process;
- Great access to data via Codeforces API;

# Why codeforces?

- The world's largest platform for programming;
- A lot of data to process;
- Great access to data via Codeforces API;
- There is a need for such a tool for this website.

## Codeforces's rating

Codeforces uses rating's system is somehow similar to the ELO used in chess. Once for a while, Codeforces hosts the round after which the rating is recalculated based on results achieved by each participant.

# Rating predictor

## Codeforces's rating

Codeforces uses rating's system is somehow similar to the ELO used in chess. Once for a while, Codeforces hosts the round after which the rating is recalculated based on results achieved by each participant.

## What do we want to do?

We want to be able to predict the outcome of the round, i.e. before the round, for a specific user, to predict his ratings' change based on specific factors:

# Rating predictor

## Codeforces's rating

Codeforces uses rating's system is somehow similar to the ELO used in chess. Once for a while, Codeforces hosts the round after which the rating is recalculated based on results achieved by each participant.

## What do we want to do?

We want to be able to predict the outcome of the round, i.e. before the round, for a specific user, to predict his ratings' change based on specific factors:

- Current form of the participant;



## Codeforces's rating

Codeforces uses rating's system is somehow similar to the ELO used in chess. Once for a while, Codeforces hosts the round after which the rating is recalculated based on results achieved by each participant.

## What do we want to do?

We want to be able to predict the outcome of the round, i.e. before the round, for a specific user, to predict his ratings' change based on specific factors:

- Current form of the participant;
- The authors of this round;

# Rating predictor

## Codeforces's rating

Codeforces uses rating's system is somehow similar to the ELO used in chess. Once for a while, Codeforces hosts the round after which the rating is recalculated based on results achieved by each participant.

## What do we want to do?

We want to be able to predict the outcome of the round, i.e. before the round, for a specific user, to predict his ratings' change based on specific factors:

- Current form of the participant;
- The authors of this round;
- The time when the round is hosted;

## Codeforces's rating

Codeforces uses rating's system is somehow similar to the ELO used in chess. Once for a while, Codeforces hosts the round after which the rating is recalculated based on results achieved by each participant.

## What do we want to do?

We want to be able to predict the outcome of the round, i.e. before the round, for a specific user, to predict his ratings' change based on specific factors:

- Current form of the participant;
- The authors of this round;
- The time when the round is hosted;
- The length of the round.