

Api test z użyciem narzędzia Swagger:

1. Post

POST /api/Contact

Parameters

Cancel

Reset

No parameters

Request body

application/json

```
{  "firstName": "string",  "lastName": "string",  "email": "string",  "phone": "string",  "category": "string",  "birth": "2023-04-18T20:54:18.096Z"}}
```

Execute

Clear

Code

Details

200

Response body

```
[  {    "id": 1,    "firstName": "string",    "lastName": "string",    "email": "string",    "phone": "string",    "category": "string",    "birth": "2023-04-18T20:51:08.821"  },  {    "id": 2,    "firstName": "string",    "lastName": "string",    "email": "string",    "phone": "string",    "category": "string",    "birth": "2023-04-18T20:54:18.096Z"  }]
```

Download

Response headers

```
content-type: application/json; charset=utf-8date: Tue, 18 Apr 2023 20:54:27 GMTserver: Kestrel
```

2. Get

GET /api/Contact

Parameters

No parameters

ExecuteClear

Responses

Curl

curl -X 'GET' \n'https://localhost:7032/api/Contact' \n-H 'accept: text/plain'

Request URL

https://localhost:7032/api/Contact

Server response

CodeDetails

200

Response body

[\n {\n "id": 1,\n "firstName": "string",\n "lastName": "string",\n "email": "string",\n "phone": "string",\n "category": "string",\n "birth": "2023-04-18T20:51:08.822"\n },\n {\n "id": 2,\n "firstName": "string",\n "lastName": "string",\n "email": "string",\n "phone": "string",\n "category": "string",\n "birth": "2023-04-18T20:54:18.096"\n }\n]

Response headers

content-type: application/json; charset=utf-8 \ndate: Tue, 18 Apr 2023 20:55:11 GMT \nserver: Kestrel

3. Put (update):

The screenshot shows a REST client interface for a PUT request to `/api/Contact`. The request body is a JSON object representing a contact with fields: `id` (1), `firstName` ("Olaf"), `lastName` ("string"), `email` ("string"), `phone` ("string"), `category` ("string"), and `birth` ("2023-04-18T20:58:20.751Z"). The response is a 200 status code with a JSON body containing two contact objects. The first object is identical to the request, and the second object has `id` 2 and a different birth date. Response headers include `content-type: application/json; charset=utf-8`, `date: Tue, 18 Apr 2023 20:58:33 GMT`, and `server: Kestrel`.

```
PUT /api/Contact
```

Parameters

No parameters

Request body

application/json

```
{
  "id": 1,
  "firstName": "Olaf",
  "lastName": "string",
  "email": "string",
  "phone": "string",
  "category": "string",
  "birth": "2023-04-18T20:58:20.751Z"
}
```

Execute Clear

Server response

Code Details

200

Response body

```
[
  {
    "id": 1,
    "firstName": "Olaf",
    "lastName": "string",
    "email": "string",
    "phone": "string",
    "category": "string",
    "birth": "2023-04-18T20:51:08.822"
  },
  {
    "id": 2,
    "firstName": "string",
    "lastName": "string",
    "email": "string",
    "phone": "string",
    "category": "string",
    "birth": "2023-04-18T20:54:18.096"
  }
]
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Tue, 18 Apr 2023 20:58:33 GMT
server: Kestrel
```

4. Get by Id:

The screenshot shows a REST client interface for a GET request to `/api/Contact/{id}`. The `id` parameter is set to 1. The response is a 200 status code with a JSON body containing a single contact object with `id` 1. Response headers include `content-type: application/json; charset=utf-8`, `date: Tue, 18 Apr 2023 21:00:28 GMT`, and `server: Kestrel`.

```
GET /api/Contact/{id}
```

Parameters

Name Description

`id` * required
integer(\$int32)
(path)

1

Execute Clear

Responses

Curl

```
curl -X 'GET' \
  https://localhost:7032/api/Contact/1 \
  -H 'accept: text/plain'
```

Request URL

```
https://localhost:7032/api/Contact/1
```

Server response

Code Details

200

Response body

```
{
  "id": 1,
  "firstName": "Olaf",
  "lastName": "string",
  "email": "string",
  "phone": "string",
  "category": "string",
  "birth": "2023-04-18T20:51:08.822"
}
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Tue, 18 Apr 2023 21:00:28 GMT
server: Kestrel
```

5. Delete:

DELETE /api/Contact/{id}

Parameters

Cancel

Name	Description
id * required	
integer(\$int32)	2
(path)	

ExecuteClear

Responses

Curl

```
curl -X 'DELETE' \
  'https://localhost:7032/api/Contact/2' \
  -H 'accept: text/plain'
```

Request URL

```
https://localhost:7032/api/Contact/2
```

Server response

Code	Details
200	<div>Response body<pre>{ "id": 1, "firstName": "Olaf", "lastName": "string", "email": "string", "phone": "string", "category": "string", "birth": "2023-04-18T20:51:08.022" }</pre></div> <div>Response headers<pre>content-type: application/json; charset=utf-8 date: Tue, 18 Apr 2023 21:00:55 GMT server: Kestrel</pre></div>

Download