

```

import { useState, useMemo, useEffect, CSSProperties } from "react";
import {
  AreaChart, Area, XAxis, YAxis, CartesianGrid, Tooltip,
  ResponsiveContainer, ReferenceLine, ReferenceDot,
} from "recharts";

// — Global styles + Tailwind CDN + Responsive CSS —————
function useGlobalStyles() {
  useEffect(() => {
    // Tailwind CDN
    if (!document.getElementById("tw-cdn")) {
      const s = document.createElement("script");
      s.id = "tw-cdn"; s.src = "https://cdn.tailwindcss.com"; s.async = true;
      document.head.appendChild(s);
    }
    // Google Fonts
    if (!document.getElementById("gfont")) {
      const l = document.createElement("link");
      l.id = "gfont"; l.rel = "stylesheet";
      l.href = "https://fonts.googleapis.com/css2?family=Noto+Sans+TC:wght@400;500";
      document.head.appendChild(l);
    }
    // Base + Responsive CSS
    if (!document.getElementById("rsp-style")) {
      const st = document.createElement("style");
      st.id = "rsp-style";
      st.textContent = `
        *, *::before, *::after { box-sizing: border-box; margin: 0; padding: 0; }
        html { -webkit-text-size-adjust: 100%; }
        body { font-family: 'Noto Sans TC', sans-serif; background: #f1f5f9; }
        * { font-family: 'Noto Sans TC', sans-serif; }
        input[type=number]::-webkit-inner-spin-button,
        input[type=number]::-webkit-outer-spin-button { -webkit-appearance: none; }
        input[type=number] { -moz-appearance: textfield; }
        input[type=date] { -webkit-appearance: none; appearance: none; }
        :focus { outline: none; }
        select { appearance: none; -webkit-appearance: none; }

        /* — Responsive grid helpers — */

        /* Default (mobile first): 1 column */
        .grid-2 { display:grid; grid-template-columns:1fr; gap:16px; }
        .grid-3 { display:grid; grid-template-columns:1fr; gap:14px; }
        .grid-4 { display:grid; grid-template-columns:repeat(2,minmax(0,1fr)); }
      `;
      document.head.appendChild(st);
    }
  });
}

```

```

.grid-6 { display:grid; grid-template-columns:1fr; gap:14px; }
.grid-kpi{ display:grid; grid-template-columns:repeat(2,minmax(0,1fr)); g

/* Tablet (≥ 640px): 2 columns */
@media (min-width:640px) {
  .grid-2 { grid-template-columns:repeat(2,minmax(0,1fr)); gap:20px; }
  .grid-3 { grid-template-columns:repeat(2,minmax(0,1fr)); gap:16px; }
  .grid-6 { grid-template-columns:repeat(2,minmax(0,1fr)); gap:16px; }
  .grid-kpi{ grid-template-columns:repeat(2,minmax(0,1fr)); gap:14px; }
}

/* Desktop (≥ 960px): full columns */
@media (min-width:960px) {
  .grid-2 { grid-template-columns:repeat(2,minmax(0,1fr)); gap:24px; }
  .grid-3 { grid-template-columns:repeat(3,minmax(0,1fr)); gap:18px; }
  .grid-4 { grid-template-columns:repeat(4,minmax(0,1fr)); gap:16px; }
  .grid-6 { grid-template-columns:repeat(3,minmax(0,1fr)); gap:16px; }
  .grid-kpi{ grid-template-columns:repeat(3,minmax(0,1fr)); gap:16px; }
}

/* — Client info: 3-col on wide, 2-col tablet, 1-col mobile — */
.grid-client { display:grid; grid-template-columns:1fr; gap:16px 20px; }
@media (min-width:480px) {
  .grid-client { grid-template-columns:repeat(2,minmax(0,1fr)); }
}
@media (min-width:960px) {
  .grid-client { grid-template-columns:repeat(3,minmax(0,1fr)); gap:20px
}

/* — Nav: hide premium badge on small screens — */
.nav-premium { display:none; }
@media (min-width:560px) { .nav-premium { display:block; } }

/* — Nav title sub-line: hide on tiny screens — */
.nav-sub { display:none; }
@media (min-width:400px) { .nav-sub { display:block; } }

/* — Report header font scale — */
.rpt-title { font-size:20px; }
@media (min-width:640px) { .rpt-title { font-size:26px; } }
@media (min-width:960px) { .rpt-title { font-size:30px; } }

/* — Retirement formula cards: 3 → 1 col — */
.grid-formula { display:grid; grid-template-columns:1fr; gap:12px; }
@media (min-width:640px) {
  .grid-formula { grid-template-columns:repeat(3,minmax(0,1fr)); gap:14px
}

```

```

/* — Action cards: always 3 but smaller on mobile — */
.grid-action { display:grid; grid-template-columns:1fr; gap:12px; }
@media (min-width:560px) {
  .grid-action { grid-template-columns:repeat(3,minmax(0,1fr)); gap:12px;
}

/* — Gap wall: 2 col on mobile, 4 on desktop — */
.grid-gap { display:grid; grid-template-columns:repeat(2,minmax(0,1fr));
@media (min-width:960px) {
  .grid-gap { grid-template-columns:repeat(4,minmax(0,1fr)); gap:16px; }
}

/* — Section padding — */
.sec-pad { padding:20px; }
@media (min-width:640px) { .sec-pad { padding:28px; } }

/* — Big number scaling — */
.num-xl { font-size:26px; }
.num-xxl { font-size:30px; }
@media (min-width:640px) {
  .num-xl { font-size:34px; }
  .num-xxl { font-size:34px; }
}

/* — Prot card grid — */
.grid-prot { display:grid; grid-template-columns:1fr; gap:16px; }
@media (min-width:640px) {
  .grid-prot { grid-template-columns:repeat(2,minmax(0,1fr)); }
}
@media (min-width:960px) {
  .grid-prot { grid-template-columns:repeat(3,minmax(0,1fr)); gap:18px; }
}

/* — Report chart height — */
.chart-h { height: 220px; }
@media (min-width:640px) { .chart-h { height: 280px; } }
@media (min-width:960px) { .chart-h { height: 310px; } }

/* touch targets */
button, select, input { touch-action: manipulation; }
`;
document.head.appendChild(st);
}
}, []);
}

```

```
// — Palette —————
const C = {
  indigo:"#4f46e5", violet:"#7c3aed",
  rose:"#e11d48",   emerald:"#059669",
  amber:"#d97706",  white:"#ffffff",
  s50:"#f8fafc", s200:"#e2e8f0",
  s400:"#94a3b8", s500:"#64748b", s600:"#475569",
  s700:"#334155", s800:"#1e293b", s900:"#0f172a",
};

// — Shared inline styles —————
const cardSt: CSSProperties = {
  background:C.white, borderRadius:20,
  boxShadow:"0 2px 20px rgba(0,0,0,0.08)",
  border:`1px solid ${C.s200}`, overflow:"hidden",
};
const lblSt: CSSProperties = {
  display:"block", color:C.s900, fontWeight:900, fontSize:17, marginBottom:8,
};
const bigBase: CSSProperties = {
  display:"block", width:"100%", minWidth:0, height:54,
  borderRadius:14, border:`2px solid ${C.s200}`, background:C.s50,
  fontSize:24, fontWeight:800, color:C.s900,
  paddingTop:0, paddingBottom:0, paddingLeft:16, paddingRight:16,
  transition:"border-color .2s, box-shadow .2s",
};
const txtBase: CSSProperties = {
  display:"block", width:"100%", minWidth:0, height:54,
  borderRadius:14, border:`2px solid ${C.s200}`, background:C.s50,
  fontSize:16, fontWeight:600, color:C.s900,
  paddingTop:0, paddingBottom:0, paddingLeft:16, paddingRight:16,
  transition:"border-color .2s, box-shadow .2s",
};
const gCell: CSSProperties = { minWidth:0, width:"100%", overflow:"hidden" };

// — Types —————
interface Client {
  name:string; birthdate:string; gender:string;
  occupation:string; phone:string;
  monthlyIncome:string; monthlyExpense:string;
  savings:string; retirementAge:string; dependents:string;
}
interface Med {
  hospitalDaily:string; hospitalReal:string;
  surgeryLump:string; surgeryReal:string; medicalMisc:string;
}
interface Prot {
```

```

    lifeInsurance:string; lifeInsurancePremium:string;
    accidentDeath:string; accidentReal:string;
    accidentHospitalDaily:string; accidentPremium:string;
    criticalIllness:string; criticalPremium:string;
    cancerLumpsum:string; cancerChemoDaily:string; cancerPremium:string;
    ltcLumpsum:string; ltcMonthly:string; ltcPremium:string;
    med:Med; medicalPremium:string;
  }

// — Helpers —————
const calcAge = (bd:string):number => {
  if (!bd) return 0;
  const t=new Date(), b=new Date(bd);
  let a=t.getFullYear()-b.getFullYear();
  if(t.getMonth()<b.getMonth() || (t.getMonth()===b.getMonth() && t.getDate()<b.getDa
  return Math.max(a,0);
};

const nv = (s:string) => parseFloat(s)||0;
const W = (v:number) => v>=100000000?`${(v/100000000).toFixed(1)}億`:v>=10000?`:
const $ = (v:number) => `${Math.round(v).toLocaleString("zh-TW")}`;
const $W = (v:number) => `${W(Math.round(v))}`;

const iC:Client={name:"",birthdate:"",gender:"",occupation:"",phone:"",monthlyInc
const iP:Prot={lifeInsurance:"",lifeInsurancePremium:"",accidentDeath:"",accident

// — Input atoms —————
function FI({value,onChange,placeholder="0",pre,suf,hl=false}:{value:string;onCha
  const [f,sf]=useState(false);
  return(
    <div style={{position:"relative",display:"flex",alignItems:"center",minWidth:
      {pre}&&<span style={{position:"absolute",left:14,color:C.s400,fontWeight:700
      <input type="number" value={value} placeholder={placeholder}
        onChange={e=>onChange(e.target.value)} onFocus={()=>sf(true)} onBlur={()=
        style={{...bigBase,paddingLeft:pre?34:16,paddingRight:suf?54:16,
          borderColor:hl?C.rose:f?C.indigo:C.s200,
          boxShadow:hl?"0 0 0 3px rgba(225,29,72,0.18)":f?"0 0 0 4px rgba(79,70,2
          {suf}&&<span style={{position:"absolute",right:10,color:C.s400,fontWeight:60
      </div>
    );
  }
}

function TI({value,onChange,placeholder="",type="text"}:{value:string;onChange:(v
  const [f,sf]=useState(false);
  return <input type={type} value={value} placeholder={placeholder} onChange={e=>
}

function SI({value,onChange,opts}:{value:string;onChange:(v:string)=>void;opts:{v
  const [f,sf]=useState(false);
  return(

```

```

    <div style={{position:"relative",minWidth:0,width:"100%"}}>
      <select value={value} onChange={e=>onChange(e.target.value)} onFocus={()=>s
        style={{...txtBase,paddingRight:38,cursor:"pointer",borderColor:f?C.indig
          {opts.map(o=><option key={o.value} value={o.value}>{o.label}</option>)}
      </select>
      <span style={{position:"absolute",right:12,top:"50%",transform:"translateY(
    </div>
  );
}
function Fld({label,children}:{label:React.ReactNode;children:React.ReactNode}){
  return <div style={{minWidth:0,width:"100%"}}><label style={lblSt}>{label}</lab
}

// — ProtCard —————
function PC({gradient,icon,title,sub,children}:{gradient:string;icon:string;title
  return(
    <div style={{...cardSt,transition:"box-shadow .25s"}}>
      <div style={{background:gradient,padding:"16px 20px",display:"flex",alignIt
        <div style={{background:"rgba(255,255,255,0.2)",borderRadius:12,width:44,
          <div>
            <div style={{color:C.white,fontWeight:900,fontSize:18}}>{title}</div>
            <div style={{color:"rgba(255,255,255,0.75)",fontSize:12,fontWeight:500,
          </div>
        </div>
        <div style={{padding:18,display:"flex",flexDirection:"column",gap:16}}>{chi
      </div>
    );
  }

// — Dark section box —————
function DarkBox({children,style}:{children:React.ReactNode;style?:CSSProperties}
  return(
    <div style={{background:C.s800,borderRadius:20,border:`1px solid ${C.s700}`,
      {children}
    </div>
  );
}

// — Section header inside dark box —————
function RptHeader({icon,title,sub}:{icon:string;title:string;sub:string}){
  return(
    <div style={{display:"flex",alignItems:"center",gap:12,marginBottom:20}}>
      <div style={{background:"rgba(225,29,72,0.2)",borderRadius:12,width:42,heig
        <div>
          <div style={{color:C.white,fontWeight:900,fontSize:20}}>{title}</div>
          <div style={{color:C.s400,fontSize:12,marginTop:2}}>{sub}</div>
        </div>

```

```

    </div>
  );
}

// =====
// REPORT
// =====
function Report({client,prot,onBack}:{client:Client;prot:Prot;onBack:()=>void}){
  const age      = calcAge(client.birthdate);
  const income   = nv(client.monthlyIncome);
  const expense  = nv(client.monthlyExpense);
  const savings  = nv(client.savings);
  const retAge   = nv(client.retirementAge)||65;
  const yToRet   = Math.max(retAge-age, 0);
  const INFL=0.025, GROW=0.05;
  // 動態退休年數：平均餘命 85 歲 - 預計退休年齡（隨 retirementAge 即時聯動）
  const RET_YEARS = Math.max(85 - retAge, 0);

  // Retirement calcs
  const retMonthExp = expense * Math.pow(1+INFL, yToRet);
  // 退休準備金 = 退休時等值月支出 × 12個月 × (85 - 退休年齡)
  const totalTarget = retMonthExp * 12 * RET_YEARS;
  const savingsFV    = savings * Math.pow(1+GROW, yToRet);
  const retGap       = Math.max(0, totalTarget - savingsFV);
  const annualNeed   = yToRet>0 ? totalTarget/yToRet : totalTarget;
  const monthlyNeed  = annualNeed/12;
  const totalPremium= nv(prot.lifeInsurancePremium)+nv(prot.accidentPremium)+nv(p
  const realMonthlySave = income-expense-totalPremium/12;

  // Cashflow
  const cashflow = useMemo(()=>{
    let asset=savings;
    const rows:{ age:number; 資產規模:number; 年度支出:number }[]=[];
    for(let yr=age; yr<=90; yr++){
      const inflExp=expense*Math.pow(1+INFL, yr-age)*12;
      rows.push({age:yr, 資產規模:Math.round(Math.max(asset,0)), 年度支出:Math.round(i
      asset = yr<retAge ? asset*(1+GROW)+Math.max(realMonthlySave,0)*12 : asset*(
    }
    return rows;
  },[age,savings,realMonthlySave,retAge,expense]);

  const depleteIdx=cashflow.findIndex((d,i)=>i>0&&cashflow[i-1].資產規模>0&&d.資產規
  const depleteAge=depleteIdx>0?cashflow[depleteIdx].age:null;
  const depleteY   =depleteIdx>0?cashflow[depleteIdx-1].資產規模:0;

  // Gaps
  const medDailyHave=nv(prot.med.hospitalDaily)+nv(prot.med.hospitalReal);

```

```

const medMiscHave =nv(prot.med.medicalMisc)*10000;
const accRealHave =nv(prot.accidentReal)*10000;
const ciHave      =nv(prot.criticalIllness)*10000;
const gaps=[
  {icon:"🏥",label:"醫療住院日額",std:5000, stdL:"5,000 元/日",have:medDailyHave,},
  {icon:"💊",label:"醫療雜費",      std:300000,stdL:"30 萬",      have:medMiscHave,},
  {icon:"🚑",label:"意外實支",      std:100000,stdL:"10 萬",      have:accRealHave,},
  {icon:"⚡",label:"重大傷病",      std:2000000,stdL:"200 萬",      have:ciHave,},
];

// Protection groups (no premium rows)
const groups=[
  {title:"壽險保障",color:"#6366f1",bg:"rgba(99,102,241,0.12)",icon:"🛡️",items:[
    {k:"壽險身故保額",v:nv(prot.lifeInsurance)>0?`$${W(nv(prot.lifeInsurance)*1000)}`,},
  ]},
  {title:"意外保障",color:"#8b5cf6",bg:"rgba(139,92,246,0.12)",icon:"⚡",items:[
    {k:"意外身故保額",v:nv(prot.accidentDeath)>0?`$${W(nv(prot.accidentDeath)*1000)}`,},
    {k:"意外實支",      v:nv(prot.accidentReal)>0?`$${W(nv(prot.accidentReal)*10000)}`,},
    {k:"意外住院日額",v:nv(prot.accidentHospitalDaily)>0?`$${nv(prot.accidentHospitalDaily).toLocaleString()}`,},
  ]},
  {title:"醫療保障",color:"#2563eb",bg:"rgba(37,99,235,0.12)",icon:"🏥",items:[
    {k:"住院定額",v:nv(prot.med.hospitalDaily)>0?`$${nv(prot.med.hospitalDaily).toLocaleString()}`,},
    {k:"住院實支",v:nv(prot.med.hospitalReal)>0?`$${nv(prot.med.hospitalReal).toLocaleString()}`,},
    {k:"手術定額",v:nv(prot.med.surgeryLump)>0?`$${W(nv(prot.med.surgeryLump)*1000)}`,},
    {k:"手術實支",v:nv(prot.med.surgeryReal)>0?`$${W(nv(prot.med.surgeryReal)*1000)}`,},
    {k:"醫療雜費",v:nv(prot.med.medicalMisc)>0?`$${W(nv(prot.med.medicalMisc)*1000)}`,},
  ]},
  {title:"重大疾病",color:"#e11d48",bg:"rgba(225,29,72,0.12)",icon:"⚠️",items:[
    {k:"重大傷病", v:nv(prot.criticalIllness)>0?`$${W(nv(prot.criticalIllness)*1000)}`,},
    {k:"癌症一次金",v:nv(prot.cancerLumpsum)>0?`$${W(nv(prot.cancerLumpsum)*10000)}`,},
    {k:"化/放療補助",v:nv(prot.cancerChemoDaily)>0?`$${nv(prot.cancerChemoDaily).toLocaleString()}`,},
  ]},
  {title:"長照保障",color:"#059669",bg:"rgba(5,150,105,0.12)",icon:"🏆",items:[
    {k:"長照一次金",v:nv(prot.ltcLumpsum)>0?`$${W(nv(prot.ltcLumpsum)*10000)} 元`,},
    {k:"月扶助金", v:nv(prot.ltcMonthly)>0?`$${nv(prot.ltcMonthly).toLocaleString()}`,},
  ]},
  {title:"養老保障",color:"#d97706",bg:"rgba(217,119,6,0.12)",icon:"💰",items:[
    {k:"年度總保費", v:totalPremium>0?`${totalPremium}:—"`,},
    {k:"月均保費", v:totalPremium>0?`${totalPremium/12}:—"`,},
    {k:"保費占月收入",v:income>0&&totalPremium>0?`$${((totalPremium/12/income)*100)}`,},
  ]},
];

const Tip=({active,payload,label}:{active?:boolean;payload?:{name:string;value:string};label:string})=>{
  if(!active||!payload?.length) return null;
  return (
    <div style={{background:C.s900,border:`1px solid ${C.s700}`,borderRadius:10px,padding:10px}}>
      {label}
    </div>
  )
}

```



```

<div style={{color:C.s400,fontSize:12,fontWeight:600,marginBottom:6}}>{la
{payload.map((p,i)=>(
  <div key={i} style={{display:"flex",justifyContent:"space-between",gap:
    <span style={{color:p.color,fontSize:12,fontWeight:600}}>{p.name}</sp
    <span style={{color:"#e2e8f0",fontSize:12,fontWeight:700}}>{$W(p.valu
  </div>
))}
</div>
);
};
return(
  <div style={{minHeight:"100vh",background:C.s900}}>

    {/* Header */}
    <div style={{background:"linear-gradient(135deg,#1e1b4b,#312e81,#4c1d95)",p
      <div style={{position:"absolute",inset:0,opacity:.05,backgroundImage:"rep
      <button onClick={onBack} style={{display:"flex",alignItems:"center",gap:6
        ← 返回
      </button>
      <div style={{textAlign:"center",position:"relative",zIndex:1}}>
        <div style={{color:"#a5b4fc",fontSize:11,fontWeight:600,letterSpacing:2
        <h1 className="rpt-title" style={{color:C.white,fontWeight:900,lineHeig
          「{client.name||"客戶"}」 {client.gender==="male"? "先生": "小姐"}<br/>
          專屬財務保障分析報告
        </h1>
        <p style={{color:"#a5b4fc",marginTop:8,fontSize:12}}>
          {new Date().toLocaleDateString("zh-TW")} | {age} 歲 | 退休 {retAge} 歲
        </p>
        </div>
      </div>

    <div style={{maxWidth:1100,margin:"0 auto",padding:"18px 16px",display:"fle

    {/* — BLOCK 1：退休財務缺口 ————— */}
    <DarkBox style={{padding:0}}>
      <div className="sec-pad">
        <RptHeader icon="🔥" title="退休財務缺口診斷" sub={"通膨複利 2.5% · 退休後

        {/* 3 formula cards */}
        <div className="grid-formula" style={{marginBottom:16}}>
          {/* Step 1 */}
          <div style={{background:"rgba(99,102,241,0.15)",border:"1px solid r
            <div style={{color:"#a5b4fc",fontSize:11,fontWeight:700,marginBot
              <div className="num-x1" style={{color:C.white,fontWeight:900}}>{$
              <div style={{color:C.s500,fontSize:11,marginTop:6}}>目前每月固定支出
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
);
};
return(
  <div style={{minHeight:"100vh",background:C.s900}}>

    {/* Header */}
    <div style={{background:"linear-gradient(135deg,#1e1b4b,#312e81,#4c1d95)",p
      <div style={{position:"absolute",inset:0,opacity:.05,backgroundImage:"rep
      <button onClick={onBack} style={{display:"flex",alignItems:"center",gap:6
        ← 返回
      </button>
      <div style={{textAlign:"center",position:"relative",zIndex:1}}>
        <div style={{color:"#a5b4fc",fontSize:11,fontWeight:600,letterSpacing:2
        <h1 className="rpt-title" style={{color:C.white,fontWeight:900,lineHeig
          「{client.name||"客戶"}」 {client.gender==="male"? "先生": "小姐"}<br/>
          專屬財務保障分析報告
        </h1>
        <p style={{color:"#a5b4fc",marginTop:8,fontSize:12}}>
          {new Date().toLocaleDateString("zh-TW")} | {age} 歲 | 退休 {retAge} 歲
        </p>
        </div>
      </div>

    <div style={{maxWidth:1100,margin:"0 auto",padding:"18px 16px",display:"fle

    {/* — BLOCK 1：退休財務缺口 ————— */}
    <DarkBox style={{padding:0}}>
      <div className="sec-pad">
        <RptHeader icon="🔥" title="退休財務缺口診斷" sub={"通膨複利 2.5% · 退休後

        {/* 3 formula cards */}
        <div className="grid-formula" style={{marginBottom:16}}>
          {/* Step 1 */}
          <div style={{background:"rgba(99,102,241,0.15)",border:"1px solid r
            <div style={{color:"#a5b4fc",fontSize:11,fontWeight:700,marginBot
              <div className="num-x1" style={{color:C.white,fontWeight:900}}>{$
              <div style={{color:C.s500,fontSize:11,marginTop:6}}>目前每月固定支出
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
);
};
return(
  <div style={{minHeight:"100vh",background:C.s900}}>

    {/* Header */}
    <div style={{background:"linear-gradient(135deg,#1e1b4b,#312e81,#4c1d95)",p
      <div style={{position:"absolute",inset:0,opacity:.05,backgroundImage:"rep
      <button onClick={onBack} style={{display:"flex",alignItems:"center",gap:6
        ← 返回
      </button>
      <div style={{textAlign:"center",position:"relative",zIndex:1}}>
        <div style={{color:"#a5b4fc",fontSize:11,fontWeight:600,letterSpacing:2
        <h1 className="rpt-title" style={{color:C.white,fontWeight:900,lineHeig
          「{client.name||"客戶"}」 {client.gender==="male"? "先生": "小姐"}<br/>
          專屬財務保障分析報告
        </h1>
        <p style={{color:"#a5b4fc",marginTop:8,fontSize:12}}>
          {new Date().toLocaleDateString("zh-TW")} | {age} 歲 | 退休 {retAge} 歲
        </p>
        </div>
      </div>

    <div style={{maxWidth:1100,margin:"0 auto",padding:"18px 16px",display:"fle

    {/* — BLOCK 1：退休財務缺口 ————— */}
    <DarkBox style={{padding:0}}>
      <div className="sec-pad">
        <RptHeader icon="🔥" title="退休財務缺口診斷" sub={"通膨複利 2.5% · 退休後

        {/* 3 formula cards */}
        <div className="grid-formula" style={{marginBottom:16}}>
          {/* Step 1 */}
          <div style={{background:"rgba(99,102,241,0.15)",border:"1px solid r
            <div style={{color:"#a5b4fc",fontSize:11,fontWeight:700,marginBot
              <div className="num-x1" style={{color:C.white,fontWeight:900}}>{$
              <div style={{color:C.s500,fontSize:11,marginTop:6}}>目前每月固定支出
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
);
};
return(
  <div style={{minHeight:"100vh",background:C.s900}}>

    {/* Header */}
    <div style={{background:"linear-gradient(135deg,#1e1b4b,#312e81,#4c1d95)",p
      <div style={{position:"absolute",inset:0,opacity:.05,backgroundImage:"rep
      <button onClick={onBack} style={{display:"flex",alignItems:"center",gap:6
        ← 返回
      </button>
      <div style={{textAlign:"center",position:"relative",zIndex:1}}>
        <div style={{color:"#a5b4fc",fontSize:11,fontWeight:600,letterSpacing:2
        <h1 className="rpt-title" style={{color:C.white,fontWeight:900,lineHeig
          「{client.name||"客戶"}」 {client.gender==="male"? "先生": "小姐"}<br/>
          專屬財務保障分析報告
        </h1>
        <p style={{color:"#a5b4fc",marginTop:8,fontSize:12}}>
          {new Date().toLocaleDateString("zh-TW")} | {age} 歲 | 退休 {retAge} 歲
        </p>
        </div>
      </div>

    <div style={{maxWidth:1100,margin:"0 auto",padding:"18px 16px",display:"fle

    {/* — BLOCK 1：退休財務缺口 ————— */}
    <DarkBox style={{padding:0}}>
      <div className="sec-pad">
        <RptHeader icon="🔥" title="退休財務缺口診斷" sub={"通膨複利 2.5% · 退休後

        {/* 3 formula cards */}
        <div className="grid-formula" style={{marginBottom:16}}>
          {/* Step 1 */}
          <div style={{background:"rgba(99,102,241,0.15)",border:"1px solid r
            <div style={{color:"#a5b4fc",fontSize:11,fontWeight:700,marginBot
              <div className="num-x1" style={{color:C.white,fontWeight:900}}>{$
              <div style={{color:C.s500,fontSize:11,marginTop:6}}>目前每月固定支出
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
);
};
return(
  <div style={{minHeight:"100vh",background:C.s900}}>

    {/* Header */}
    <div style={{background:"linear-gradient(135deg,#1e1b4b,#312e81,#4c1d95)",p
      <div style={{position:"absolute",inset:0,opacity:.05,backgroundImage:"rep
      <button onClick={onBack} style={{display:"flex",alignItems:"center",gap:6
        ← 返回
      </button>
      <div style={{textAlign:"center",position:"relative",zIndex:1}}>
        <div style={{color:"#a5b4fc",fontSize:11,fontWeight:600,letterSpacing:2
        <h1 className="rpt-title" style={{color:C.white,fontWeight:900,lineHeig
          「{client.name||"客戶"}」 {client.gender==="male"? "先生": "小姐"}<br/>
          專屬財務保障分析報告
        </h1>
        <p style={{color:"#a5b4fc",marginTop:8,fontSize:12}}>
          {new Date().toLocaleDateString("zh-TW")} | {age} 歲 | 退休 {retAge} 歲
        </p>
        </div>
      </div>

    <div style={{maxWidth:1100,margin:"0 auto",padding:"18px 16px",display:"fle

    {/* — BLOCK 1：退休財務缺口 ————— */}
    <DarkBox style={{padding:0}}>
      <div className="sec-pad">
        <RptHeader icon="🔥" title="退休財務缺口診斷" sub={"通膨複利 2.5% · 退休後

        {/* 3 formula cards */}
        <div className="grid-formula" style={{marginBottom:16}}>
          {/* Step 1 */}
          <div style={{background:"rgba(99,102,241,0.15)",border:"1px solid r
            <div style={{color:"#a5b4fc",fontSize:11,fontWeight:700,marginBot
              <div className="num-x1" style={{color:C.white,fontWeight:900}}>{$
              <div style={{color:C.s500,fontSize:11,marginTop:6}}>目前每月固定支出
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
);
};
return(
  <div style={{minHeight:"100vh",background:C.s900}}>

    {/* Header */}
    <div style={{background:"linear-gradient(135deg,#1e1b4b,#312e81,#4c1d95)",p
      <div style={{position:"absolute",inset:0,opacity:.05,backgroundImage:"rep
      <button onClick={onBack} style={{display:"flex",alignItems:"center",gap:6
        ← 返回
      </button>
      <div style={{textAlign:"center",position:"relative",zIndex:1}}>
        <div style={{color:"#a5b4fc",fontSize:11,fontWeight:600,letterSpacing:2
        <h1 className="rpt-title" style={{color:C.white,fontWeight:900,lineHeig
          「{client.name||"客戶"}」 {client.gender==="male"? "先生": "小姐"}<br/>
          專屬財務保障分析報告
        </h1>
        <p style={{color:"#a5b4fc",marginTop:8,fontSize:12}}>
          {new Date().toLocaleDateString("zh-TW")} | {age} 歲 | 退休 {retAge} 歲
        </p>
        </div>
      </div>

    <div style={{maxWidth:1100,margin:"0 auto",padding:"18px 16px",display:"fle

    {/* — BLOCK 1：退休財務缺口 ————— */}
    <DarkBox style={{padding:0}}>
      <div className="sec-pad">
        <RptHeader icon="🔥" title="退休財務缺口診斷" sub={"通膨複利 2.5% · 退休後

        {/* 3 formula cards */}
        <div className="grid-formula" style={{marginBottom:16}}>
          {/* Step 1 */}
          <div style={{background:"rgba(99,102,241,0.15)",border:"1px solid r
           
```

```

    { /* Step 2 */ }
    <div style={{background:"rgba(225,29,72,0.15)",border:"2px solid rg
      <div style={{color:"#fca5a5",fontSize:11,fontWeight:700,marginBot
        <div className="num-xl" style={{color:"#fb7185",fontWeight:900}}>
        <div style={{background:"rgba(0,0,0,0.22)",borderRadius:8,padding
          <div style={{color:"#fca5a5",fontSize:11}}>${(expense)} × (1+2.
        </div>
        <div style={{color:"#fca5a5",fontSize:11,marginTop:6}}>
          購買力縮水 {((retMonthExp/Math.max(expense,1)-1)*100).toFixed(0)}
        </div>
      </div>
    { /* Step 3 */ }
    <div style={{background:"rgba(217,119,6,0.15)",border:"2px solid rg
      <div style={{color:"#fcd34d",fontSize:11,fontWeight:700,marginBot
        <div className="num-xl" style={{color:"#fbbf24",fontWeight:900}}>
        <div style={{background:"rgba(0,0,0,0.22)",borderRadius:8,padding
          <div style={{color:"#fcd34d",fontSize:11}}>${(retMonthExp)} × 1
        </div>
        <div style={{color:"#fcd34d",fontSize:11,marginTop:6}}>退休後 {RET
      </div>
    </div>

    { /* Action plan */ }
    <div style={{background:"rgba(0,0,0,0.3)",border:`1px solid ${C.s700}
      <div style={{color:"#e2e8f0",fontWeight:900,fontSize:15,marginBotto
        🌟 為了達成目標，您現在需要做的是...
      </div>
      <div className="grid-action">
        { /* 現有儲蓄終值 */ }
        <div style={{background:"rgba(52,211,153,0.1)",border:"1px solid
          <div style={{color:"#6ee7b7",fontSize:11,fontWeight:700,marginB
            <div className="num-xl" style={{color:"#34d399",fontWeight:900}
              <div style={{background:"rgba(0,0,0,0.18)",borderRadius:7,paddi
                <div style={{color:"#6ee7b7",fontSize:11}}>${(savings)} × (1+
              </div>
            </div>
          </div>
          { /* 每年需儲蓄 */ }
          <div style={{background:retGap>0?"rgba(225,29,72,0.12)": "rgba(52,
            <div style={{color:retGap>0?"#fca5a5": "#6ee7b7",fontSize:11, fon
              <div className="num-xl" style={{color:retGap>0?"#fb7185": "#34d3
                {retGap>0?$W(annualNeed): "✅ 已足備"}
              </div>
            </div>
            {retGap>0&&(
              <div style={{background:"rgba(0,0,0,0.18)",borderRadius:7,pad
                <div style={{color:"#fca5a5",fontSize:11}}>${W(totalTarget)
                </div>
              </div>
            ) }

```

```

</div>
{ /* 每月需儲蓄 */ }
<div style={{background:retGap>0?"rgba(225,29,72,0.12)": "rgba(52,
  <div style={{color:retGap>0?"#fca5a5": "#6ee7b7",fontSize:11,font
    <div className="num-xxl" style={{color:retGap>0?"#fb7185": "#34d
      {retGap>0?$(monthlyNeed): "✅ 已足備"}
    </div>
  </div>
  {retGap>0&&(
    <div style={{background:"rgba(0,0,0,0.18)",borderRadius:7,pad
      <div style={{color:"#fca5a5",fontSize:11}}>{$W(annualNeed)}
    </div>
  )}
  <div style={{color:C.s500,fontSize:11,marginTop:6}}>
    {retGap>0?`現月儲 ${$(realMonthlySave)}, 缺 ${$(Math.max(0, mont
  </div>
</div>
</div>
</div>
</DarkBox>

```

```

{ /* — BLOCK 2：現金流壓力曲線 ————— */ }
<DarkBox style={{padding:0}}>
  <div className="sec-pad">
    <div style={{marginBottom:14}}>
      <div style={{color:C.white,fontWeight:900,fontSize:19}}>🔮 未來現金流
      <div style={{color:C.s400,fontSize:12,marginTop:3}}>
        月儲蓄 ${$(Math.max(realMonthlySave,0))} × 5% 複利，退休後依通膨支出消耗
      </div>
    </div>

    {depleteAge&&(
      <div style={{background:"rgba(225,29,72,0.14)",border:"1px solid rg
        <span style={{fontSize:18,flexShrink:0}}>🔴</span>
        <div style={{color:"#fca5a5",fontWeight:700,fontSize:13}}>
          資產預計於 <span style={{color:"#fb7185",fontSize:17,fontWeight:9
        </div>
      </div>
    )}

    { /* Legend */ }
    <div style={{display:"flex",gap:16,marginBottom:10,flexWrap:"wrap"}}>
      [{c:"#6366f1",l:"資產規模"},{c:"#fb7185",l:"年度支出",dash:true}].map
        <div key={x.l} style={{display:"flex",alignItems:"center",gap:6}}
          <div style={{width:20,height:3;background:x.dash?`repeating-lin
            <span style={{color:C.s400,fontSize:12}}>{x.l}</span>
          </div>

```

```

    )))
  </div>

  <div className="chart-h">
    <ResponsiveContainer width="100%" height="100%">
      <AreaChart data={cashflow} margin={{top:8,right:4,left:4,bottom:4}}
        <defs>
          <linearGradient id="ag" x1="0" y1="0" x2="0" y2="1">
            <stop offset="0%" stopColor="#6366f1" stopOpacity={0.55}/>
            <stop offset="100%" stopColor="#6366f1" stopOpacity={0.02}/>
          </linearGradient>
          <linearGradient id="eg" x1="0" y1="0" x2="0" y2="1">
            <stop offset="0%" stopColor="#fb7185" stopOpacity={0.3}/>
            <stop offset="100%" stopColor="#fb7185" stopOpacity={0.02}/>
          </linearGradient>
        </defs>
        <CartesianGrid strokeDasharray="3 3" stroke={C.s700}/>
        <XAxis dataKey="age" stroke={C.s600} tick={{fill:C.s400,fontSize:10}} tickFor="age" />
        <YAxis stroke={C.s600} tick={{fill:C.s400,fontSize:10}} tickFor="cashflow" />
        <Tooltip content={<Tip/>} />
        <ReferenceLine x={retAge} stroke="#fbbf24" strokeDasharray="4 3"
          label={{value:`退休`,position:"insideTopRight",fill:"#fbbf24",fontSize:12}} />
        <ReferenceDot x={depleteAge-1} y={depleteY} r={8} fill="#e11d81"
          label={{value:`${depleteAge}歲`,position:"top",fill:"#fb7185",fontSize:12}} />
        <Area type="monotone" dataKey="資產規模" stroke="#6366f1" strokeDasharray="4 3" />
        <Area type="monotone" dataKey="年度支出" stroke="#fb7185" strokeDasharray="4 3" />
      </AreaChart>
    </ResponsiveContainer>
  </div>
</div>
</DarkBox>

```

```

{ /* — BLOCK 3：四大金律缺口牆 ————— */ }
<DarkBox style={{padding:0}}>
  <div className="sec-pad">
    <RptHeader icon="⚡" title="風險防禦缺口牆" sub="四大保障金律嚴格診斷"/>
    <div className="grid-gap">
      {gaps.map(item=>{
        const pct=Math.min((item.have/item.std)*100,100);
        const ok=item.gap===0;
        return(
          <div key={item.label} style={{borderRadius:14,padding:16,
            border:ok?"1px solid rgba(52,211,153,0.3)": "2px solid rgba(255,255,255,0.1)",
            background:ok?"rgba(52,211,153,0.07)": "rgba(225,29,72,0.1)"}>
            <div style={{display:"flex",alignItems:"center",gap:8,marginBottom:8}}>

```

```

        <span style={{fontSize:20}}>{item.icon}</span>
        <span style={{color:C.white,fontWeight:900,fontSize:14}}>{i
    </div>
    <div style={{color:C.s500,fontSize:11,marginBottom:3}}>
        標竿:<span style={{color:"#fbbf24",fontWeight:800}}>{item.s
    </div>
    <div style={{color:C.s500,fontSize:11,marginBottom:10}}>
        現有:<span style={{color:ok?"#34d399":"#cbd5e1",fontWeight:
    </div>
    <div style={{height:7,background:"rgba(255,255,255,0.08)",bor
        <div style={{height:"100%",width:`${pct}%`,background:ok?"1
    </div>
    <div style={{fontWeight:900,fontSize:ok?17:22,color:ok?"#34d3
        {ok?" 已足備":item.gapStr}
    </div>
    {!ok&&<div style={{color:"#fca5a5",fontSize:11,marginTop:3}}>
    <div style={{color:C.s600,fontSize:10,marginTop:6}}>{item.not
    </div>
    );
    }}}
    </div>
</div>
</DarkBox>

```

```

{ /* — BLOCK 4 : 六大保障分區 ————— */ }
<DarkBox style={{padding:0}}>
    <div className="sec-pad">
        <div style={{display:"flex",alignItems:"flex-start",justifyContent:"s
            <div style={{display:"flex",alignItems:"center",gap:10}}>
                <div style={{background:"rgba(99,102,241,0.2)",borderRadius:12,wi
                <div>
                    <div style={{color:C.white,fontWeight:900,fontSize:19}}>保障項目!
                    <div style={{color:C.s400,fontSize:12,marginTop:2}}>六大保障分區<
                </div>
            </div>
            <div style={{background:"rgba(217,119,6,0.2)",border:"1px solid rgb
                <div style={{color:"#fcd34d",fontSize:11,fontWeight:600}}>年度總保!
                <div style={{color:"#fbbf24",fontWeight:900,fontSize:20}}>{$(tota
            </div>
        </div>

    <div className="grid-6">
        {groups.map(grp=>(
            <div key={grp.title} style={{background:grp.bg,border:`1px solid
                <div style={{background:`${grp.color}22`,borderBottom:`1px soli
                    <span style={{fontSize:16}}>{grp.icon}</span>
                    <span style={{color:grp.color,fontWeight:900,fontSize:15}}>{g

```

```

    </div>
    <div style={{padding:"12px 16px",display:"flex",flexDirection:"
      {grp.items.map(item=>(
        <div key={item.k} style={{display:"flex",justifyContent:"sp
          <span style={{color:C.s400,fontSize:12,fontWeight:600,fle
            <span style={{color:item.v==="-"?C.s600:C.white,fontWeigh
          </div>
        )}}
      </div>
    </div>
  )}}
</div>
</div>
</DarkBox>

  { /* Disclaimer */ }
  <div style={{background:"rgba(255,255,255,0.03)",border:`1px solid ${C.s7
    <p style={{color:C.s600,fontSize:11,lineHeight:1.9}}>
      本報告僅供參考，實際保障內容以各保險契約條款為準。<br/>
      退休缺口試算採通膨假設 2.5%、資產成長率 5%，不代表實際投資績效保證。
    </p>
  </div>
</div>
</div>
  </div>
);
}

// =====
// MAIN APP
// =====

export default function App() {
  useGlobalStyles();
  const [client,setClient]=useState<Client>(iC);
  const [prot,setProt]=useState<Prot>(iP);
  const [showRep,setShowRep]=useState(false);

  const sc=(k:keyof Client)=>(v:string)=>setClient(p=>({...p,[k]:v}));
  const sp=(k:keyof Prot)=>(v:string)=>setProt(p=>({...p,[k]:v as never}));
  const sm=(k:keyof Med)=>(v:string)=>setProt(p=>({...p,med:{...p.med,[k]:v}}));

  const age=calcAge(client.birthdate);
  const income=nv(client.monthlyIncome), expense=nv(client.monthlyExpense);
  const monthlySave=income-expense;
  const savingsRate=income>0?(monthlySave/income)*100:0;
  const totalPremium=nv(prot.lifeInsurancePremium)+nv(prot.accidentPremium)+nv(pr

  if(showRep) return <Report client={client} prot={prot} onBack={()=>setShowRep(f

```

```

const pcards=[
  {gradient:"linear-gradient(135deg,#1d4ed8,#3730a3)","icon":"🏥",title:"醫療險",s
    content:(
      <>
        <Fld label="住院定額 (元/日)"><FI value={prot.med.hospitalDaily} onChange
        <Fld label="住院實支 (元/日)"><FI value={prot.med.hospitalReal} onChange
        <Fld label="手術定額 (萬)"> <FI value={prot.med.surgeryLump} onChange:
        <Fld label="手術實支 (萬)"> <FI value={prot.med.surgeryReal} onChange:
        <Fld label={<span style={{display:"flex",alignItems:"center",gap:5}}><s
          <FI value={prot.med.medicalMisc} onChange={sm("medicalMisc")} suf="萬'
        </Fld>
        <Fld label="年度保費 (元)"><FI value={prot.medicalPremium} onChange={sp('
      </>
    )},
  {gradient:"linear-gradient(135deg,#6d28d9,#4c1d95)","icon":"❤️",title:"壽險 & 意
    content:(
      <>
        <Fld label="壽險身故保額 (萬)"> <FI value={prot.lifeInsurance}
        <Fld label="壽險年度保費 (元)"> <FI value={prot.lifeInsurancePremium}
        <Fld label="意外身故 (萬)"> <FI value={prot.accidentDeath}
        <Fld label="意外實支 (萬)"> <FI value={prot.accidentReal}
        <Fld label="意外住院日額 (元/日)"> <FI value={prot.accidentHospitalDaily}
        <Fld label="意外險年度保費 (元)"> <FI value={prot.accidentPremium}
      </>
    )},
  {gradient:"linear-gradient(135deg,#be123c,#9f1239)","icon":"⚡",title:"重大傷病險
    content:(
      <>
        <Fld label="重大傷病一次金 (萬)"><FI value={prot.criticalIllness} onChange
        <Fld label="年度保費 (元)"> <FI value={prot.criticalPremium} onChange
        <div style={{background:"rgba(225,29,72,0.08)",border:"1px solid rgba(2
          <div style={{display:"flex",gap:8}}>
            <span>⚠️</span>
            <p style={{color:"#9f1239",fontSize:12,fontWeight:600,lineHeight:1.
          </div>
        </div>
      </>
    )},
  {gradient:"linear-gradient(135deg,#c2410c,#9a3412)","icon":"★",title:"癌症險",s
    content:(
      <>
        <Fld label="癌症一次金 (萬)"> <FI value={prot.cancerLumpsum} onCh
        <Fld label="化/放療補助金 (元/日)"> <FI value={prot.cancerChemoDaily} onCl
        <Fld label="年度保費 (元)"> <FI value={prot.cancerPremium} onCl
      </>
    )},

```

```

{gradient:"linear-gradient(135deg,#047857,#065f46)",icon:"🏆",title:"長照險",s
  content:(
    <>
      <Fld label="長照一次金 (萬)"> <FI value={prot.ltcLumpsum} onChange={sp("
      <Fld label="月扶助金 (元/月)"><FI value={prot.ltcMonthly} onChange={sp("1
      <Fld label="年度保費 (元)"> <FI value={prot.ltcPremium} onChange={sp("1
    </>
  )),
{gradient:"linear-gradient(135deg,#b45309,#92400e)",icon:"💰",title:"保障彙總"
  content:(
    <div style={{display:"flex",flexDirection:"column",gap:12}}>
      {[
        {label:"壽險 & 意外",val:nv(prot.lifeInsurancePremium)+nv(prot.accident
        {label:"醫療險", val:nv(prot.medicalPremium), col:"#60a5fa"},
        {label:"重大傷病", val:nv(prot.criticalPremium), col:"#fb7185"},
        {label:"癌症險", val:nv(prot.cancerPremium), col:"#fb923c"},
        {label:"長照險", val:nv(prot.ltcPremium), col:"#34d399"},
      ]}.map(r=>(
        <div key={r.label} style={{display:"flex",justifyContent:"space-betwe
          <span style={{color:C.s500,fontWeight:600,fontSize:14}}>{r.label}</
          <span style={{color:r.col,fontWeight:900,fontSize:17}}>{r.val}>0?$(r
        </div>
      )))
    <div style={{borderTop:`1px solid ${C.s200}`,paddingTop:12,marginTop:4}
      <div style={{display:"flex",justifyContent:"space-between",alignItems
        <span style={{color:C.s900,fontWeight:900,fontSize:18}}>年度總計</sp
        <span style={{color:C.amber,fontWeight:900,fontSize:26}}>{$(totalPr
      </div>
      {income>0&&<div style={{color:C.s400,fontSize:12,textAlign:"right",ma
    </div>
    <button onClick={()=>setShowRep(true)} style={{width:"100%",height:52,m
      📄 查看完整報告
    </button>
  </div>
  )),
];

return(
  <div style={{minHeight:"100vh",background:"linear-gradient(160deg,#eef2ff 0%,

  {/* Nav */}
  <div style={{background:"linear-gradient(135deg,#1e1b4b,#312e81,#4c1d95)",p
    <div style={{display:"flex",alignItems:"center",gap:10}}>
      <div style={{background:"rgba(255,255,255,0.15)",borderRadius:12,width:
        <div>
          <div style={{color:C.white,fontWeight:900,fontSize:18}}>FinGuard Pro<
          <div className="nav-sub" style={{color:"#a5b4fc",fontSize:11,fontWeig

```



```

    </div>
  </div>
  <div style={{display:"flex",alignItems:"center",gap:10}}>
    {totalPremium>0&&(
      <div className="nav-premium" style={{background:"rgba(255,255,255,0.1)"}}>
        <div style={{color:"#a5b4fc",fontSize:10,fontWeight:600}}>年度總保障
        <div style={{color:C.white,fontWeight:900,fontSize:17}}>${(totalPre
        </div>
      </div>
    )}
    <button onClick={()=>setShowRep(true)} style={{height:44,padding:"0 16px"}}>
       生成報告
    </button>
  </div>
</div>

<div style={{maxWidth:1200,margin:"0 auto",padding:"16px 16px",display:"flex"}}>

  { /* Client Info */ }
  <div style={{...cardSt,borderLeft:`8px solid ${C.indigo}`}}>
    <div className="sec-pad">
      <div style={{display:"flex",alignItems:"center",gap:10,marginBottom:20}}>
        <div style={{background:"#eef2ff",borderRadius:12,width:42,height:42}}>
          <h2 style={{color:C.s900,fontWeight:900,fontSize:20}}>客戶基本資料</h2>
          {age>0&&<span style={{background:C.indigo,color:C.white,fontWeight:900}}>
        </div>
      </div>
      <div className="grid-client">
        <div style={gCell}><label style={lblSt}>姓名</label><TI value={clientName}>
        <div style={gCell}><label style={lblSt}>出生日期</label><TI type="date" value={birthDate}>
        <div style={gCell}><label style={lblSt}>性別</label><SI value={clientGender}>
        <div style={gCell}><label style={lblSt}>職業</label><TI value={clientOccupation}>
        <div style={gCell}><label style={lblSt}>聯絡電話</label><TI value={clientPhone}>
        <div style={gCell}><label style={lblSt}>扶養人數</label><SI value={clientDependents}>
      </div>
    </div>
  </div>

  { /* Finance */ }
  <div style={{...cardSt,borderLeft:`8px solid ${C.violet}`}}>
    <div className="sec-pad">
      <div style={{display:"flex",alignItems:"center",gap:10,marginBottom:20}}>
        <div style={{background:"#f5f3ff",borderRadius:12,width:42,height:42}}>
          <h2 style={{color:C.s900,fontWeight:900,fontSize:20}}>財務診斷</h2>
        </div>
      </div>
      { /* On mobile: 1 col stack; on desktop: 2 col */ }
      <div className="grid-2">
        <div style={{display:"flex",flexDirection:"column",gap:16}}>
          <div style={gCell}><label style={lblSt}>月收入 (元) </label><FI value={monthlyIncome}>

```

```

        <div style={gCell}><label style={lblSt}>月支出 (元) </label><FI val
        <div style={gCell}><label style={lblSt}>現有儲蓄 (元) </label><FI va
    </div>
    <div style={{display:"flex",flexDirection:"column",gap:16}}>
        <div style={gCell}><label style={lblSt}>預計退休年齡</label><SI val
        {income}>0&&(
            <div style={{background:"linear-gradient(135deg,#faf5ff,#f0fdf4
                <div style={{display:"flex",justifyContent:"space-between",ma
                    <span style={{color:C.s900,fontWeight:900,fontSize:16}}>收支
                    <span style={{fontWeight:900,fontSize:15,color:savingsRate>
                </div>
                <div style={{height:18,background:C.s200,borderRadius:999,ove
                    <div style={{width:`${Math.min((expense/income)*100,100)}%`
                    <div style={{width:`${Math.max(savingsRate,0)}%`,background
                </div>
                <div style={{display:"flex",gap:14,marginTop:8,fontSize:13,fo
                    <span style={{color:C.rose}}><img alt="red circle" data-bbox="608 353 628 373"/> 支出 ${expense}</span>
                    <span style={{color:C.emerald}}><img alt="green circle" data-bbox="633 373 653 393"/> 月儲 ${monthlySave}</span>
                </div>
            </div>
        )}
    </div>
</div>
</div>
</div>
</div>

{/* Protection */}
<div>
    <div style={{display:"flex",alignItems:"center",justifyContent:"space-b
        <div style={{display:"flex",alignItems:"center",gap:10}}>
            <div style={{background:C.s900,borderRadius:12,width:44,height:44,f
                <h2 style={{color:C.s900,fontWeight:900,fontSize:22}}>保障防禦系統</h
            </div>
            {totalPremium}>0&&(
                <div style={{background:C.s900,color:C.white,fontWeight:900,fontSiz
                    <img alt="money bag icon" data-bbox="281 718 296 733"/> ${totalPremium}
                </div>
            )}
        </div>
    <div className="grid-prot">
        {pcards.map(pc=>(
            <PC key={pc.title} gradient={pc.gradient} icon={pc.icon} title={pc.
                {pc.content}
            </PC>
        ))}
    </div>
</div>

```

```
        <div style={{height:24}}/>
      </div>
    </div>
  );
}
```