

The Standard Model from One Transvection

The discrete Standard-Model anatomy as the geometry of a single long-root transvection on the symplectic quadrangle $W(3,3)$

Wil Dahn

Theory of Everything Project — machine-verified edition, June 2026

Abstract

We show that the entire *discrete* structure of the Standard Model — the gauge group $SU(3) \times SU(2) \times U(1)$ with its color/electroweak factorization, exactly three fermion generations, the discrete flavor group S_3 , the Yukawa selection rule, chirality, parity, charge-conjugation, the fermion content of one generation, the gauge connection and its curvature, and a gravitational partition function — is the representation-theoretic geometry of a single *long-root transvection* R on the symplectic generalized quadrangle $W(3,3)$ (the 40 totally isotropic points of $\mathbb{F}_3^4$, with $\text{Aut} = \text{PSp}(4, \mathbb{F}_3)$ of order 25920). The gauge group is the *centralizer* $C(R)$; the three generations are its *center*; the flavor symmetry is its *normalizer*; parity is the W/Q duality; the Yukawa texture is the $\mathbb{Z}_3$ grading R induces on the matter shell; and the gauge curvature is the *commutator* of two generation centers, an $\mathfrak{su}(2)$ -valued field strength supported on the matter graph. Every statement is a theorem with an executable witness (the BT858–892 chain); there are zero free parameters. The remaining physics — coupling magnitudes, mixing angles, the continuum limit — is the established numerical layer and is not claimed here.

1 The datum

The symplectic quadrangle $W(3,3)$ has 40 points (the totally isotropic 1-spaces of $\mathbb{F}_3^4$ under a non-degenerate alternating form), with collinearity graph the strongly regular $\text{SRG}(40, 12, 2, 4)$ and automorphism group $\text{PSp}(4, \mathbb{F}_3) \cong W(E_6)^+$ of order 25920. A *long-root transvection* R (an order-3 element fixing a hyperplane pointwise) is the single datum from which the discrete Standard Model unfolds. We fix a point p_0 ; R is the center of the Heisenberg radical of $\text{Stab}(p_0)$, fixing the 13-point perp-plane $p_0^\perp$ and acting freely (nine orbits of three) on the 27 non-collinear points (the *matter shell*).

2 The matter sector

The integral homology of the $W(3,3)$ line-triangle 2-complex (40 vertices, 240 edges, 160 in-line triangles) is $H_0 = \mathbf{1}$, $H_1 = \mathbf{81}$, $H_2 = \mathbf{40}$.

Theorem 1 (Steinberg register, BT861). $H_1 \otimes \mathbb{C}$ is irreducible of dimension $81 = q^4$: it is the Steinberg module of $\text{PSp}(4, \mathbb{F}_3)$ ($\langle \chi, \chi \rangle = 1$, verified over all 25920 elements, with $\chi(g) = \# \text{flags} - \# \text{pts} - \# \text{lines} + 1$). It equals the logical space of the $[[240, 81, 4, 3]]_3$ CSS code: matter memory is Schur-protected.

Theorem 2 (Three generations from Steinberg vanishing, BT863). $\chi_{\text{St}}(g) = 0$ iff $3 \mid \text{ord}(g)$. Hence any order-3 symmetry splits the 81-dimensional matter register into $27 + 27 + 27$: the three generations are forced, not chosen. The matter shell $\mathbb{C}[27]$ likewise grades $9 + 9 + 9$ under R .

The 27 matter shell is a torsor under the Heisenberg group $N = 3^{1+2} = O_3(\text{Stab}(p_0))$ (BT858), and R is the long-root transvection realizing Pillar 68's Yukawa triality R (nine free orbits on the shell, BT874).

3 The gauge sector

Theorem 3 (Gauge group, BT876/887). *The centralizer $C(R) = \text{Stab}(p_0)$ (order 648) acts on the $12 = k$ gauge bosons with permutation rank 3, giving the module*

$$\mathbb{C}[12] = \mathbf{1} \oplus \mathbf{3} \oplus \mathbf{8} = U(1) \oplus SU(2) \oplus SU(3),$$

the Standard-Model gauge group. It factors as $C(R) = 3^{1+2} : SL(2, 3) = 27:24$: the normal Heisenberg radical (order $q^4 = 27$, color) fixes the electroweak $\mathbf{1} \oplus \mathbf{3}$ pointwise (the $W/Z/\gamma$ are color-blind) and acts on the gluon octet $\mathbf{8}$; the Levi $SL(2, 3)$ (order $f = 24$, electroweak) carries the $\mathbf{1} \oplus \mathbf{3}$.

Corollary 4 (Generations are the gauge center, BT880). *$Z(C(R)) = \langle R \rangle \cong \mathbb{Z}_3$: the three generations are the center of the gauge group, acting trivially on the adjoint exactly as the $\mathbb{Z}_3$ center of color $SU(3)$ acts on the gluon octet. “Generations are gauge-blind” because the generation symmetry is the gauge center.*

Corollary 5 (Color is the matter Heisenberg group, BT888). *The color radical N is the same Heisenberg group that acts simply transitively on the matter shell. Matter carries color because the 27-shell is a torsor under the color group: color rotations are matter-shell motions.*

Theorem 6 (Fermion content of one generation, BT889). *$C(R)$ is transitive on the matter shell with point-stabilizer the electroweak Levi $SL(2, 3)$, so $27 = C(R)/SL(2, 3)$; rank 6, suborbits $[1, 1, 1, 8, 8, 8]$, module $\mathbf{1} \oplus \mathbf{6} \oplus \mathbf{8} \oplus \mathbf{12}$. The three electroweak-fixed points are color-singlet (lepton-like); the three color-8 orbits are colored (quark-like): $27 = 3 + 24$.*

4 The discrete flavor/parity structure

Theorem 7 (Flavor S_3 and CP, BT878/879). *The normalizer datum $N(\langle R \rangle)/C(R) = \mathbb{Z}_2$ supplies a charge-conjugation C ($CRC^{-1} = R^{-1}$) inverting the generation grade; $\langle R, C \rangle = S_3$ is the flavor group, under which the matter shell decomposes $6 \cdot \mathbf{1} \oplus 3 \cdot \mathbf{1}' \oplus 9 \cdot \mathbf{2}$ (the standard doublet appearing $q^2 = 9$ times).*

Theorem 8 (Chirality and parity, BT869/877). *The matter chirality $\mathbb{Z}_2$ is the polar-pair central involution (Steinberg split $45 + 36 = \text{tritangents} + \text{double-sizes}$). Gauge parity is the W/Q duality: the four lines through p_0 carry A_4 inside PSp but the full S_4 in $W(E_6)$; the odd (parity-violating) permutations are exactly the anti-symplectic coset — parity is not an inner symmetry.*

Theorem 9 (Yukawa texture, BT875/891). *The cubic coupling on the matter shell is grade-homogeneous in the R -eigenbasis ($T_{ijk} = 0$ unless $g_i + g_j + g_k \equiv 0$). A Higgs of grade g_H gives a circulant Yukawa texture on generation pairs with $g_a + g_b \equiv -g_H$; up/down Higgs of different grades have misaligned textures, so nonzero CKM/PMNS mixing is forced (the angles set by the within-grade Higgs profile).*

5 Dynamics and gravity

Theorem 10 (Gauge connection and curvature, BT882/883/884). *The connection between local gauge groups is flat along collinear edges ($\langle R_p, R_{p'} \rangle = \mathbb{Z}_3 \times \mathbb{Z}_3$) and curved across non-collinear (matter) pairs ($SL(2, 3) = 2T$, the 24-cell group). The curvature $F(p, q) = [R_p, R_{p'}]$ is an order-4 quaternion unit of $2T$ on every matter pair ($F^2 = -I$) — an $\mathfrak{su}(2)$ -valued field strength supported exactly on the matter graph Q ; Wilson loops are abelian ($\mathbb{Z}_3$) on lines and non-abelian (up to $k = 12$) on matter.*

Theorem 11 (Spanning-tree gravity and the Ihara zeta, BT870/872). *The discrete Matrix-Tree gravitational partition function is $\tau(W(3, 3)) = 10^{24} 16^{15} / 40 = 2^{81} \cdot 5^{23}$ — the matter dimension $q^4 = 81$ in the exponent of 2, the tier prime $F_5 = 5$ as base; the complement Q gives $2^{66} 3^{39} 5^{23}$ with the gauge dimension $q\Phi_3 = 39$. This is the Perron-point ($u = 1$) behavior of the Ihara zeta $\zeta^{-1}(u) = (1 - u^2)^{200} (1 - u)(1 - 11u)(1 - 2u + 11u^2)^{24} (1 + 4u + 11u^2)^{15}$, whose nontrivial zeros lie on $|u| = 1/\sqrt{11}$ (graph RH): transport and gravity are one zeta.*

6 The master theorem

Theorem 12 (The Standard-Model spine, BT886/881). *From the pair $(W(3, 3), R)$ the discrete Standard Model follows with zero free parameters. Each spacetime point carries a copy of the gauge group $C(R_p)$; the 40 points form a single conjugacy class of local gauge groups (homogeneous space-time), and the 40 long-root $\mathbb{Z}_3$'s generate all of $\mathrm{PSp}(4, \mathbb{F}_3)$. The gauge group, the generations, the flavor symmetry, the Yukawa texture, chirality, parity, charge-conjugation, the fermion content, and the gauge dynamics are the centralizer, center, normalizer, grading, W/Q duality, and commutator structure of one element of $\mathrm{Sp}(4, \mathbb{F}_3)$, replicated over the 40 points of $W(3, 3)$.*

Scope. The discrete structure above is exact and machine-verified (witnesses BT858–892; full-group character and permutation computations over the 25920- and 51840-element groups). What is *not* claimed here: the coupling magnitudes, the precise mixing angles, and the masses — these require continuum/RG input and constitute the established numerical layer — and the curved-4D continuum (spectral-action) limit, which remains the open analytic frontier (the substrate supplies the exact finite spectral input, BT892).

Witness ledger. BT858 Heisenberg shell; BT861 Steinberg register; BT862 H_2 ; BT863 three generations; BT869 chirality; BT874 texture triality; BT875/891 Yukawa texture; BT876 gauge group; BT877 parity; BT878 charge-conjugation; BT879 flavor S_3 ; BT880 generations = center; BT881 local gauge groups; BT882/883/884 connection, curvature, flux; BT886 spine; BT887 color/electroweak; BT888 color = matter Heisenberg; BT889 fermion content; BT890 matter cone/ E_7 ; BT892 finite spectral input. Each has an executable script in `analysis/` with JSON results in `data/`.