README.md 1

Exercise: Mapping 2016 Political Contributions in Michigan

Summary

This exercise maps contributions to presidential candidates by party in the 2016 election for zip codes in Michigan.

Input Data

There are three main input files. The first, <code>mi_by_party.csv</code>, is provided in the repository. It was built from the Federal Election Commission's data on 2016 presidential political contributions aggregated up to parties. The remaining files, <code>cb_2018_us_zcta510_500k.zip</code> and <code>cb_2018_us_state_500k.zip</code>, are cartographic boundary shapefiles from the Census. They should be downloaded from the Census via the Cartographic Boundary Shapefiles link on the class web page under Census Shapefiles. Finally, one other file is optional: <code>cb_2018_26_place_500k.zip</code>. It provides boundaries and names for Census "places", which are generally cities and towns. In building the map you may want to include it if you're interested in what communities are associated with the zip codes.

Deliverables

There are two deliverables: a QGIS project file called mi_by_party.qgz and a PNG file called mi_by_party.png.

Instructions

- 1. Download the Census files from the cartographic boundary web site.
- 2. Start QGIS and load cb_2018_us_state_500k.zip. Filter it to select the polygons with STATEFP equal to Michigan's FIPS code, 26.
- 3. Save the Michigan boundary by right-clicking the layer and selecting 'Export' and then 'Save Features As...' or by selecting the layer and choosing "Save As..." from the Layer menu. On the menu that pops up, choose "GeoPackage" as the format and save the file in the GitHub directory for the assignment under the name michigan. The extension .gpkg will be added automatically and the layer name should be set to michigan. The new layer should be added to the map.
- 4. Remove the original cb_2018_us_state_500k layer by right-clicking it and selecting "Remove Layer..."
- 5. Add the zip code layer in cb_2018_us_zcta510_500k.zip.
- 6. Clip the zip code layer using michigan as the overlay layer. The new layer will be added to the map and called Clipped.
- 7. Save the clipped layer to a GeoPackage called michigan-zips following the steps used above. A new layer called michigan-zips should be added to the map.
- 8. Remove the Clipped and cb_2018_us_zcta510_500k layers.
- 9. Add mi_by_party.csv to the map.
- 10. Join mi_by_party to michigan-zips using zip as the join field from mi_by_party and ZCTA5CE10 as the target field.
- 11. Build a heatmap of mi_by_party_DEM/mi_by_party_total. Use the RdBu color ramp. You'll need to click on the drop-down button at the right of the color ramp box and then choose "All Color Ramps" to find it. Use "Pretty Breaks" with 5 classes.
- 12. Add a pie chart to the layer with mi_by_party_DEM and mi_by_party_REP as blue and red segments. On the "Size" page of the diagrams settings choose "Scaled size" and choose mi_by_party_total for the attribute to use for the size.
- 13. Click 'Find' to fill in the maximum value of mi by party total.

README.md 2

14. Set the Size field to 10 or so and click "Apply". Feel free to adjust the size field if the diagrams seem too large or small.

- 15. At this point, optionally add the places layer. Make it partially transparent so it won't obscure the layers below. You may want to make it hashed rather than a solid color as well.
- 16. Export the map as mi_by_party.png.
- 17. Save the project as mi_by_party.qgz.

Submitting

Once you're happy with everything and have committed all of the changes to your local repository, please push the changes to GitHub. At that point, you're done: you have submitted your answer.

Tips

■ This exercise is just scratching the surface of what could be done to analyze the contributions data. For example, it would be very interesting to use the Census API to download populations by zip code in order to calculate per capita contributions. Many other variables could be added as well, including median income, race, education, employment status, and so on.