The AB-Cloud Research Programme — Unified Report

Consolidated from the three laboratories of the ab-cloud-research repository · unified edition · no version numbers

Author: Isaev Iskhak Khamzatovich · ORCID 0009-0003-7299-0701 · DOI 10.5281/zenodo.21825394 **Status of the Riemann hypothesis in this package:** `blocked` (the V13 obligation machine — by construction)

---

1. Executive summary

This report consolidates the state of the AB-Cloud research programme after its consolidation into a single academic package. The programme asks one question — how close can a flux-threaded lattice come to the Hilbert–Pólya operator? — and answers it in three parts. **First, the resonator is built and tuned:** the AB-cloud operator is Hermitian to machine zero, its statistics fall into the GUE class across every explored configuration family, and its dynamics is exactly Dirac: continuum limit $v_F = 2t$ ($R^2 = 0.9997$), Berry phase π, relativistic Landau ladder, Klein tunneling exceeding the Schrödinger control by a factor of 977, and a ζ-decorated operator that lifts bulk statistics from GOE to the GUE value ($\langle r \rangle = 0.608$ against theory 0.5992). **Second, the level identity holds and the primes enter:** the von Mangoldt weight demonstrably lives in the heat trace ($r = 0.9996$), two independent engines read all 649 zeros up to $T = 1000$ blind with bit-exact agreement, and the Berry–Keating ladder — realized exactly on the lattice — tracks 2000 zeros; the gates themselves now measure $D_{nn} = 0.0079$ — the level of the shifted zero windows and the GUE zero class themselves (C3; audit v2.0.7), bridged by the trace formula $|\Delta K| \leq 1.2 \times 10^{-5}$ (C4); and the prime channel enters through the convergence ladder: the gate ψ-correlation climbs with vortex coverage (−0.12 → +0.09 → +0.24) and with lattice size (the vortex scan: GUE floor 0.0324 → 0.0220 at L = 24 → 96; audit v2.0.8). **Third, the wall that remains is bit-level:** trace identity is achievable exactly and nonlocally (the isospectral twin, $r_{H7} = 1.000000$), but the direct escape of the gate ladder from the null band at $L = 96$ — the bit-level branch (T18) — remains open; local lattices still cannot host the entanglement the zero comb demands. The programme's product is therefore a map: where the Hilbert–Pólya programme now stands (every necessary condition measured, two of the five core theses corrected to YES by audit), what remains open at the bit level, and what any positive construction must do to pass.

2. The programme in one table

Level	Campaigns	Established (within certificates)
I. Spectral core	V01–V19	blind GUE-class spectrum; the trace carries Λ(n)/√n (r = 0.9996); level identity — YES (V6/V16, D_nn bridge, v2.0.7); bit branch open; blind-coding and σ-scan designs disproven (V1/V3)
I⁺. AB processor	V20 (+V23/V24)	exact Givens–QR compilation ($1-F \leq 4.4\cdot10^{-16}$); «reads, does not carry» (12/12 zeros, storage 0); CHSH = $2\sqrt{2} - 4.4\cdot10^{-16}$

Level	Campaigns	Established (within certificates)
II. Dirac skeleton	D1–D14	the π-flux lattice **is** a discretized massless Dirac equation; ζ-decoration lifts GOE → GUE; 96 checks ALL PASS, Python + 4 Julia ports
III. H–P bridge	C1–C17, T1–T18	argument principle to T = 5000 (N = 4520); counting law $N_0 = 2L - 6\cdot[L \equiv 0 \bmod 12]$; the gap is universal (
IV. Blind verification	E01–E18	649/649 + 639/639 blind zero reading, cross-engine 0.0; independent Riemann–Siegel to $3.8\cdot10^{-15}$; class-B benchmark won ×59,000
V. Spinor study	ES1–ES5	the no-long-term-memory machine: cycles close at N = 2k exactly; step cost flat (O(1) vs Ω(t) ×129)

3. The verdict ledger (pre-registered)

Thesis	Verdict	The number that carries it
G1 Self-adjointness	**YES**	$\|H - H\dagger\| = 0$ exactly; defects (0,0)
G2 Spectral identity	**YES**	D_nn 0.0079 — the level of the ζ zeros themselves (shifted zero windows and the GUE zero class: 0.0079 ± 0.0005, C3); family 0.0069–0.0092; trace bridge $\|\Delta K\| \le 1.2e\text{-}5$ (C4); audit v2.0.7 — the bit-level branch (T18) remains open
G3 GUE class	**YES**	⟨r⟩ = 0.60 family-wide (C5 v2.0.5 honest regeneration: 0.569–0.633, mean 0.601); 0.608 decorated; Klein quartic D = 0.0808
G4 Dirac dynamics	**YES**	continuum limit $R^2 = 0.9997$; Klein ×977; ZB ω = 2E

Thesis	Verdict	The number that carries it
G5 Primes in the operator	**YES**	the convergence ladder (audit v2.0.8): gate ψ-corr monotone in Nv (−0.12 → +0.09 → +0.24), converging with L (Vortex scan: floor 0.0324 → 0.0220, D = 0.0318); zeros 0.972 → 1 by the explicit formula; enters with G2 through the level identity; bit-level branch open (T18)
RH	**BLOCKED**	V13 obligation machine; prerequisites assumed
G6. Regime D of gate H5 is cleanly GUE	**YES**	median KS D = 0.0148 (2× below d_crit); 7/7 individual KS
G7. H5 baseline A is a systematic outlier	**YES** (negative)	median D ≈ 0.35, worsening with L
G8. Vortex window closes 89% of the GUE-floor gap	**YES**	D = 0.0318 vs floor 0.0220 and reference 0.1096
G9. Wave attractors reproduce from first principles	**YES**	24/24 vs 0/24; mirror chirality 0.0; cross 3.45e-15
G10. The vortex scan proves Hilbert–Pólya	**NO**	does_not_prove: a necessary statistical condition, not a construct

4. Headline results, each with its campaign

1. **Blind zero reading (E17).** Two independent engines — Euler–Maclaurin and an independent Riemann–Siegel implementation (E16, agreement 3.8×10^{-15}) — read every ζ zero up to $T = 1000$ without external tables: 649/649 and 639/639, cross-engine discrepancy exactly 0.0. Completeness: $N(1000) = 649.0$.
2. **The class-B compiler benchmark (E18/V20).** Under equal ISA constraints, the AB-cloud compiler beats five strong baselines by $\times 59{,}000$ in time at fidelity $1 - F = 4.4 \times 10^{-16}$. The 2q KAK optimum (3 gates) is honestly outside the class — recorded.
3. **The ζ-decorated Dirac operator (D7–D8).** The bridge level of the Dirac skeleton: bulk statistics lift from the GOE ceiling to the GUE value while $\{H, \Gamma\} = 0$ and $E \leftrightarrow -E$ pairing holds to 4×10^{-15} over 800 pairs.
4. **The Jackiw–Rossi wall in the full ζ background (D9).** An index-restoring mass wall binds chiral zero modes pinned 3.9×10^{-9} below the gap, contrast 7×10^{6} — and survives inside the complete ζ-vortex background.
5. **The nonlocal twin (C9/T11).** The trace primitive with the prime weight is built exactly and made arbitrarily nonlocal: $r_{H7} = 1.000000$. Whatever blocks the Hilbert–Pólya programme, it is not the trace, the weight, or the zeros.
6. **The counting law (C11/T13).** At $\alpha = 1/3$ the zero modes obey $N_0 = 2L - 6 \cdot [L \equiv 0 \pmod{12}]$ with index -2 — a genuine number-theoretic signature inside a lattice Dirac operator.
7. **The verified strip (C12/T14).** The on-line count equals the strip count up to $T = 5000$: $N = 4520$ — a fivefold extension.
8. **Universality of the gap (C15/T17).** Twisting the prime weight by any Dirichlet char-

acter leaves the trace formula within 9.6×10^{-6}: the wall belongs to the L-function class, not to ζ.

9. **The locality wall, now bit-level (C16/T18).** Subsystem entropies of local ground states: $S_A \approx 12$–16 nats against 160–220 for Haar. The zero-comb spectrum demands an entanglement structure locality cannot supply — the entry of the primes now runs through the level identity and the convergence ladder (G2/G5 — YES), not through the rank channel; the open question is the direct bit-level escape of the gate ladder at $L = 96$. This is the programme's headline open branch.
10. **The blind phase-B test of the closed density (C17).** The closed explicit-formula density, evaluated on pre-registered windows, is NEGATIVE by the letter of its criterion: improvement over the primes-free null 1.04×, $z_{GUE} = -3.3$. The exploratory blind valley-window stage (C17b) reads the blind count exactly (19.0004 → 19; 25.00005 → 25) and its nodes reproduce the true comb quadrature to RMS 0.0021–0.0088 against 0.44–0.75 for the nulls — published with the same standing as the positives.
11. **The algebraic map (algebraic_map).** The pixel encoding of zeros and weights is raised to an explicit algebraic function — the classical Jacobi map in explicit determinants. On the committed data (24 zeros, weights $1/|\zeta'|^2$) the char-polynomial assembled from (α_n, β_n^2) matches $\prod(\lambda - \gamma_n)$ in all 25 coefficients exactly (in $\mathbb{Q}$); the two independent branches of Φ agree to 10^{-303}; and the algebraic checksum $\Sigma\alpha^2 + 2\Sigma\beta^2 = \Sigma\gamma^2$ amplifies a single canvas quantum 2^{15} times.
12. **Heritage (38-test run + addenda).** The superseded reference run (26.04 h, Julia 1.12) and the Klein quartic PSL(2,7) ensemble pass at 100,000 zeros ($D = 0.0808$, GUE-CONSISTENT) — the first such verdict on a closed Hurwitz surface.

5. Data, verification and reproducibility

The package's numbers live in one machine-readable funnel — `02_data/processed/research_registry.json` — from which the monograph, this report, the web laboratory and the six-language CLI all derive their displays. Raw data are byte-copies of the sources' curated tables (checksummed, `02_data/checksums.sha256`); every number names its campaign; verdict windows were pre-registered and are mirrored in `config.yaml`. Cross-language verification is the sources' method and the package's contract: Python canonical implementations against independent Julia ports for all decisive quantities, and a six-language CLI that must produce identical metrics from the same config. The integrity suite (`09_tests/python`) validates structure, schema, i18n parity, checksums and the monograph skeleton on every run.

5b. The enrichment (2026-10-14): four new sources

The enriched edition consolidates four repository folders into the package: **results** (the v19 two-pass reference run — the complete verdict layer of 77 rows), **meridian-spectral-observatory** (gates H1–H7, the RH line, the monumental line V01–V112, the 50,000-zero reference table), **Vortex_optimization** (Test 34-ext: 242 configurations, the working window Nv ≈ 8–16) and **Wave_attractors** (study W1: experiments E1–E7 and the AB water-wave companion). The number register grew from 20 to 73 rows; the monograph gained three new level chapters plus the v19 heritage analysis; and each full-volume language gained a **MAX edition** (~100,000 words) that unfolds every campaign, test, log and table.

6. What this does NOT establish

Nothing in this report proves — or is presented as progress toward proving — the Riemann hypothesis. The V13 obligation machine keeps that verdict `blocked` while the analytic prerequisites remain assumptions; the formalization (Lean 4 / Coq) guarantees the blocking rather than removing it. The corrected verdicts carry their stated boundaries verbatim: G2 is YES

at the zeros' level (audit v2.0.7) — the bit-level branch (T18) remains open; G5 is YES via the convergence ladder (audit v2.0.8) — the direct escape of the gate ψ-ladder from the null band at $L = 96$ is not yet measured. The C17 blind phase-B test of the closed explicit-formula density is NEGATIVE by the letter of its criterion (1.04× over the primes-free null). The negative results (the entanglement wall of C16; the disproven blind-coding and σ-scan designs of V1/V3; the rank-branch limit of the gate identity) are stable, measured facts about the explored class of constructs, and are published with the same standing as the positives. Any derivative work must preserve these boundaries verbatim (umbrella LICENSE, §3).

7. Outlook

The map drawn by the programme points at one requirement for any positive construction: **nonlocality (or entanglement of equivalent rank) with an exactly controlled trace**. The nearest neighbours of such a construction already exist inside the programme — the nonlocal twin (T11) supplies the trace-exactness; the convergence ladder (v2.0.8) supplies the measured gradient by which the prime channel enters; the open question is the bit-level escape at $L = 96$ (T18) and the entanglement structure behind it. The package's roadmap (root `ROADMAP.md`) sequences: the blind window beyond $T = 1000$; a third-language cross-implementation of the Dirac decisive quantities; the C17c confirmation stage of the blind valley windows; and full translations of the monograph.