



How to help build the Shoggoth

The external route from one Atlas number to one finished Fiat contribution.

ASK THE ATLAS FOR A NUMBER.
PICK YOUR HARNESS.
FINISH WHAT YOU START.

1

ATLAS

one open job

2

HARNESS

one local run

3

GITHUB

one reviewable PR

Aye, here you go - #123

VERIFIED STEP HAND-OFF

After every completed step, Fiat saves a verified checkpoint in its fixed local store before the next directive. Agents hand over the local path and digests directly; this is not a user choice. Mid-step state is not portable.

YOU ARE NOT
SHOGGOTH

ONE POOL

The Atlas draws at random from every open issue whose recorded hard dependencies are closed.

ONE NUMBER

The hand-off carries the issue number, exact GitHub URL and the filled-in Fiat prompt.

NO WAVE CHOICE

Wave order stays visible as project context. The contributor does not choose a Wave at this front door.

USE ONE ROUTE ONCE. Every button or API request makes a fresh random allocation.

Pick the path it actually supports.

A checked bootstrap, a native package and a file-reading fallback are three different things.

CHECKED ONE-CLICK BOOTSTRAPS

OPENAI

ChatGPT web bootstrap

Atlas job + prefilled prompt

ANTHROPIC

Claude web bootstrap

Atlas job + prefilled prompt

If a web chat cannot work in the repository and publish as you, stop before init and move the prompt to a local coding harness.

NATIVE LOCAL PACKAGE ROUTES

Codex

Wildcat marketplace package.
Open the repo, install, paste the Atlas prompt.

Claude Code

Wildcat plugin marketplace package.
Open the repo, install, paste the Atlas prompt.


MANUAL ONLY

GitHub Copilot / Cursor / Gemini CLI / Windsurf

Read AGENTS.md, then paste job.prompt. No checked Atlas launcher here.

Visible steps. One reviewable contribution.

The issue supplies the problem. Fiat supplies the order, checks and record around the change.



FIAT OWNS

- A study and runbook before implementation.
- One step at a time, with the required checks.
- Audit and prose review before publication.

THE CONTRIBUTOR OWNS

- Their own Git author, signer and GitHub account.
- Keeping the same local workspace available.
- Following a failed gate instead of skipping it.

DONE MEANS

IMPLEMENTATION COMPLETE / REQUIRED CHECKS COMPLETE / CHANGES COMMITTED AND PUSHED AS DIRECTED / NORMAL GITHUB PR READY

Completion makes the work inspectable. It does not promise acceptance or merge. Human authorship stays with the contributor.

Stop clearly. Keep the evidence.

Resume only when the recovery is real; a failure is not permission to widen the job or invent a clean result.

NO JOB

Do not invent a number or choose a Wave.
Stop and retry the Atlas later.

ALREADY CLAIMED

If an owner, issue branch or PR is active,
ask the Atlas for another job before Fiat
starts.

FAILED CHECK

Keep the state and output. Follow the named
recovery and rerun the same check.

WHY THIS SHAPE

Random allocation spreads contributors across the dependency-clear pool. The issue number bounds the work. Fiat leaves study, implementation and review evidence a maintainer can inspect. The accepted-boundary rule stops unfinished controller state being mistaken for a portable hand-off. Restore carries the same verified ledger.

SECONDARY MANUAL ROUTE

1

GET /api/job

2

Read number, URL, prompt

3

Open repo; read AGENTS.md

4

Paste the exact prompt

5

Finish the same local run