PESTICIDE FORMULATIONS REGISTERED FOR USE IN THE COUNTRY UNDER THE INSECTICIDES ACT, 1968

(Updated on 30.10.2025)

FORMULATIONS OF PESTICIDES	
S. No.	**Formulation registered**
	A. INSECTICIDES
1	Abamectin 1.9% EC
2	Acephate 75% SP
3	Acephate 95% SG
4	Acephate 97% DF
5	Acetamiprid 20% SP
6	Acequinocyl 15 % SC
7	Afidopyropen 50 g/LDC
8	Allerthrin 0.02% Coil
9	Allerthrin 0.05% Coil
10	Allerthrin 0.2% Coil
11	Allerthrin 0.5% Aerosol
12	Allerthrin 0.5% Coil
13	Allerthrin 3.6% LV
14	Allerthrin 4%Mat
15	Alphacypermethrin 0.1% RTU
16	Alphacypermethrin 0.5% Chalk
17	Alphacypermethrin 0.667% LLIN
18	Alphacypermethrin 05% WP
19	Alphacypermethrin10.00% EC
20	Alphacypermethrin10.00% SC
21	Aluminiumphosphide15% Tab (12gm)
22	Aluminium phosphide 56% Powder
23	Aluminium phosphide 56% Tab
24	Aluminium phosphide 6% Tab
25	Aluminium phosphide 77.5%GR
26	Barium Carbonate 1%P
27	Benfuracarb 03% GR
28	Benfuracarb 40% EC
29	Benzoate00.10 %w/w Gel
30	Benzpyrimoxan10% SC
31	Beta-cyfluthrin 02.45% SC
32	Bifenazate 22.60% SC
33	Bifenazate 50 % WP
34	Bifenthrin 0.05% MC(8hrs)
35	Bifenthrin 02.50% EC
36	Bifenthrin 08% SC
37	Bifenthrin 08.80% CS
38	Bifenthrin 10% EC

39	Bifenthrin 10% WP
40	Bistrifluron 1% Bait
41	Brodifacoum 0.005 %w/w BB
42	Broflanilide 20% SC
43	Broflanilide 300 g/l SC
44	Bromadiolone 00.005% RB
45	Bromadiolone 00.25% CB
46	Buprofezin 25% SC
47	Buprofezin 70% DF
48	Carbofuran 03% CG
49	Carbosulfan 06% Granules
50	Carbosulfan 25% DS
51	Carbosulfan 25% EC
52	Cartap Hydrochloride 04% Granules
53	Cartap Hydrochloride 50% SP
54	Cartap Hydrochloride 75% SG
55	Chlorantraniliprole 0.40% GR
56	Chlorantraniliprole 0.53% w/w GR
57	Chlorantraniliprole 18.50% SC
58	Chlorantraniliprole 35% WG
59	Chlorantraniliprole 47.85% w/w SC
60	Chlorantraniliprole 50% FS
61	Chlorfenapyr 10 % SC
62	Chlorfenapyr 240 g/l SC
63	Chlorfluazuron 05.40%EC
64	Chlorpyrifos 01.50% DP
65	Chlorpyrifos 10% Granules
66	Chlorpyrifos 20% EC
67	Chlorpyrifos 50% EC
68	Chlorpyriphos 02 %w/w EC
69	Chlorpyriphos 75 %w/w WG
70	Chlorpyrifos 19% ME
71	Chlorpyriphos Methyl 40%EC
72	Chromafenozide 80%WP
73	Clothianidin 0.5% GR
74	Clothianidin 50% WDG
75	Coumatetralyl 0.037% Bait
76	Coumatetralyl 0.75% Gel
77	Cyantraniliprole 10.26% OD
78	Cyantraniliprole 28.30% OD
79	Cyantraniliprole 18.41% w/w SC
80	Cyantraniliprole 48% w/w FS (Cyantraniliprole 60% w/v FS) (Cyantraniliprole 600 g/l FS)
81	Cyclaniliprole 100 DC
82	Cyclaniliprole 7.4 % SL
83	Cyenopyrafen 30% SC

84	Cyflumetofen 20% SC
85	Cyfluthrin 05% EW
86	Cyfluthrin 10% WP
87	Cypermethrin 0.1% Aqueous
88	Cypermethrin 0.25% DP
89	Cypermethrin 03% Smoke Generator
90	Cypermethrin 1% Chalk
91	Cypermethrin 1% Dust
92	Cypermethrin 10% EC
93	Cypermethrin 25% EC
94	Cyphenothrin 7.2% VP w/w (For use by pest control operators only)
95	DDT 50% WP
96	DDT 75% WP
97	Deltamethrin 00.50% w/w Chalk
98	Deltamethrin 1.0 % SB Anti Insect Enamel
99	Deltamethrin 01 % RTU
100	Deltamethrin 01.25% w/w (01.00% w/v) EC
101	Deltamethrin 01.80% EC
102	Deltamethrin 02.50%Flow
103	Deltamethrin 02.50% WP
104	Deltamethrin 02.80% EC
105	Deltamethrin 1.25% ULV
106	Deltamethrin 11%w/w EC
107	Deltamethrin 25 % Tablet
108	Deltamethrin 55% mg/m^2 (impregnated bed net)
109	Deltamethrin 25% WG
110	Diafenthiuron 47.80% SC
111	Diafenthiuron 50% WP
112	Diflubenzuron 0.1% w/w Termite bait
113	Diflubenzuron 02% GR
114	Diflubenzuron 02% Tablets
115	Diflubenzuron 25% WP
116	Dimethoate 30% EC
117	Dimpropyridaz 120 g/L SL
118	Dinotefuran 0.5% RB Gel
119	Dinotefuran 20% SG
120	Dinotefuran 70% WG
121	D-transallethrin 0.1% Coil
122	D-transallethrin 2% Mat
123	D-transallethrin 21.97% Mos.Mat
124	Emamectinbenzoate 01.90% EC
125	Emamectinbenzoate 05% SG
126	Ethion 50% EC
127	Ethofenoprox 10% EC
128	Ethylene Dichloride and Carbon Tetra chloride mixture (EDCT mixture3:1)

129	Etoxazole10% SC
130	Fenazaquin10% EC
131	Fenazaquin18.3% SC
132	Fenmezoditiaz 200 g/l SC
133	Fenmezoditiaz 10% WG
134	Fenitrothion 2% Spray
135	Fenitrothion 20% OL
136	Fenitrothion40% WP
137	Fenobucarb (BPMC) 50%EC
138	Fenpropathrin 10% EC
139	Fenpropathrin 10% EW
140	Fenpropathrin 30% EC
141	Fenpyroximate 05% EC
142	Fenpyroximate 05% SC
143	Fenvalerate 00.40% DP
144	Fenvalerate 02% Conc.
145	Fenvalerate 20% EC
146	Fipronil 0.03% Gel
147	Fipronil 0.05% GEL
148	Fipronil 0.30% GR
149	Fipronil 0.60%w/w GR
150	Fipronil 0.6% WG
151	Fipronil 0.8% WG
152	Fipronil 2.92% EC
153	Fipronil 5% SC
154	Fipronil 18.87% w/w SC
155	Fipronil 80% WG
156	Flocoumafen 0.005% Block Bait
157	Flometoquin 10% SC
158	Flonicamid 50% WG
159	Fluazandolizine 41.15 % SC
160	Flubendiamide 00.70% GR
161	Flubendiamide 20%WG
162	Flubendiamide 39.35% w/w SC
163	Flufenoxuron 10% DC
164	Flumite 20% SC/ Flufenzine 20% SC
165	Flupyradifurone 17.09% w/w SL
166	Flupyrimin 10%SC
167	Flupyrimin 2%GR
168	Flupyrimin 41.32% FS
169	Fluvalinate 25% EC
170	Fluxametamide 10% EC
171	Hexythiazox 5.45% w/w EC
172	Imidacloprid 0.03% w/w Gel
173	Imidacloprid 0.30% GR

174	Imidacloprid 2.15% w/w Gel
175	Imidacloprid 17.1%w/w SL
176	Imidacloprid 17.80% SL
177	Imidacloprid 30.50% m/m SC
178	Imidacloprid 48%FS
179	Imidacloprid 70% WG
180	Imidacloprid 70% WS
181	Indoxacarb 14.50 % SC
182	Indoxacarb 15.80 % EC
183	Isocycloseram 9.2% w/w DC (Isocycloseram 10% DC)
184	Isocycloseram 18.1% SC
185	Lambda-cyhalothrin 0.50% Chalk
186	Lambda-cyhalothrin 22.8% CS
187	Lambda cyhalothrin 24% WDG
188	Lambda-cyhalothrin 2.43% CS
189	Lambda-cyhalothrin 2.50% EC
190	Lambda-cyhalothrin 4.90% CS
191	Lambda-cyhalothrin 5% EC
192	Lambda-cyhalothrin 10% WP
193	Lambda-cyhalothrin 9.7 % CS
194	Malathion 02% House Hold Spray
195	Malathion 05%DP
196	Malathion 25 %WP
197	Malathion 50% EC
198	Malathion 96%ULV
199	Metaflumizone 22%SC
200	Metaldehyde 2.5%DP
201	Methoxyfenozide 21.8%w/w SC
202	Methyl Bromide 98%w/w
203	Metofluthrin 0.005% Mosquito coil (12 Hrs)
204	Metofluthrin 0.005% Mosquito coil (7 Hrs)
205	Metofluthrin 0.14% w/w Aerosol
206	Metofluthrin 0.32%LV
207	Milbemectin 01% EC
208	Monocrotophos15% SG
209	Nitepyram 25% SP
210	Novaluron 08.80 %SC
211	Novaluron 10% EC
212	Oxydemeton-methyl 25%EC
213	Permethrin 02.00% w/w for Import only (Olyset@Net)
214	Permethrin 2.0% Aerosol
215	Permethrin 25% EC
216	Phenthoate 2% DP
217	Phenthoate 50% EC
218	Phosalone 04 % DP

219	Phosalone 35 %EC
220	Phosmet50%WP
221	Pirimiphosmethyl 50%EC
222	Pirimiphos-methyl 01% Spray
223	Prallethrin 0.04% Mosquito coil (11 Hrs)
224	Prallethrin 0.04%Mosquitocoil(12Hrs)
225	Prallethrin 0.04%Mosquitocoil(6Hrs)
226	Prallethrin 0.5% Mosquitocoil
227	Prallethrin 0.8% Redmosquitomat
228	Prallethrin 0.8% Vaporizer
229	Prallethrin 1.2% Mat
230	Prallethrin 19% w/w VP
231	Profenofos 50% EC
232	Propargite 57 % EC
233	Propetamphos 1% Spray
234	Propoxur 01% Spray
235	Propoxur 02% Bait
236	Propoxur 20% EC
237	Pymetrozine 50% WG
238	Pyrethrin 0.20% Spray
239	Pyribenzoxim 05 % w/w EC
240	Pyridaben 20 % w/w WP
241	Pyridalyl 10% EC
242	Pyrifluinazon 20% WG
243	Pyriproxyfen 0.50% GR
244	Pyriproxyfen10 % EC
245	Pyriproxyfen 10% EW
246	Quinalphos 01.50% DP
247	Quinalphos 5 % Granules
248	Quinalphos 20 % AF
249	Quinalphos25 % EC
250	Quinalphos25 % Gel
251	Renofluthrin 0.025% w/w Mosquito Coil
252	Renofluthrin 1.5% w/w Liquid Vaporiser
253	Renofluthrin 5% MUP
254	S-Bioallethrin 2.4% Mat
255	Spinetoram 0.1% RB
256	Spinetoram 11.70%SC
257	Spinosad 2.50% SC
258	Spinosad 2.50% w/w GR
259	Spinosad 20.62% w/w EC
260	Spinosad 45%SC
261	Spiromesifen 22.90% SC
262	Spirotetramat 15.31%w/w OD
263	Sulfoxaflor 11.4%w/w SC

264	Sulfoxaflor 21.8%w/w SC
265	Sulfoxaflor 50% WG
266	Tebufenpyrad 20% WP
268	Tebufenozide 22.64% w/w (24% w/v) SC
269	Temephos 50 % EC
270	Tetraniliprole 18.18 %w/w SC
271	Tetraniliprole 40.34%FS
272	Thiacloprid 21.70% SC
273	Thiamethoxam 0.01%w/w Gel Bait
274	Thiamethoxam 25%WG
275	Thiamethoxam 30 %FS
276	Thiamethoxam 70% WS
277	Thiamethoxam 75 % w/w SG
278	Thiamethoxam 1.2% GR
279	Thiocyclam Hydrogen Oxalate 50% SP
280	Thiodicarb 75% WP
281	Tolfenpyrad 15% EC
282	Transfluthrin 0.15% Mosquito coil
283	Transfluthrin 0.03% Mos.Coil
284	Transfluthrin 0.08% Aerosol
285	Transfluthrin 0.88% Liquid Vaporiser
286	Transfluthrin 1%EU
287	Transfluthrin 1.2%LV
288	Transfluthrin 1.6%LV
289	Transfluthrin 12.0%AE
290	Transfluthrin 20% MV Gel (30 days mat tray)
291	Triflumezopyrim 10.6% SC
292	Triflumezopyrim 20% WG
293	Zinc Phosphide 01%bait (Household Product)
294	Zinc Phosphide 80%Powder
B. HERBICIDES	
295	2,4-D Amine Salt 58% SL
296	2,4-D Ethyl Ester 20% WP
297	2,4-D Ethyl Ester 38% EC
298	2,4-D Ethyl Ester 4.5% GR
299	2,4-D Sodium Salt 80% min.
300	Ametryn 80% WG
301	Anilofos 18% EC
302	Anilofos 2% G
303	Anilofos 30% EC
304	Atrazine 50% WP
305	Azimsulfuron 50% DF
306	Beflubutamid 2.5% GR
307	Bensulfuron Methyl 60% DF
308	Bentazone 480 g/l SL

309	Bispyribac Sodium10% SC
310	Butachlor 5% GR
311	Butachlor 50% EC
312	Butachlor 50% EW
313	Carfentrazone ethyl 40% DF
314	Chlorimuron Ethyl 25% WP + Surfactant
315	Cinmethylin10% EC
316	Clethodim 13% w/w EC (Clethodim 12% w/v EC)
317	Clethodim 25% EC
318	Clodinafop propargyl 12.5% EC
319	Clodinafop-propargyl 15% DF
320	Clodinafop-propargyl 15% WP
321	Clomazone 50% EC
322	Cyhalofop-butyl 10% EC
323	Dicamba 48% SL
324	Diclofop-methyl 28% EC
325	Diclosulam 84%WDG
326	Diuron 80%WP
327	Ethalfluralin 35.65% EC (36% EC)
328	Ethoxysulfuron15% WDG
329	Fenoxaprop-p-ethyl 10%EC
330	Fenoxaprop-p-ethyl 6.7%w/w EC
331	Fenoxaprop-p-ethyl 9%w/w DF
332	Fenoxaprop-p-ethyl 9.3%w/w EC
333	Florpyrauxifen-benzyl 2.7% EC
334	Fluazifop-p-butyl 13.4% EC
335	Flucetosulfuron10% WG
336	Flazasulfuron 10% WP
337	Fluchloralin 45%EC
338	Flufenacet 60%DF
339	Flumioxazin 50%SC
340	Flurochloridone18.3%CS
341	Fluroxypyr meptyl 48%w/v (45.5%w/w) EC
342	Fluthiacet methyl 10.3%EC
343	Fomesafen 250 g/l (22.5% w/w) SL
344	Glufosinate Ammonium13.5% SL
345	Glufosinate Ammonium 50% WG
346	Glyphosate 20.2% SL (IPA Salt)
347	Glyphosate 41% SL (IPA Salt)
348	Glyphosate 54% SL (IPA Salt)
349	Glyphosate Ammonium Salt 20% SL
350	Glyphosate Ammonium Salt 5%SL
351	Glyphosate Ammonium Salt 71%SG
352	Glyphosate potassium salt 41.60% (equivalent to 54% SL w/v)
353	Halosulfuron methyl 75%WG

354	Haloxyfop R Methyl 10.5%w/w EC
355	Imazethapyr 10%SL
356	Imazethapyr 10%SL+ Surfactant
357	Imazethapyr 70% WG + Surfactant
358	Ipfencarbazone 25% SC (22.81% w/w)
359	Isoproturon 50%WP
360	Isoproturon 75%WP
361	MCPA, Amine salt 40%WSC
362	Metamifop 10%EC
363	Metamitron 70%SC
364	Methabenzthiazuron 70%WP
365	Metolachlor 50%EC
366	Metribuzin 70% WG
367	Metribuzin70% WP
368	Metsulfuron-methyl 20%WG
369	Metsulfuron-methyl 20%WP
370	Orthosulfamuron 50%WG
371	Oxadiargyl 6%EC
372	Oxadiargyl 80%WP
373	Oxadiazon 25% EC
374	Oxyfluorfen 0.35% GR
375	Oxyfluorfen 20% DF
376	Oxyfluorfen 23.5% EC
377	Paraquat dichloride 24% SL
378	Pendimethalin 30% EC
379	Pendimethalin 38.7% CS
380	Pendimethalin 5% Gr.
381	Penoxsulam 2.67% OD
382	Penoxsulam 21.7% SC
383	Pinoxaden 5.1% EC
384	Pretilachlor 30.7% EC
385	Pretilachlor 37% EW
386	Pretilachlor 50% EC
387	Propanil 35% EC
388	Propanil 80% DF
389	Propaquizafop10% EC
390	Pyrazosulfuron-ethyl 10% WP
391	Pyrazosulfuron-ethyl 70% WDG
392	Pyribenzoxim 5 % w/w EC
393	PyrithiobacSodium10% EC
394	Pyroxasulfone 85% WG
395	Quinclorac 250 g/l SC
396	Quizalofop-ethyl 10% EC
397	Quizalofop-ethyl 5% EC
398	Quizalofop-p-tefury l4.41% EC

399	Saflufenacil 70.0% WG
400	Sulfentrazone 39.6% SC
401	Sulfosulfuron 75% WG
402	Tembotrione 34.4% SC
403	Tolpyralate 40% (w/v) SC
404	Topramezone 336g/l w/v SC
405	Triallate 50% EC
406	Triafamone 18.52% SC
407	Triasulfuron 20% WG
C. PLANT GROWTH REGULATORS	
408	1-Methylcyclopropene 0.014% VP
409	1-Methylcyclopropene 3.3%VP (Vapour Releasing Product)
410	Alpha Naphthyl Acetic Acid 4.5% SL (Na salt)
411	Chlormequat Chloride 50% SL
412	Chlorpropham 300 g/l EC
413	Chlorpropham 50% HN
414	Chlorpropham 55.37% w/w (624 g/l) HN
415	Ethephon 10% Paste
416	Ethephon 39% SL
417	Forchlorfenuron (CPPU) 0.1% L
418	Forchlorfenuron 0.12% EC
419	Gibberellic Acid 0.001% L
420	Gibberellic Acid 0.1% GR
421	Gibberellic Acid 0.186% SP
422	Gibberellic Acid 0.45% SL
423	Gibberellic Acid 40% WSG
424	Gibberellic Acid Technical 90 % w/w
425	Hydrogen Cynamide 49% AS
426	Hydrogen Cynamide 50% SL
427	Mepiquat chloride 5% AS
428	Nitrobenzene 20% w/w EW
429	Paclobutrazol 23% SC
430	Paclobutrazol 40% SC
431	Prohexadione-Ca 10% WG
432	Sodiumparanitrophenolate 0.3% SL
433	Sodiumparanitrophenolate 1.8% SL
434	Triacontanol 0.05% EC
435	Triacontanol 0.05% w/w min. GR
436	Triacontanol 0.1% EW
D. FUNGICIDES	
437	Amisulbrom 17.7% (20% w/v) SC
438	Aureofungin 46.15% SP
439	Azoxystrobin 23% SC
440	Bitertanol 25% WP
441	Buprimate 26.7% EC

442	Captan 50% WG
443	Captan 50% WP
444	Captan 75% WS
445	Captan 75% WP
446	Carbendazim 25% DS
447	Carbendazim 46.27% SC
448	Carbendazim 5% GR
449	Carbendazim 50% WP
450	Carboxin 75% WP
451	Carpropamid 27.8% SC
452	Chlorothalonil 75% WP
453	Copper Hydroxide 46.1% WG
454	Copper Hydroxide 53.8% DF
455	Copper Hydroxide 61.41% WG
456	Copper Hydroxide 77% WP
457	Copper Oxychloride 40% paste
458	Copper Oxychloride 50% WP
459	Copper Oxychloride 50% WG
460	Copper Oxychloride 56% OP
461	Copper Sulphate 2.62% SC
462	Copper Sulphate Pentahydrate 23.99 % (Containing copper content 6 % w/v)
463	Cyazofamid 34.5% SC
464	Cyflufenamide 5% EW
465	Cymoxanil 50% WP
466	Difenoconazole 25% EC
467	Difenoconazole 3% WS
468	Dimethomorph 50% WP
469	Dithianon 75% WP
470	Dodine 40% SC
471	Dodine 65% WP
472	Edifenphos 50% EC
473	Ethaboxam 40% SC
474	Fludioxonil 20.4% SC
475	Flusilazole 40% EC
476	Fluoxapiprolin 1.9% SC
477	Fluxapyroxad 333g/l FS
478	Fosetyl-Al 80% WP
479	Hexaconazole 0.5% GR
480	Hexaconazole 2% SC
481	Hexaconazole 5% EC
482	Hexaconazole 5% SC
483	Hexaconazole 75% WG
484	Iprobenfos (Kitazin)17% GR
485	Iprobenfos (Kitazin) 48% EC
486	Iprodione 50% WP

487	Isoprothiolane 40% EC
488	Kasugamycin 3% SL
489	Kresoxim-methyl 44.3% (500g/l) SC
490	Lime Sulphur 22% SC
491	Mancozeb 35% SC
492	Mancozeb 75% WP
493	Mancozeb 75% WG
494	Mandipropamid 23.4% SC
495	Meptyldinocap 35.7% EC
496	Metalaxyl–M 31.8% ES
497	Metalaxyl 35% WS
498	Metiram 70% WG
499	Metrafenone 500 g/l SC
500	Myclobutanil 10% WP
501	Oxathiapipron 10.1% OD
502	Oxycarboxin 20% EC
503	Paclobutarzole 23% SC
504	Paclobutrazole 40% SC
505	Penconazole 10% EC
506	Pencycuron 22.9% SC
507	Penflufen 22.43% FS
508	Picoxystrobin 22.52% SC
509	Polyoxin D Zinc salt 5% SC
510	Prochloraz 39.6% EC
511	Propiconazole 25% EC
512	Propineb 70% WP
513	Pyraclostrobin 100g/l CS
514	Pyraclostrobin 20% WG
515	Pyriofenone 18% w/v SC (16.51% w/w)
516	Sulphur 40% SC
517	Sulphur 52% Flowable
518	Sulphur 55.16% SC (800 gm/L)
519	Sulphur 80% WG
520	Sulphur 80% WP
521	Sulphur 85% DP
522	Tebuconazole 2% DS
523	Tebuconazole 25% WG
524	Tebuconazole 25.9% EC
525	Tebuconazole 38.39% SC
526	Tebuconazole 5.36% FS
527	Tebuconazole 5.4% (6.0%w/v) FS
528	Tetraconazole 11.6% w/w (12.5% w/v) SL
529	Tetraconazole 3.8% EW
530	Thifluzamide 24% SC
531	Thiophanate-methyl 41.7% SC

532	Thiophanate-methyl 70% WG
533	Thiophanate-methyl 70% WP
534	Thiram 40% FS
535	Thiram 75% WS
536	Thiram 80% WP
537	Triadimefon 25% WP
538	Tribasic Copper Sulphate 34.5% SC
539	Tricyclazole 70% WG
540	Tricyclazole 75% WP
541	Triflumizole 42.14%w/w SC
542	Triflumizole 15% EC u/s 9(3) FIM.
543	Validamycin 3%L
544	Zineb 75%WP
545	Zineb 80%WP
546	Ziram 27%SC
547	Ziram 80% WP
E. NEMATICIDES	
548	Cyclobutrifluram 41.6% FS
549	Cyclobutrifluram 38.4% SC
550	Fluensulfone 2% GR
551	Fluopyram 34.48 % w/w SC
552	Fluazaindolizine 41.15% SC
F. BIO-INSECTICIDES	
553	Azadirachtin 0.15% EC w/w Min. Neem Seed Kernel Based
554	Azadirachtin 0.15%EC
555	Azadirachtin 00.30% EC (3000 PPM) Min. Neem Seed Kernel Based
556	Azadirachtin 01.00% EC Min. Neem Based
557	Azadirachtin 01.00% EC (10000 PPM) Min. Neem Based
558	Azadirachtin 00.03% EC Min. Neem Oil Based
559	Azadirachtin 00.03% WSP (300 PPM) Neem Oil Based
560	Azadirachtin 05.00% w/w Min. Neem Extract Concentrates
561	Bacillus firmus 1.5% AS (CFU count: 1 x 10^8 /ml min. [Strain AMMFA-BFI, NCMR, Accession No. MCC 0584]
562	*Bacillus thuringiensis var.galleriae* 1593 M serotype H595b, 1.3%
563	*Bacillus thuringiensis var. kurstaki*
564	*Bacillus thuringiensis var. kurstaki*, serotype H-39,3B, Strain Z-52
565	*Bacillus thuringiensis serovar kurstaki* (3a,3b,3c) 5.0%WP Potency 55000SU
566	*Bacillus thuringiensis var. kurstaki* 0.5%WPserotype 3a,3b,3c, Strain DORBt-1, Potency 9000 IU/mg min. U/s 9(3b)
567	*Bacillus thuringiensis* var. *kurstaki* 0.5%WPserotype 3a,3b,3c, Strain DORBt-1; NAIMCC-B-01118, Potency13329IU/mg min. U/s 9(3b)
568	*Bacillus thuringiensis var. kurstaki* 0.5% WP serotype 3a,3b,3c, Strain DORBt-1, Potency 16000 IU/mg min.
569	*Bacillus thuringiensis var. kurstaki* 2.5% AS
570	*Bacillus thuringiensis var. kurstaki* 10% WSL (CFU Count: 2x 10^9 / gm Min.) Potency: 14245 IU/ml min. [Strain name: NBAIR-BtG4, Accession Number: JN120763, JN120765]

571	*Bacillus thuringiensis var. kurstaki* Strain HD-1, serotype 3a,3b,3.5%ES for Import & repack. Potency 17600 IU/mg
572	*Bacillus thuringiensis var. kurstaki* Serotype 3a,3b, SAIIWG Potency:- 53000; SU/mg, 32000IU/mg
573	*Bacillus thuringiensis var. israelensis* WP
575	*Bacillus thuringiensis var. israelensis,* Serotype H-14(VECTOBAC12AS) Potency1200ITU /MG
576	*Bacillus thuringiensis var. israelensis,* Serotype H-14(Vectobac12AS) potency 1200ITU/mg
577	*Bacillus thuringiensis var. israelensis* 5.0% AS [Strain VCRC-B-17, Serotype H-14, Accession No.- MTCC5596]
578	*Bacillus thuringiensis var. israelensis* (H-14)5.0%AS
579	*Bacillus thuringiensis var. israelensis,* Serotype H-14,5% WP Potency 2000 ITU/mg
580	*Bacillus thuringiensis var. israelensis,* Strain Designation- ABIL, Accession No. NAMICC- B01318(CFU Count-4.8 x 108) Serotype H-14,5%WP Potency 7000 ITU/mg
581	*Bacillus thuringiensis var. sphaericus* 1593 Mserotype H59 5b
582	*Bacillus thuringiensis var. israelensis* 12% AS (Vectobac)
583	*Bacillus thuringiensis var. israelensis* 00.50% WP
584	*Bacillus thuringiensis var. israelensis* 05.00% WP
585	*Bacillus sphaericus* 1593M serotype H595b, 1.3% flowable concentrate Potency 13000 IU/mg
586	*Bacillus subtilis* 1.5% AS [Strain AMMFA-BS1; (NCMR Accession No. MCC 0581]
587	*Bacillius subtilis* 5% SP [Strain IPL/BS/102, Accession No. MTCC 25692]
588	*Beauveria bassiana* 1.15% WP
589	*Beauveria bassiana* 1.15% WP (1x108/gmmin) Strain BB-ICAR-RJP, Accession No– MCC1022
590	*Beauveria bassiana* 1.15% WP (Strain: BB –5372, own R&D Isolate)
591	*Beauveria bassiana* 1.15%WP (1x108 /gm min) Strain ICAR, Research Complex, Umiam, Meghalaya, Accession No– NAIMCC-F-03045
592	*Beauveria bassiana* 1.15%WP (1x108/gm min) Accession No –NAIMCC-F- 03045, Strain No. NBAIM, MAU.
593	*Beauveria bassiana* 1.15%WP (1x108/spores/ml) Strain BCRL, Accession No– BCRLBbpx-6892
594	*Beauveria bassiana* 1.0% WP, Strain No: NBRI–9947 (1x108CFU/gm Min.)
595	*Beauveria bassiana* 1.0% WP (1x109 CFU/gm min), Strain No. IPL/BB/MI/01
596	*Beauveria bassiana* 1.0% WP (1x108 CFU/gm min), Strain No. SVBPU/CSP/Bb- 10, Accession No. ITCC-7520
597	*Beauveria bassiana* 1.5% AS [Strain AMMFA-BB1, NCMR Accession No. MCC 0579]
598	*Beauveria bassiana* 5.0% WP, (1x108 CFU/gm min) Strain IARI, Accession No. ITCC-7353
599	*Beauveria bassiana* 5.0% SC, Strain: NBAII, Bangalore, Accession No. ITCC- 7102
600	*Beauveria bassiana*5.0% AS Strain: BB-AAU-RJP Accession No. MCC–1024
601	*Beauveria bassiana* 1.15% WP (1x108/gm min) Accession No–NAIMCC-F- 03048
602	*Beauveria bassiana* 10.00% SC
603	*Beauveria bassiana 1.5%* Liquid Formulation (CFU count $10X10^8$) Accession No. MTCC-5171
604	*Beauveria bassiana*1.15%WP ($1X10^6$ CFU/gm min)

605	*Lecanicillium (Verticillium) lecanii* 1.5% AS [Strain AMMFA-VI; (NCMR Accession No. MCC 0577]
606	*Metarhizium anisopliae* 1.5% AS [Strain AMMFA-MAI; (NCMR Accession No. MCC 0578]
607	*Metarhizium anisopliae* 1.0%WP (1x108 CFU/gm min) Strain No. IPL/KC/44 (Own R&D Isolate), Accession No. 6895
608	*Metarhizium anisopliae* 1.15% WP (1x108 CFU/gm min) Accession No. MTCC– 5173
609	*Metarhizium anisopliae* 1.15% WP (1x108CFU/gm min) Strain No. AAI, Allahabad, Accession No. NAIMCC-F-03037.
610	*Metarhizium anisopliae* 10% GR (CFU count 1X 108/gm. min.) Strain BCRL– Me, Accession No. ITCC6911
611	*Metarhizium anisopliae* 2% WP [Strain ICAR-NBAIR, Ma4, Accession No. NAIMCC-F-01296)
612	NPV of *Helicoverpa armigera* 0.5%AS, (1x109POB/ml Min.)
613	NPV of Helicoverpa armigera 2.0% AS, (1x109POBscount/ml min) Biological Insecticide
614	Nuclear Polyhedrosis Virus of *Helicoverpa armigera* 0.43%AS (1x109POB/ml)
615	Nuclear Polyhedrosis Virus of *Helicoverpa armigera*0.43%AS, Strain No. BIL/HV-9(1x109POB/mlMin.)
616	Nuclear Polyhedrosis Virus of Helicoverpa armigera 2.0% AS, Strain No. GBS/HNPV-01(1x109POB/ml Min.)
617	Nuclear Polyhedrosis Virus of *Helicoverpa armigera* 2.0% AS, Strain No. NBRI 8821 (1x109POB/ml Min.)
618	Nuclear Polyhedrosis Virus of *Helicoverpa armigera* 2.0% AS, Strain No. IBH-17268 (1x109 POB/ml Min.)
619	Nuclear Polyhedrosis Virus of *Helicoverpa armigera* 2.0% AS, Strain No. BIL/HV-9POB(1x109POB/mlMin.)
620	Nuclear Polyhedrosis Virus of *Helicoverpa armigera* 2.0% AS, Strain No. IBL- 17268
621	Nuclear Polyhedrosis Virus of *Spodoptera litura* 0.5% AS, (1x109POB/ml Min.)
622	*Paecilomyces lilacinus* 01.15% WP
623	PB Rope L
624	*Pseudomonas fluorescens* 1.0% WP (Strain No. IIHR-PF-2, Accession No. ITCC- B0034)
625	*Pseudomonas fluorescens* 1.5% AS [Strain AMMFA-PF1; (NCMR Accession No. MCC 0580]
626	*Pseudomonas fluorescens* 5% SP [Strain IPL/PS/102, Accession No. MTCC 25694]
627	*Trichoderma harzianum* 1.0% WP (Strain No. IIHR-TH-2AccessionsNo.ITCC 6888)
628	*Trichoderma harzianum* 1.5% WP (Strain No. IIHR-TV-5AccessionsNo.ITCC 6889)
629	*Trichoderma harzianum* 1.5% AS [Strain AMMFA-TH1; (NCMR Accession No. MCC 0583]
630	*Trichoderma viride* 1.5% AS [Strain AMMFA-TV1; (NCMR Accession No. MCC 0582]
631	*Trichoderma viride* 1.5% WP (Strain No. IIHR-TV-5AccessionsNo.ITCC6889)
632	*Trichoderma viride* 5% SP [Strain IPL/VT/102, Accession No. MTCC 25775]
633	*Verticillium chlamydosporium* 1.0%WP, (2x106CFU/gm min) Strain –IIHR-VC- 3 Accession No –ITCC-6898
634	*Verticillium lecanii* 1.15% WP, (1x108CFU/gm min) Strain–ASMEGH-VL Accession No– MCC-1028
635	*Verticillium Lecanii* 1.50% Liquid Formulation, (1x108CFU/ml. min.) Strain–T Stanes VI-1, Accession No– MTCC-5172

636	*Verticillium lecanii* 3.0% AS, (strain: Accession No. MCC-1127, Strain No. MPKV /Biocontrol/RVN/VL-01
637	*Verticillium lecanii* 5.0% SC, (1x108CFU/gm Min.) Strain –Own Red Isolate, Strain No.VI- 17874, MTCC No.5716
638	*Verticilliumlecanii*5.0%SC, (Strain: Accession No. NFCCI-2638
G. BIO-FUNGICIDES	
639	*Ampelomyces quisqualis* 2.0% WP (Aq-1MTCC-5683)
640	*Ampelomyces quisqualis* 1.5% AS (CFU count: 2 x 10^6 /ml min.) [Strain AMMFA-AQI, NBAIM, Accession No. NAIMCC-SF-0117]
641	*Bacillus subtilis* 1.0% WP (CPBT15, MTCC5527)
642	*Bacillus subtilis* 1.15% A.S.
643	*Bacillus subtilis*1.5% LF (Bs-1, MTCC25072)
644	*Bacillus subtilis* 1.5% A.S. (BIL, BS-168)
645	*Bacillus subtilis* 1.5% A.S.(KTSBMTCC5786)
646	*Bacillus subtilis*2.0% A.S. (IPL/BS/09, MTCC-5728)
647	*Pseudomonas flourescens*1.5% LF (PF-1, MTCCNo.5671)
648	*Pseudomonas fluorescens*0.5% W.P.(TNAUPF1ITCCBE-0005)
649	*Pseudomonas fluorescens*1.0% W.P. (IIHR-PF-2, ITCCB-0034)
650	*Pseudomonas fluorescens* 1.0% W.P. (IPL/PS-01, MTCC-5727)
651	*Pseudomonas fluorescens* 1.15% A.S. (AS AAIF, MCC2539)
652	*Pseudomonas fluorescens* 1.5% WP
653	*Pseudomonas fluorescens* 1.75% WP (PF-1MTCCNo.5671)
654	*Pseudomonas fluorescens* 2.0% A.S. (IPL/PS-01)
655	*Trichoderma harzianum* 0.5% WS (T-39)
656	*Trichoderma harzianum* 1.0% WP (Th3, ITCC-5593)
657	*Trichoderma harzianum* 1.0% W.P. (IIHR-Th-2, ITCC-6888)
658	*Trichoderma harzianum* 2.0% A.S. (IPL/VT/1026893)
659	*Trichoderma harzianum* 20% SC (CFU count: 2 x 10^6 /ml min.) [ICAR-IIOR strain Th4d, Accession No. NAIMCC-F-02188]
660	*Trichoderma harzianum* 2.0% WP (NBRI-1055)
661	*Trichoderma harzianum* 5.0% SC (ITCC-7111)
662	*Trichoderma harzianum* 5.0% WP
663	*Trichoderma reesei* 3.0 % WP (CFU Count: 1 x 10^7/gm min.) [Strain No. CRT-3, Accession No. NAIMCC-SF-00300]
664	*Trichoderma ressei* 3.0% WP (CSR-T-3, NAIMCC-SF-0030)
665	*Trichoderma viride* 0.50% W.P.
666	*Trichoderma viride* 1.0 % AS (TV AAU RJP, MCC 1013)
667	*Trichoderma viride* 1.0% W.P. (Tv-1, ITCC-6914)
668	*Trichoderma viride* 1.00% W.P. (IPL/VT/101)
669	*Trichoderma viride*1.00% W.P. (T-14)
670	*Trichoderma viride*1.5% LF (Tv-1, MTCC-5170)
671	*Trichoderma viride* 1.5% W.P. (IIHR-Tv-5, ITCC-6889)
672	*Trichoderma viride* 2% W.P. (BHU, NAIMCC F 02976)
673	*Trichoderma viride* 5% LF (NAIM-F-03034)

FORMULATIONS OF COMBINATION OF PESTICIDES	
S. No.	**Formulation registered**
	A. INSECTICIDES
674	Acephate 25%+ Fenvalerate 3% EC
675	Acephate 45%+ Cypermethrin 5% DF
676	Acephate 50%+ Bifenthrin 10% WDG
677	Acephate 50%+ Fipronil 5% WDG
678	Acephate 50%+ Imidacloprid 1.8% SP
679	Acephate 50% + Imidacloprid 5% WG
680	Acetamiprid 0.4%+ Chlorpyriphos 20% EC
681	Acetamiprid 1.1%+ Cypermethrin 5.5% EC
682	Acetamiprid 20% + Chlorantraniliprole 20% WG
683	Acetamiprid 25% + Bifenthrin 25% WG
684	Acetamiprid 19.5% + Chlorantraniliprole 19.5% FS
685	Afidopyropen 50 g/l + Abamectin 25 g/l DC
686	Alphacypermethrin 75 g/l + Teflubenzuron 75 g/l SC
687	Benzpyrimoxan 10% + Pymetrozine 20% WG
688	Benzpyrimoxan 15% + Fipronil 10% SC
689	Benzpyrimoxan 10.0 % + Thiamethoxam 3.3 % SC
690	Betacyfluthrin 8.49%+Imidacloprid1 9.81% OD
691	Bifenthrin 2.5% + Acetamiprid 2.1% ME
692	Bifenthrin 10% + Thiamethoxam 5% SC
693	Bifenthrin 3% + Chlorpyriphos 30% EC
694	Bifenthrin 8%+ Clothianidin 10% SC
695	Bifenthrin 25% + Thiamethoxam 25% WG
696	Bifenthrin 32 % + Chlorantraniliprole 12% WG
697	Buprofezin 20%+ Acephate 50% WP
698	Buprofezin 20%+ Acetamiprid 2% WP
699	Buprofezin 22.0%+ Fipronil 3.0% SC
700	Buprofezin 22.5% + Diafenthiuron 27% w/v SC
701	Buprofezin 23.1%+ Fipronil 3.85% SC
702	Buprofezin 9.0%+ Acephate 24.0% WP
703	Buprofezin 15%+ Acephate 35% WP
704	Cartap hydrochloride 25% + Emamectin benzoate 1% SG
705	CartapHydrochloride 4.0%+ Fipronil 0.50% GC
706	Cartaphydrochloride 50%+ Buprofezin 10% WP
707	CartapHydrochloride 7.5%w/w+ Emamectin Benzoate 0.25%w/w GR
708	Cartap hydrochloride 7.5% + Chlorantraniliprole 0.4% GR
709	Chlorantraniliprole 0.35% + Fipronil 0.35% GR
710	Chlorantraniliprole 0.50% + Thiamethoxam 1% GR
711	Chlorantraniliprole 0.53% w/w + Fipronil 0.8% w/w GR
712	Chlorantraniliprole 0.83% + Fipronil 1.33% w/w GR
713	Chlorantraniliprole 12% + Fipronil 30% w/w WG

714	Chlorantraniliprole 4.3%+ Abamectin 1.7% SC
715	Chlorantraniliprole 4.5% + Novaluron 11.5% + Emamectin Benzoate 1.5% SE
716	Chlorantraniliprole 5.2% + Novaluron 8.5% SC
717	Chlorantraniliprole 7.5% w/w + Thiamethoxam 7.5% w/w OD
718	Chlorantraniliprole 8.8% + Thiamethoxam 17.5% SC
719	Chlorantraniliprole 9.3% + Lambdacyhalothrin 4.6% ZC
720	Chloropyriphos 16% + Alphacypermethrin 1% EC
721	Chlorantraniliprole 15% + Emamectin benzoate 7.5% SC
722	Chlorantraniliprole 0.4% + Fipronil 0.6% GR
723	Chlorantraniliprole 10% + Novaluron 20% SC
724	Chlorantraniliprorle 0.45% + Fipronil 0.5% + Emamectin benzoate 0.18% GR
725	Clothianidin 10% + Chlorantraniliprole 6% WG
726	Chlorpyriphos 50% + Cypermethrin 5% EC
727	Chlorpyriphos 50% + Cypermethrin 5% WG
728	Clothianidin 3.5% + Pyriproxyfen 8% SE
729	Cyantraniliprole 16.9% + Lufenuron 16.9% SC
730	Cyantraniliprole 7.3% + Diafenthiuron 36.4% SC
731	Cyantraniliprole 10 % + Pymetrozine 50 % WG
732	Cyantraniliprole 19.8% + Thiamethoxam 19.8% FS
733	Cyclanilide 2.10% + MepiquatChloride 8.40% SC
734	Cyfluthrin 0.025% + Tranfluthrin 0.04% Aerosol
735	Cypermethrin10% + Indoxacarb 10% SC
736	Cypermethrin 3% + Quinalphos 20% EC
737	Deltamethrin 0.02% + Allethrin 0.13% EC
738	Deltamethrin 0.05% + Allethrin 0.04% EC
739	Deltamethrin 0.15% + Piperonyl 0.55% EC
740	Deltamethrin 0.15%+Fipronil 0.55% EC
741	Deltamethrin 0.72% + Buprofezin 5.65% EC
742	Deltamethrin 2.5% + D-trans-allethrin 2.0% EC
743	Diafenthiuron 30% + Pyriproxyfen 8% SE
744	Diafenthiuron 40% + Spinetoram 5% SC
745	Diafenthiuron 47.0% + Bifenthrin 9.4% SC
746	Diafenthiuron 48.0% + Dinotefuran 8.0% WG
747	Diafenthiuron 18% + Fipronil 8% + Dinotefuran 5% SC
748	Diafenthiuron 12% + Fipronil 8% + Tolfenpyrad 5% SC
749	Diflubenzuron 20% + Deltamethrin 2% SC
750	Dimethoate 20% + Cypermethrin 3% EC
751	Dinotefuran 11% + Pymetrozine 36% WG
752	Dinotefuran 15% + Pymetrozine 45% WG
753	Dinotefuran 4% + Acephate 50% SG
754	Dinotefuran 5% + Ethion 50% EC
755	Didinotefuran 12% + Thiamethoxam 22.5% + Pymetrozine 30% WG
756	D-trans-allethrin 0.1% + Permethrin 0.03% + Imiprothroin 0.02% Aerosol
757	Emamectin benzoate 1.1% + Diafenthiuron 30% SC
758	EmamectinBenzoate1.5% + Fipronil 3.5% SC

759	EmamectinBenzoate1.5% + Profenofos 35% WDG
760	Emamectin benzoate 2.2% + Permethrin 15.3% SC
761	EmamectinBenzoate 5% + Lufenuron 40% WG
762	Emamectin benzoate 3.5% + Lambda cyhalothrin 5% WP
763	Emamectin benzoate 3.8% + Thiamethoxam 20% WDG
764	Emamectin Benzoate 1.25% + Lambda Cyhalothrin 1.5% + Bifenthrin 4.5% EC
765	Emamectin benzoate 1.9% + Chlorantraniliprole 5% + Deltamethrin 1% EC
766	Ethion 40% + Cypermethrin 5% EC
767	Ethiprole 10.7% + Pymetrozine 40% WG
768	Ethiprole 40% + Imidacloprid 40% WG
769	Etofenprox 6% + Diafenthiuron 25% WG
770	Etoxazole 6 % + Abamectin 1.5 % SC
771	Fenazaquin10% + Bifenthrin 4% EC
772	Fenobucarb 20% + Buprofezin 5% SE
773	Fenobucarb 22.5% + Buprofezin 11.25% + Acephate 2.5% ME
774	Fipronil 10% + Diafenthiuron 30% WG
774	Fipronil 12.5% + Lambda-cyhalothrin 5% ZC
775	Fipronil 15% + Deltamethrin 2.5% SC
777	Fipronil 15%+ Flonicamid 15% WDG
778	Fipronil 2.50% + Propargite 35.00% SE
779	Fipronil 4%+ Acetamiprid 4%w/w SC
780	Fipronil 4%+ Thiamethoxam 4%w/w SC
781	Fipronil 40%+ Imidacloprid 40% WG
782	Fipronil 15 % + Imidacloprid 5 % SC
783	Fipronil 5% + Buprofenzin 20% SC
784	Fipronil 15 % + Chlorantraniliprole 5 % SC
785	Fipronil 7% + Hexythiazox 2%w/w SC
786	Fipronil 8% + Pymetrozine 35% WG
787	Flonicamid 11.7% + Diafenthiuron 36% WG
788	Flonicamid 20% + Fipronil 8% SC
789	Flonicamid 18% + Spirotetramat 13.5% SC
790	Flonicamid 20% + Chlorantraniliprole 8% + Abamectin 2% SC
791	Flubendiamide19.92% + Thiacloprid19.92% SC
792	Flubendiamide 3.50% + Hexaconazole 5% WG
793	Flubendiamide 4%+ Buprofezin 20%SC
794	Flubendiamide 7.5%+ Kresoximmethyl 37.5% SC
795	Flubendiamide 8.33%+ Deltamethrin 5.56% SC
796	Fluxametamide 3.8%+ Pyridaben 9.5% SC
797	Fluxametamide 5.81 % + Bifenthrin 5.81 % EC
798	Hexythiazox 3.5 + Diafenthiuron 42% WDG
799	Imidacloprid 18.50% + Hexaconazole1.50% FS
800	Imidacloprid 20%+ Bifenthrin 8% SL
801	Imidacloprid 21% + Beta-cyfluthrin10.5% SC
802	Imidacloprid 6.0% + Lambdacyhalothrin 4.0% SL
803	Imiprothrin 0.05% + Cypermethrin 1.0% CL

804	Imiprothrin 0.07% + Cypermethrin 0.20% Aerosol
805	Imiprothrin 0.1% + Cyphenothrin 0.15%
806	Indoxacarb 10% + Thiamethoxam 10% WG
807	Indoxacarb 14.5% + Acetamiprid 7.7% SC
808	Indoxacarb 5% + Fipronil 5% SC
809	Indoxacarb 12% (12% S-Isomer, 4% R-Isomer) + Chlorantraniliprole 12% OD
810	Isoprothiolane 28% + Fipronil 5% EC
811	Lambda-Cyhalothrin 5% + Clothianidin 5% + Carbendazim 37% SC
812	Lufenuron 4% + Emamectin Benzoate 1.5% EC
813	Lufenuron 20% + Chlorantraniliprole 10% + Pyriproxyfen 5% WG
814	Methoxyfenozide 18% + Emamectin benzoate 1.8% SC
815	Methoxyfenozide 20 % + Chlorantraniliprole 5 % SC
816	Methoxyfenozide 5% + Chlorpyriphos 25% SE
817	Nitenpyram 15.0% + Fipronil 20.0% WP
818	Novaluron 5.25% + Emamectin benzoate 0.9%w/w SC
819	Novaluron 5.25%+ Indoxacarb 4.5%SC
820	Novaluron 9.45% + Lambda cyhalothrin 1.9% ZC
821	Phenthoate 45% + Cypermethrin 6% EC
822	Phenthoate 35% + Emamectin benzoate 3.5% EC
823	Profenofos 40% + Cypermethrin 4% EC
824	Profenofos 40% + Cypermethrin 4% w/v EW
825	Profenofos 50 % + Fenpropathrin 5 % EC
826	Profenofos 40 % + Fenpyroximate2.50 % EC
827	Profenofos 40% + Lambda cyhalothrin 1.5% EC
828	Propargite 42% + Hexythiazox 2%EC
829	Propargite 50% + Bifenthrin 5%SE
830	Propoxur 0.5% + Cyfluthrin 0.025% Spray
831	Propoxur 0.75% + Cyfluthrin 0.025% Aerosol
832	Pyrethrin 0.05% + Malathion 1% Household
833	Pyriproxyfen 10% + Bifenthrin 10%EC
834	Pyriproxyfen 5% + Fenpropathrin 15%EC
835	Pyriproxyfen 5.0% + Diafenthiuron 25%SE
836	Pyriproxyfen 8% + Dinotefuran5% + Diafenthiuron18%SC
837	Pymetrozine 14.8% + Fipronil 7.5% + Dinotefuran 4.8% SC
838	Pymetrozine 29.2% w/w + Dinotefuran 11.7% w/w WDG
839	Pymetrozine 11.3% + Triflumezopyrim 1.9% SC
840	Sedaxane 12.61% + Azoxystrobin 3.15% + Thiamethoxam 22.6% FS
841	Spinoteram 5.66% + Methoxyfenozide 28.3% SC
842	Spiropidion 9.6% + Abamectin 1.4% SC u/s
843	Spiropidion 30% w/w + Acetamiprid 24% w/w WG
844	Spiromesifen 15% + Hexythiazox 2.2% + Abamectin 1.15% SC
845	Spirotetramat 11.01% + Imidacloprid 11.01% SC
846	Sulfoxaflor 7.5% + Buprofezin 15% SC
847	Tetraniliprole 10.08 % + Thiacloprid 30.25 % SC
848	Tetraniliprole 10.81% + Spirotetramat 21.62% SC

849	Thiamethoxam 0.4% + Bifenthrin 0.8% GR
850	Thiamethoxam 0.9% + Fipronil 0.2%GR
851	Thiamethoxam 1.0% + Chlorantraniliprole 0.5% GR
852	Thiamethoxam 1.25% + Fipronil 1.25% + Chlorantraniliprole 0.6% GR
853	Thiamethoxam 12.6% + Lambda-cyhalothrin 9.5%ZC
854	Thiamethoxam 1.25% + Fipronil 1.25% + Chlorantraniliprole 0.6% GR
855	Tolfenpyrad 15% + Bifenthrin 7.5% SE
856	Tolfenpyrad 30% + Pyriproxyfen 10% + Acetamiprid 4% EC
857	Transfluthrin1.0% + Cypermethrin 0.25% Spray
858	Triflumezopyrim 0.45% + Chlorantraniliprole 0.5% GR
859	Thiocyclam hydrogen oxalate 3.0% + Clothianidin 1.2% GR
B. FUNGICIDES	
860	Ametoctradin 27%+Dimethomorph 20.27%SC
861	Amisulbrom 5.21% + Zoxamide 10.41% SC
862	Azoxystrobin 20% + Boscalid 25% SE
863	Azoxystrobin 11.0%+Tebuconazole18.3%SC
864	Azoxystrobin 11.5%+Mancozeb 30.0%WP
865	Azoxystrobin 12.5%+Tebuconazole 12.5%SC
866	Azoxystrobin 120g/l+Tebuconazole 240g/lSC
867	Azoxystrobin 14% +Epoxiconazole 09%SC
868	Azoxystrobin16.7%+Tricyclazole 33.3%SC
869	Azoxystrobin18.2%+Cyproconazole 7.3%SC
870	Azoxystrobin18.2%+Difenoconazole 11.4%SC
871	Azoxystrobin 4.7%+Mancozeb59.7%+Tebuconazole 5.6%WG
872	Azoxystrobin 4.8%+Chlorothalonil 40.0%SC
873	Azoxystrobin 5.1%+Tebuconazole9.1 %+ Prochloraz18.2% EC
874	Azoxystrobin 7.1%+Propiconazole 11.9%SE
875	Azoxystrobin 8.3% + Mancozeb 66.7% WG
876	Azoxystrobin 20% + Thifluzamide 15% SC
877	Azoxystrobin 25% + Boscalid 35% WG
878	Azoxystrobin 8.3% + Mancozeb 66.7% WG u/s
879	Azoxystrobin 13.04% + Thiafluzamide 15.66% SC
880	Azoxystrobin 4.5% + Mancozeb 67.5% + Cyproconazole 3.0% WG
881	Azoxystrobin 7.5% + Tebuconazole 12% + Isoprothiolane 12% SE
882	Azoxystrobin 30.5% + Myclobutanil 4.85% SE
883	Azoxystrobin 18.75% + Tricyclazole 37.5% WG
884	Benalaxyl 8.0 %+Mancozeb 65%WP
885	Benalaxyl-M4.0%+Mancozeb 65.0%WP
886	Boscalid25.2+Pyraclostrobin 12.8%WG
887	Captan70% + Hexaconazole 5%WP
888	Carbendazim 1.92% + Mancozeb10.08%GR
889	Carbendazim12% + Mancozeb 63%WP
890	Carbendazim12% + Mancozeb 63%WS
891	Carbendazim 25%+Flusilazole 12.5%SE
892	Carbendazim 25% + Mancozeb 50%WS

893	Carbendazim 11.57% + Tebuconazole 11.57% SC
894	Carboxin17.5% +Thiram1 7.5% FF
895	Carboxin 37.5% +Thiram37.5%WS
896	Chlorothalonil 40% + Difenoconazole 4%w/w SC
897	Chlorothalonil 12.5% + Mancozeb 62.5% WG
898	Chlorothalonil 40% + Thiophanate methyl 35% WDG
899	Copper Sulphate 47.15% + Mancozeb 30%WDG
900	Copper Oxychloride 47% + Metalaxyl 8% WP
901	Cymoxanil 8%+Mancozeb 64%WP
902	Cyazofamid 25% + Pyraclostrobin 18% w/v SC
903	Cyazofamid 6.2% + Mancozeb 60.8% WP
904	Cyproconazole 12.5% + Tebuconazole 12.5% w/w SC
905	Difenoconazole 10% +Mancozeb 50%WDG
904	Difenoconazole 4% + Propineb 64% DF
907	Difenoconazole 6% + Validamycin 6% SC
908	Difenconazole 4.8% + Mancozeb 64% WP
909	Difenconazole 4% + Propineb 64% DF
910	Dimethomorph 12%+Pyraclostrobin 6.7%WG
911	Famoxadone 16.6%+Cymoxanil 22.1%SC
912	Fenamidone 10%+Mancozeb 50%WDG
913	Fenamidone 4.44% + Fosetyl-Al 66.66%WDG
914	Fenoxanil 5%+ Isoprothiolane 30% EC
915	Fluindapyr 20.9% + Flutriafol 20.9% SC
916	Fluopicolide 5.56%+Propamocarbhydrochloride 55.6%SC
917	Fluopyram 17.7%+Tebuconazole 17.7% SC
918	Fluopyram 21.37% + Trifloxystrobin 21.37% SC
919	Fluopicolide 17.54% + Cymoxanil 21.05% SC
920	Fluxapyroxad 167g/L+Pyraclostrobin 333g/lSC
921	Fluxapyroxad 250g/l + Pyraclostrobin 250g/l SC
922	Fluxapyroxad 62.5g/l +Epoxiconazole 62.5g/l EC
923	Fluxapyroxad 75g/l +Difenoconazole 50g/l SC
924	Hexaconazole 4%+Carbendazim16%w/w SC
925	Hexaconazole 4%+ Zineb 68%WP
926	Hexaconazole 5%+Validamycin 2.5%SC
927	Inpyrfluxam 6% + Tebuconazole 20% SC
928	Iprodion 25% + Carbendazim 25% WP
929	Iprovalicarb 5.5% + Propineb 61.25%WP
930	Iprovalicarb 8.4% + copper oxychloride 68.2% w/w (40.6% w/w as Cu) WG
931.	Isoprothiolane 25% + Picoxystrobin 10% EC
932	Isopyrazam 11.16% w/w + Azoxystrobin 17.86% w/w SC
933	Isopyrazam 11.5% w/w + Difenoconazole 11.5% w/w SC
934	Kasugamycin 5% + Copper Oxychloride 45%WP
935	Kasugamycin 6% +Thiafluzamide 26% SC
936	Kresoximmethyl 15% + chlorothalonil 56%WG
937	Kresoximmethyl 18% + Mancozeb 54%w/w WP

938	Kresoximmethyl 40%+Hexaconazole8%w/w WG
940	Mancozeb 40%+Azoxytrobin 7.0%w/w OS
941	Mancozeb 68% + Hexaconazole 4% WG
942	Mancozeb 50%+Thiophanate methyl 25%WG
943	Mancozeb 60% + Pyraclostrobin 5% w/w WG
944	Mancozeb 40.0% + Tebuconazole 1.0 % WS
945	Mancozeb 52.6% + Hexaconazole 2.4 % WG
946	Mancozeb 64% + Thiophanate Methyl 12% WP
947	Mancozeb 69.7% + Cyazofamid 5.3 % WG
948	Mandipropamid 5.0%+Mancozeb 60.0%WG
949	Mefentrifluaconazole 133g/l + Fluxapyroxad 89g/l +Pyraclostrobin 178 g/l SC
950	Metalaxyl–M 3.3%+Chlorothalonil 33.1%SC
951	Metalaxyl-M 3.9%+Mancozeb 64%WG
952	Metalaxyl-M 8%+Mancozeb 64%WP
953	Metalaxyl-M 4%+Mancozeb 64%WP
954	Metiram 44%+Dimethomorph 9%WG
955	Metiram 55%+Pyraclostrobin 5%WG
956	Oxathiapiprolin 1.4% + Azoxystrobin 14.46% SC
957	Oxathiapiprolin 0.6% w/w + Mancozeb 60 % w/w WG
958	Oxathiapiprolin 2.77% + Mandipropamid 23.08% SC
959	Oxathiapiprolin 4.61% w/w + Amisulbrom 23.08% w/w SE
960	Penflufen 13.28+Trifloxystrobin 13.28% FS
961	Picoxystrobin 6.78%+Tricyclazole 20.33% SC
962	Picoxystrobin 7.05%+Propiconazole 11.7% SC
963	Prochloraz 23.5%+Tricyclazole 20% SE
964	Prochloraz 24.4%+Tebuconazole 12.1%EW
965	Prochloraz 34.8%+Propiconazole 7.8%EC
966	Prochloraz 5.7%+Tebuconazole 1.4%ES
967	Propiconazole 10.7%+Tricyclazole 34.2%SE
968	Propiconazole 13.9%+Difenoconazole 13.9%EC
969	Propiconazole 10% + Thiophanate methyl 42% WP
970	Propineb 54.2%+Tricyclazole 15.0%WP
971	Propineb 70.0% + Cymoxanil 6.0% WP
972	Pyraclostrobin 133g/l+Epoxiconazole 50g/l(w/v) SE
973	Pyraclostrobin 10% + Thifluzamide 10% SC
974	Pyraclostrobin 75 g/l + Tricyclazole 150 g/l ZC
975	Pyraclostrobin 10% + Metiram 30% + Difenconazole 10% WG
976	Pydiflumetofen 6.89% + Difenoconazole 11.49% SC (Pydiflumetofen 7.5% + Difenoconazole 12.5% SC)
977	Pydiflumetofen 13.6% + Propiconazole 11.4% SE
978	Sedaxane12.61%+Azoxystrobin3.15%+Thiamethoxam22.06%FS
979	Sedaxane 15.27% + Fludioxonil 7.64 + Metalaxyl-M 3.06% FS
980	Sedaxane 2.2% w/w + Fludioxonil 2.2% w/w+ Thiamethoxam 22.8%w/w FS
981	Sedaxane 2.36% w/w + Fludioxonil 2.36% w/w FS (Sedaxane 2.5% w/v + Fludioxonil 2.5% w/v FS)

982	Sedaxane 3.70% w/w + Fludioxonil 4.63% w/w FS
983	Streptomycin + Tetracycline (90+10)
984	Streptomycin + Tetracycline (9%+1%)
985	Sulphur 58.5% w/w (84% w/v) + Azoxystrobin 4.2% w/w (6% w/v) SC
986	Sulphur 50% + Propineb 25% DF
987	Tebuconazole10% +Sulphur65%WG
988	Tebuconazole15%+Zineb57%WDG
989	Tebuconazole 50% + Trifloxystrobin 25%WG
990	Tebuconazole 6.7% +Captan 26.9% SC
991	Thiafluzamide 15% + Difenconazole 20% SC
992	Thifluzamide 9% + Difenoconazole 6% + Validamycin 3% SC
993	Thiophanate Methyl 38% + Kasugamycin 2.23SC
994	Thiophanate Methyl 450g/L + Pyroclostrobin 50g/L FS
995	Thiophanate methyl 15% + Copper oxychloride 40% WP
996	Tricyclazole 18% + Mancozeb 62%WP
997	Tricyclazole1 8.0+Tebuconazole 14.4%SC
998	Tricyclazole 20.4%+Azoxystrobin 6.8%SC
999	Tricyclazole 45%+Hexaconazole 10%WG
1001	Triflumezopyrim 10% w/w + Spinetoram 12% w/w WG
1002	Triflumezopyrim 4.79% w/w + Spinetoram 8.62 % w/w SC
1003	Trifloxystrobin 25% + Hexaconazole 25% WG
1004	Triticonazole 80 g/l + Pyraclostrobin 40% g/l FS
1005	Trifloxystrobin 10% + Difenoconazole 12.5% + Sulphur 3% SC
1006	Trifloxysrobin 6% + Thiamethoxam 24% + Thiophanate methyl 9.5% FS
1007	Valifenalate 6%+Mancozeb 60%WG
1008	Validamycin 5% + Tebuconazole 15% SC
1009	Validamycin 2.8% + Propiconazole 6% EW
1010	Zoxamide 33% + Cymoxanil 33% WP
C. HERBICIDES	
1011	2,4-D Sodium Salt 44%+Metribuzin 35%+ Pyrazosulfuron ethyl 1.0%WDG
1012	2,4-D Sodium salt 48% + Metribuzin 32% + Chlorimuron ethyl 0.85% WDG
1013	2,4-D sodium salt 50% + Metribuzin 15% WP
1014	Aclonifen 36.89 + Diflufenican 6.15% + Pyroxasulfone 4.10% SC
1015	Ametryn 73.1%+ Trifloxysulfuron Sodium 1.8% WG
1016	Anilofos 24%+ 2,4-D Ethyl Ester 32% EC
1017	Bensulfuron methyl 0.6%+Pretilachlor 6% Gr.
1018	Bensulfuron methyl 4.8% + Pretilachlor 48% OD
1019	Bispyribac Sodium 0.25% + Penoxsulam 0.25% + Pyrazosulfuron Ethyl 0.20% GR
1020	Bispyribac-Sodium 15% + Metsulfuron-methyl 2.4% + Chlorimuron ethyl 3.6% OD
1021	Bispyribac Sodium 20%+Pyrazosulfuron Ethyl1 5% WDG
1022	Bispyribac sodium 38% + Chlorimuron ethyl 2.5% + Metsulfuron methyl 2.5% WG
1023	Bispyribac sodium 2.00% + 2,4-D sodium salt 54.30% SP
1024	Bispyribac Sodium 7.6 % + Fenoxaprop-p- ethyl 11.4 % w/w WG
1025	Bispyribac sodium 9.5% + Penoxsulam 7.8% SC
1026	Bispyribac sodium 7.6% + Fenoxaprop-p-ethyl 11.4% WG

1027	Bixlozone 50% + Metribuzin 10% WG
1028	Carfentrazone ethyl 0.43% + Glyphosate 30.82%EW
1029	Carfentrazone ethyl 20% + Sulfosulfuron 25%WG
1030	Carfentrazone ethyl 5% + Clodinafop propargyl 15% DF
1031	Clodinafop propargyl 15% + Metsulfuron methyl 1%WP
1032	Clodinafop propargyl 9%+Metribuzin 20%WP(w/w)
1033	Clodinafop- propargyl 12.25 % + Oxyfluorfen 14.7 % EC
1034	Clomazone 20% + 2,4-DEthyl Ester 30%EC
1035	Clomazone22.5%+Metribuzin 21%WP
1036	Diclosulam 0.9% + Pendimethalin 35% SL
1037	Diuron 25.6% + Glyphosate 14.9% + Oxyfluorfen 11.5% SC
1038	Fenoxaprop-p-ethyl 7.77%+ Metribuzin13.6% EC
1039	Fenoxaprop-p-ethyl 6% + Chlorimuron ethyl 0.9% + Imazethapyr 10% SC
1040	Fenoxaprop p ethyl 5% + Chlorimuron ethyl 0.6% + Pretilachlor 50% ME
1041	Fenoxaprop p ethyl 6% + Pyrazosulfuron ethyl 1.5% + Pretilachlor 50% ME
1042	Florpyrauxifen-benzyl 1.31% +Penoxsulam 2.1%OD
1043	Florpyrauxifen-benzyl 2.13% + Cyhalofop butyl 10.64% EC
1044	Fluazifop-p-butyl 11.1%+Fomesafen 11.1%SL
1045	Fluthiacet-methyl 2.5 % + Quizalofop-ethyl 10 % EC
1046	Fluroxpyr 13.8% + (Meptyl 20%) + Metribuzin 5.6% EC
1047	Fomesafen12%+ Quizalofop ethyl 3%SC
1048	Fomesafen 12.5% + Fenoxaprop-p-Ethyl 10% + Chlorimuron Ethyl 0.9% ME
1049	Fomesafen 12.5% + Quizalofop ethyl 4.68% EC
1050	Fomesafen 16.8% + Propaquizafop 5.2% ME
1051	Fomesafen 17.5% + Clodinafop-propargyl 12.5% ME
1052	Glufosinate ammonium 11.65% + Metolachlor 27.30% EW
1053	Glufosinate ammonium 13.4% + Oxyfluorfen 4.8% w/w EW
1054	Glufosinate ammonium 14.3% + Glyphosate (isopropyl ammonium) 18.04% SL
1055	Halauxifen methyl 20.8%+Florasulam 20.0%w/w WG (With Surfactant)
1056	Haloxyfop R Methyl 12.8% + Imazethapyr 10% ME
1057	Halosulfuron methyl 12%+Metribuzin55%WG
1058	Halosulfuron methyl 6% + Metribuzin 50% WG
1059	Halosulfuron methyl 5%+Atrazine48%WG
1060	Hexazinone13.2% + Diuron 46.8% WP
1061	Imazapic 17.5% + Imazapyr 52.5% WG
1062	Imazethapyr 35%+Imazamox35%WG
1063	Indaziflam1.65% + Glyphosate Isopropyl Ammonium 44.63%SC
1064	Imazosulfuron 1% + Pretilachlor 8% GR
1065	Mesosulfuron methyl 3% +Iodosulfuronmethylsodium0.6% WG
1066	Mesotrione2.27%+Atrazine 22.7%SC
1067	Metamifop 8% + Imazethapyr 4% + Imazamox 3% ME
1068	Metolachlor 39.37% + Oxyfluorfen 3.94% EC
1069	Metolachlor 35.98% + Sulfentrazone 11.51% EC
1070	MEtribuzine 21% + Pyroxasulfone 12.75% WG
1071	Metribuzin 42% + Clodinafop propargyl 12%WG

1072	Metribuzin 16.8% + 2,4-D sodium salt 56% WP
1073	Metsulfuron methyl 10%+Carfentrazone ethyl 40%DF
1074	Metsulfuron methyl 10%+Chlorimuron ethyl 10%WP
1075	Orthosulfamuron 0.6% + Pretilachlor 6% GR
1076	Oxyfluorfen 2.5% + Glyphosate (Isopropyl amine salt) 41%SC
1077	Oxyfluorfen 20% + Clodinafop propargyl 5% DF
1078	Oxadiargyl 1% + Pretilachlor 6% GR
1079	Paraquat dichloride 7.50% + Glyphosate 30% SC
1080	Paraquat dichloride 24% + Oxyfluorfen 5% SC
1081	Paraquat dichloride 22.4% + Oxyfluorfen 1.99% EW
1082	Pendimethalin 30%+Imazethapyr 2% EC
1083	Pendimethalin 35%+ Metribuzin 3.5%SE
1084	Pendimethalin 38.4%+Pyrazosulfuron ethyl 0.85%ZC
1085	Pendimethalin 15% + Pyrazosulfuron ethyl 0.15% GR
1086	Pendimethalin 40%+ Metribuzin 8% EC
1087	Pendimethalin 29.75% + Metribuzin 11.25% ZC
1088	Penoxsulam 0.97%+ Butachlor 38.8% SE
1089	Penoxsulam 1.02 %+ Cyhalofop-butyl 5.1% OD
1090	Penoxsulam 1% + Pendimethalin 24% SE
1091	Penoxsulam 2% + Oxadiazon 21% w/w SC
1092	Penoxasulam 9.0% + Pyrazusulfuron ethyl 6.0% WDG
1093	Penoxasulam 1.2% + Pretilachlor 30.8% SE
1093	Pretilachlor 27.4% w/w + Florpyrauxifen-benzyl 0.91% w/w EC
1094	Pretilachlor 30.0% + Pyrazosulfuron Ethyl 0.75% WG
1095	Pretilachlor 30.2% w/w + Florpyrauxifen-Benzyl 1.01% w/w EW
1096	Pretilachlor 6%+Pyrazosulfuron Ethyl 0.15% (H)
1097	Pretilachlor 6.0%+Pyrazosulfuron Ethyl 0.15% GR
1098	Pretilachlor 30.2% + Florpyrauxifen benzyl 1.01% EW
1099	Propanil 60% + Propyrisulfuron 2% WG
1100	Propaquizafop 2.5%+ Imazethapyr 3.75% w/w ME
1101	Propaquizafop 5%+ Oxyfluorfen12% w/w EC
1102	Pyriftalid 31.0%w/w+ Bensulfuron methyl 15.7%w/w SC
1103	Pyrithiobac Sodium 4.5 w/w % + Glyphosate 60% w/w SG
1105	Pyrithiobac Sodium 6% + Quizalofop-ethyl 4% w/w EC
1106	Pyrithiobac sodium 3.1% + Pendimethalin 34.0% ZC
1107	Pyroxasulfone 63.75% + Diclosulam 13% WG
1108	Saflufenacil 68 g/l + Dimethenamid-P 600 g/l EC
1109	Quizalofop ethyl 10%EC+Chlorimuronethyl 25%WP + Surfactant (0.2) (Herbicide) (Twin pack)
1110	Quizalofop ethyl 4%+Oxyfluorfen 6% EC
1111	Quizalofop ethyl 7.5%+Imazethapyr 15%w/w EC
1112	Quizalofop ethyl 8.8% + Oxyfluorfen 19% WG
1113	SodiumAcifluorfen1 6.5% + Clodinafop propargyl 8% EC
1114	Sulfentrazone 28%+ Clomazone 30% WP
1115	Sulfosulfuron 75%+Metsulfuron Methyl 5%WG
1116	Topramezone 10g/l +Atrazine 300g/l SC

1117	Topramezone 32 g/l + Dimethenamid-p 538 g/l EC
1118	Triafamone 20%+ Ethoxysulfuron l0%WG
1119	Tembotrione 9% + Atrazine 45% WG
D. INSECTICIDE + FUNGICIDE	
1120	Azoxystrobin 1.3%+Tebuconazole 0.22%+Thiamethoxam 25.9% FS
1121	Azoxystrobin 2.5%+Thiophanate Methyl 11.25%+Thiamethoxam 25%FS
1122	Azoxystrobin 10% + Fipronil 5% SC
1123	Carboxin 22.5% + Thiram 22.5% + Imidacloprid 18% WS
1124	Chlorantraniliprole 0.64% + Tebuconazole 3% + Clothianidin 1.92% GR
1125	Chlorantraniliprole 15.75% + Clothianidin 26.25% SC
1126	Flubendiamide 3.5%+Hexaconzole 5%WG
1127	Flubendiamide 7.5%+Kresoxim methyl 37.5%SC
1128	Imidacloprid 18.5%+Hexaconzole1.5%FS
1129	Isoprothiolane 28%+Fipronil 5% EC
1130	Pyraclostrobin 3.5% + Thiram 15% + Clothianidin 22.5% FS
1131	Pyraclostrobin 10% + Fipronil 5% SC
1132	Pymetrozine 11.3% w/w + Triflumezopyrim 1.9% w/w SC
1133	Pymetrozine 25.0% + Thiamethoxam 17.5% + Hexaconazole 12.5% WG
1134	Pymetrozine 29.2% w/w + Dinotefuran 11.7% w/w WDG
1135	Pymetrozine 30 % + Tebuconazole 37 % WG
1136	Pymetrozine 30% + Dinotefuran 10% + Pyraclostrobin 20% WG
E. PLANT GROTH REGULATORS	
1137	Cyclanilide 2.10% w/w + Mepiquat Chloride 8.40% w/w SC
1138	Gibberellic acid 1.8% + 6-Benzyl Adenine 1.8% L
F. PLANT GROWTH REGULATOR + FUNGICIDE	
1139	Triacontanol l80 g/ L + Pyraclostrobin 40 g/L FS