

Sample Bottle weights

Date: _____

Technician(s): _____

sample_name	field_sample_ID	pre_weight	post_weight	notes
SSEMG_R0001	SSEMG_COA_IS_20260225_1300			
SSEMG_R0002	SSEMG_COA_IS_20260224_1100			
SSEMG_R0003	SSEMG_COA_IS_20260224_2300			
SSEMG_R0004	SSEMG_COA_IS_20260224_1700			
SSEMG_R0005	SSEMG_STA_IS_20260225_1300			
SSEMG_R0006	SSEMG_COA_IS_20260225_1500			
SSEMG_R0007	SSEMG_COA_IS_20260224_0700			
SSEMG_R0008	SSEMG_STA_IS_20260223_1900			
SSEMG_R0009	SSEMG_COA_IS_20260225_0300			
SSEMG_R0010	SSEMG_COA_IS_20260224_1900			
SSEMG_R0011	SSEMG_COA_IS_20260224_0100			
SSEMG_R0012	SSEMG_COA_IS_20260224_1500			
SSEMG_R0013	SSEMG_COA_IS_20260223_1700			
SSEMG_R0014	SSEMG_STA_IS_20260223_1700			
SSEMG_R0015	SSEMG_STA_IS_20260223_2100			
SSEMG_R0016	SSEMG_COA_IS_20260224_0300			
SSEMG_R0017	SSEMG_COA_IS_20260225_0900			
SSEMG_R0018	SSEMG_STA_IS_20260224_0700			
SSEMG_R0019	SSEMG_STA_IS_20260224_1900			
SSEMG_R0020	SSEMG_STA_IS_20260224_2100			
SSEMG_R0021	SSEMG_STA_IS_20260224_2300			
SSEMG_R0022	SSEMG_STA_IS_20260225_0700			
SSEMG_R0023	SSEMG_COA_IS_20260224_1300			
SSEMG_R0024	SSEMG_STA_IS_20260224_1700			
SSEMG_R0025	SSEMG_COA_IS_20260225_0500			
SSEMG_R0026	SSEMG_STA_IS_20260224_0100			
SSEMG_R0027	SSEMG_STA_IS_20260224_1300			
SSEMG_R0028	SSEMG_STA_IS_20260225_0100			
SSEMG_R0029	SSEMG_STA_IS_20260225_1100			
SSEMG_R0030	SSEMG_COA_IS_20260223_2300			
SSEMG_R0031	SSEMG_STA_IS_20260224_0300			
SSEMG_R0032	SSEMG_COA_IS_20260223_1900			
SSEMG_R0033	SSEMG_COA_IS_20260224_0500			
SSEMG_R0034	SSEMG_STA_IS_20260225_0300			
SSEMG_R0035	SSEMG_STA_IS_20260223_1500			
SSEMG_R0036	SSEMG_COA_IS_20260225_0100			
SSEMG_R0037	SSEMG_COA_IS_20260225_0700			
SSEMG_R0038	SSEMG_COA_IS_20260224_2100			
SSEMG_R0039	SSEMG_STA_IS_20260224_1100			
SSEMG_R0040	SSEMG_STA_IS_20260225_0900			
SSEMG_R0041	SSEMG_STA_IS_20260225_0500			
SSEMG_R0042	SSEMG_STA_IS_20260224_0900			
SSEMG_R0043	SSEMG_STA_IS_20260224_0500			
SSEMG_R0044	SSEMG_COA_IS_20260223_2100			
SSEMG_R0045	SSEMG_COA_IS_20260225_1100			
SSEMG_R0046	SSEMG_COA_IS_20260224_0900			
SSEMG_R0047	SSEMG_STA_IS_20260224_1500			
SSEMG_R0048	SSEMG_STA_IS_20260223_2300			

Sample Bottle numbers

Date: _____

Technician(s): _____

sample_name	field_sample_ID	Aqualog	Shimadzu	CCAL	Levoglucosan	Excess	notes
SSEMG_R0001	SSEMG_COA_IS_20260225_1300						
SSEMG_R0002	SSEMG_COA_IS_20260224_1100						
SSEMG_R0003	SSEMG_COA_IS_20260224_2300						
SSEMG_R0004	SSEMG_COA_IS_20260224_1700						
SSEMG_R0005	SSEMG_STA_IS_20260225_1300						
SSEMG_R0006	SSEMG_COA_IS_20260225_1500						
SSEMG_R0007	SSEMG_COA_IS_20260224_0700						
SSEMG_R0008	SSEMG_STA_IS_20260223_1900						
SSEMG_R0009	SSEMG_COA_IS_20260225_0300						
SSEMG_R0010	SSEMG_COA_IS_20260224_1900						
SSEMG_R0011	SSEMG_COA_IS_20260224_0100						
SSEMG_R0012	SSEMG_COA_IS_20260224_1500						
SSEMG_R0013	SSEMG_COA_IS_20260223_1700						
SSEMG_R0014	SSEMG_STA_IS_20260223_1700						
SSEMG_R0015	SSEMG_STA_IS_20260223_2100						
SSEMG_R0016	SSEMG_COA_IS_20260224_0300						
SSEMG_R0017	SSEMG_COA_IS_20260225_0900						
SSEMG_R0018	SSEMG_STA_IS_20260224_0700						
SSEMG_R0019	SSEMG_STA_IS_20260224_1900						
SSEMG_R0020	SSEMG_STA_IS_20260224_2100						
SSEMG_R0021	SSEMG_STA_IS_20260224_2300						
SSEMG_R0022	SSEMG_STA_IS_20260225_0700						
SSEMG_R0023	SSEMG_COA_IS_20260224_1300						
SSEMG_R0024	SSEMG_STA_IS_20260224_1700						
SSEMG_R0025	SSEMG_COA_IS_20260225_0500						
SSEMG_R0026	SSEMG_STA_IS_20260224_0100						
SSEMG_R0027	SSEMG_STA_IS_20260224_1300						
SSEMG_R0028	SSEMG_STA_IS_20260225_0100						
SSEMG_R0029	SSEMG_STA_IS_20260225_1100						
SSEMG_R0030	SSEMG_COA_IS_20260223_2300						
SSEMG_R0031	SSEMG_STA_IS_20260224_0300						
SSEMG_R0032	SSEMG_COA_IS_20260223_1900						
SSEMG_R0033	SSEMG_COA_IS_20260224_0500						
SSEMG_R0034	SSEMG_STA_IS_20260225_0300						
SSEMG_R0035	SSEMG_STA_IS_20260223_1500						

(continued)

sample_name	field_sample_ID	Aqualog	Shimadzu	CCAL	Levoglucosan	Excess	notes
SSEMG_R0036	SSEMG_COA_IS_20260225_0100						
SSEMG_R0037	SSEMG_COA_IS_20260225_0700						
SSEMG_R0038	SSEMG_COA_IS_20260224_2100						
SSEMG_R0039	SSEMG_STA_IS_20260224_1100						
SSEMG_R0040	SSEMG_STA_IS_20260225_0900						
SSEMG_R0041	SSEMG_STA_IS_20260225_0500						
SSEMG_R0042	SSEMG_STA_IS_20260224_0900						
SSEMG_R0043	SSEMG_STA_IS_20260224_0500						
SSEMG_R0044	SSEMG_COA_IS_20260223_2100						
SSEMG_R0045	SSEMG_COA_IS_20260225_1100						
SSEMG_R0046	SSEMG_COA_IS_20260224_0900						
SSEMG_R0047	SSEMG_STA_IS_20260224_1500						
SSEMG_R0048	SSEMG_STA_IS_20260223_2300						

Filter weights (filtering notes)

Date: _____

Technician(s): _____

sample_name	field_sample_ID	pre_weight	post_weight	notes
SSEMG_R0001	SSEMG_COA_IS_20260225_1300			
SSEMG_R0002	SSEMG_COA_IS_20260224_1100			
SSEMG_R0003	SSEMG_COA_IS_20260224_2300			
SSEMG_R0004	SSEMG_COA_IS_20260224_1700			
SSEMG_R0005	SSEMG_STA_IS_20260225_1300			
SSEMG_R0006	SSEMG_COA_IS_20260225_1500			
SSEMG_R0007	SSEMG_COA_IS_20260224_0700			
SSEMG_R0008	SSEMG_STA_IS_20260223_1900			
SSEMG_R0009	SSEMG_COA_IS_20260225_0300			
SSEMG_R0010	SSEMG_COA_IS_20260224_1900			
SSEMG_R0011	SSEMG_COA_IS_20260224_0100			
SSEMG_R0012	SSEMG_COA_IS_20260224_1500			
SSEMG_R0013	SSEMG_COA_IS_20260223_1700			
SSEMG_R0014	SSEMG_STA_IS_20260223_1700			
SSEMG_R0015	SSEMG_STA_IS_20260223_2100			
SSEMG_R0016	SSEMG_COA_IS_20260224_0300			
SSEMG_R0017	SSEMG_COA_IS_20260225_0900			
SSEMG_R0018	SSEMG_STA_IS_20260224_0700			
SSEMG_R0019	SSEMG_STA_IS_20260224_1900			
SSEMG_R0020	SSEMG_STA_IS_20260224_2100			
SSEMG_R0021	SSEMG_STA_IS_20260224_2300			
SSEMG_R0022	SSEMG_STA_IS_20260225_0700			
SSEMG_R0023	SSEMG_COA_IS_20260224_1300			
SSEMG_R0024	SSEMG_STA_IS_20260224_1700			
SSEMG_R0025	SSEMG_COA_IS_20260225_0500			
SSEMG_R0026	SSEMG_STA_IS_20260224_0100			
SSEMG_R0027	SSEMG_STA_IS_20260224_1300			
SSEMG_R0028	SSEMG_STA_IS_20260225_0100			
SSEMG_R0029	SSEMG_STA_IS_20260225_1100			
SSEMG_R0030	SSEMG_COA_IS_20260223_2300			
SSEMG_R0031	SSEMG_STA_IS_20260224_0300			
SSEMG_R0032	SSEMG_COA_IS_20260223_1900			
SSEMG_R0033	SSEMG_COA_IS_20260224_0500			
SSEMG_R0034	SSEMG_STA_IS_20260225_0300			
SSEMG_R0035	SSEMG_STA_IS_20260223_1500			
SSEMG_R0036	SSEMG_COA_IS_20260225_0100			
SSEMG_R0037	SSEMG_COA_IS_20260225_0700			
SSEMG_R0038	SSEMG_COA_IS_20260224_2100			
SSEMG_R0039	SSEMG_STA_IS_20260224_1100			
SSEMG_R0040	SSEMG_STA_IS_20260225_0900			
SSEMG_R0041	SSEMG_STA_IS_20260225_0500			
SSEMG_R0042	SSEMG_STA_IS_20260224_0900			
SSEMG_R0043	SSEMG_STA_IS_20260224_0500			
SSEMG_R0044	SSEMG_COA_IS_20260223_2100			
SSEMG_R0045	SSEMG_COA_IS_20260225_1100			
SSEMG_R0046	SSEMG_COA_IS_20260224_0900			
SSEMG_R0047	SSEMG_STA_IS_20260224_1500			
SSEMG_R0048	SSEMG_STA_IS_20260223_2300			