HD Colour and Super HD Colour

Open Array Radar Systems

Raymarine HD Color and Super HD Color Open Array Radar

Enhanced Performance

Raymarine Legacy Product

Raymarine HD Color and Super HD Color Open Array Scanners are now retired and the following information is for reference purposes only.

Find out more about the new Magnum Open Array Radar here (../marine-radar/magnum.html)

Choose a Raymarine HD Color or Super HD Color open array scanner for enhanced performance and range. These large scanners, equipped with a more efficient antenna (increased gain) and narrow beam widths, deliver substantial improvements in range and bearing resolution giving great performance and clear target separation.

Available with ~4'4" (1.31m) or ~6'4" (1.92m) antenna beams.

Raymarine HD & Super HD Color Open Array Radar

Cut the Clutter!

Truly revolutionary, Raymarine HD Color technology improves target detection by eliminating virtually all noise and extracting more information from the radar echo return than has ever been generally available to the leisure navigator before.

Super HD Color adds another level of digital signal processing to futher enhance the performance and improve the resolution. Stunning multi-level color target displays provide extra clarity and detail.

Key Features:

- **HD Color technology** delivers superior processing and target detection
- **Multi-level color** target displays
- **Adaptive auto settings**
- **Coastal, Harbour, Offshore and Buoy Auto modes**
- **SeaTalk^{HS} network compatible**
- **New, thin radar interconnect assembly**
- **Simple install,** no need to open pedestal (external waterproof connector)
- **10.8 to 32V DC operation** with supplied external voltage converter
- **Field upgradeable software** via Flash card
- **HD Color Radar technology maximizes digital radar receiver performance,** enabling 4kW Raymarine radars to deliver target detection that rivals much larger and more powerful analogue radar systems
- **Raymarine HD Color technology improves target detection** by 100% digital signal processing and information extraction
- **HD Color and Super HD Color radar technology** delivers substantial improvements in range and bearing resolution

Use of Cookies

We use cookies to make our website easier for you to use. By using the site you consent to the use of cookies.

Learn more or change cookie settings (https://www.flir.com/corporate/Cookie_Policies/) | Privacy Policy (https://www.flir.com/corporate/privacy-policy/)

Radar Benefits

Where am I relative to my surroundings? Is there anything nearby that could be a danger to me, or vice versa? Radar is a great aid to navigation that allows you to:

Track Targets

Not everything uses AIS! Using MARPA* (mini-automatic radar plotting aid) allows you to identify vessel, speed, bearing, closest point of approach (CPA) and time to closest point of approach (TCPA), dangerous/ proximity alarms, overlay AIS info for further target clarification.

Image shows a tracked target in the previously set guard zone around your vessel and has triggered the dangerous target alarm, seen on screen, and set off an audible alarm.



Weather Advantage

Raymarine HD Color scanners provide superior all weather performance allowing you to still see targets through rain and thunderstorms. Use radar to track weather too.

Image shows an abnormally heavy rain storm, rain mode (right hand screen) was used to cut the clutter to clearly reveal the targets.



HD & Super HD Digital Open Array Radar Specifications

	RAYMARINE RADAR SCANNERS				
	HD COLOR SCANNERS				**SUPER HD COLOR SCANNERS**
Model **Part Number**	RA1048HD T70170	RA1072HD T70171	RA3048HD T70174	RA3072HD T70175	RA1048SHD T70172
Scanner Power and Type	4kW HD Color		12kW HD Color		Super 4kW HD Color
Antenna Size	~4ft 4in (1.31m)	~6ft 4in (1.92m)	~4ft 4in (1.31m)	~6ft 4in (1.92m)	~4ft 4in (1.31m)
Max Range Scale	72nm				

Use of Cookies

We use cookies to make our website easier for you to use. By using the site you consent to the use of cookies.
Learn more or change cookie settings (https://www.flir.com/corporate/Cookie_Policies/) | Privacy Policy (https://www.flir.com/corporate/privacy-policy/)

Scanner Weight (Pedestal + Antenna)	57.3.4lbs (26kg)	63.9lbs 29kg	57.3.4lbs (26kg)	63.9lbs 29kg	57.3.4lbs (26kg)
Beam Width Horizontal (Nominal)	1.85°	1.15°	1.85°	1.15°	1.85°
Effective Horizontal Beam Width (after Super HD Processing)	N/A				Less than 1°
Beam Width Vertical -3dB	25°				
Antenna Side Lobes (Inside 10°)	< -21dB				
Antenna Side Lobes (Outside 10°)	< -30dB				
Rotation Rate	24 rpm				24 rpm / 48 rpm (Automatic high speed mode
Receiver Bandwidth	Matched digital filter for each pulse length				
Pulse Length/PRF Settings	8				
Voltage	10.8 to 32 volts DC (using supplied VCM100) for 12V, 24V DC Systems				
Power Consumption (Typical)	<70W (transmit) <30W (standby) <1.2W (sleep)		<110W (transmit) <30W (standby) <1.2W (sleep)		<70W (transmit) <30W (standby) <1.2W (sleep)
Number of Displayed Video Levels	256 (8-bit)				
Operating Temperature Range	14°F to 131°F (-10°C to +55°C) D6				
Non-Operating Temperature Range	-20°C to +70°C C6				
Waterproofing Standard	IPX6				
Scanner Cable Length	15 m standard (5m 10 m and 25 m optional)				

Raymarine HD & Super HD Color Open Array Radar Manuals



Digital Radar Cables

All the Digital Radar cables are listed below. We have the new "RayNet" Radar Cables, followed by the selection of available extension cables.

Finally we have the older "RJ45" radar cables, for those who need to interface to an RJ45 network switch or crossover coupler (etc).

Use of Cookies

We use cookies to make our website easier for you to use. By using the site you consent to the use of cookies. Learn more or change cookie settings (https://www.flir.com/corporate/Cookie_Policies/) | Privacy Policy (https://www.flir.com/corporate/privacy-policy/)

Product	Product Compatibility	Data	Length	Part N

Product	Product Compatibility	Data	Length	Part N
Radar Cable (RayNet)	Radar to 'RayNet & Power' cable	Ethernet & Power	5m	A8022
Radar Cable (RayNet)	Radar to 'RayNet & Power' cable	Ethernet & Power	10m	A8022
Radar Cable (RayNet)	Radar to 'RayNet & Power' cable	Ethernet & Power	15m	A8022
Radar Cable (RayNet)	Radar to 'RayNet & Power' cable	Ethernet & Power	25m	A8023
Radar Extension Cable	Radar Extension Cable One Male and one Female radar connector on each end	Ethernet & Power	2.5m	A9214
Radar Extension Cable	Radar Extension Cable. One Male and One Female radar connector on each end	Ethernet & Power	5m	A5508
Radar Extension Cable	Radar Extension Cable. One Male and One Female radar connector on each end	Ethernet & Power	10m	A5508
Radar Cable (RJ45)	Radar to 'RJ45 & Power' cable	Ethernet & Power	5m	A5507
Radar Cable (RJ45)	Radar to 'RJ45 & Power' cable	Ethernet & Power	10m	A5507
Radar Cable (RJ45)	Radar to 'RJ45 & Power' cable	Ethernet & Power	15m	A5507
Radar Cable (RJ45)	Radar to 'RJ45 & Power' cable	Ethernet & Power	25m	A5507

Let's stay in touch

All the latest news and marketing information from Raymarine delivered to your inbox.

Subscribe

We'll never share your email address and you can opt out at any time, we promise.

Use of Cookies

We use cookies to make our website easier for you to use. By using the site you consent to the use of cookies.

Learn more or change cookie settings (https://www.flir.com/corporate/Cookie_Policies/) | Privacy Policy (https://www.flir.com/corporate/privacy-policy/)