

WSTV Wildlife AI Video Playbook

From First Idea to Published Reel

Final PDF Edition

Wild Stories TV production system for vertical wildlife AI videos

Chapters 1–19 + Appendices A–F

Use this playbook one production at a time. Lock each step before moving forward.

How To Use This Playbook

This is your production system, not a tutorial. You do not need to read it end to end.

The fastest way to use it:

1. Find your step in the 19-Step Sequence in Chapter 2.
2. Go to that chapter in Part Two.
3. Copy the prompt block into your AI.
4. Paste the AI output back here to check the gate.
5. When the gate passes, go to the next step.

Multi-AI note: Every prompt in this playbook works in ChatGPT, Claude, DeepSeek, Gemini, or Grok. No special formatting needed. Just paste the block. The prompts are tool-neutral.

One exception: the Dashboard Steps in Chapters 9-10 are for the local WSTV dashboard only at 127.0.0.1:8765. Do not paste those into an AI.

Use this playbook one production at a time. Lock each step before moving forward.

Safety Rules

WSTV NON-NEGOTIABLE SAFETY RULES

(Apply to every prompt, every step, every video)

NO blood, gore, or visible injury.
NO bite contact.
NO animal death shown.
NO baby animal harmed.
NO unsafe human contact with wildlife.
NO text, logo, watermark, UI, subtitles, frame numbers,
captions, or storyboard grid inside the generated video.
NO split screen, collage, panel blending, or morphing.
NO direct impact, crushing, burial, or graphic contact.
NO 180-degree camera flip during the video.
Wildlife behavior must remain physically believable.

For rescue scenes:

Humans may appear only when explicitly requested.
Rescuers must maintain professional distance unless
a safe vehicle/equipment context is specified.
Acceptable rescue equipment: vehicles, crates, ropes,
nets, waders, long-reach tools. No casual animal touching.

WSTV Quick-Start Card

Use this one-page card at the start of each daily production.

7-Step Daily Workflow

1. Upload or open this playbook in AI.
2. Paste the universal starter prompt.
3. Answer: primary animal, scene category, habitat.
4. Follow chapters 3 → 16 in order.
5. Pass every gate before moving forward.
6. Keep final Seedance prompt under 3500 characters.
7. Dry-run before paid generation; paid confirmation is exactly `SUBMIT_ONE_PAID_TASK`.

Top 3 Mistakes

- Jumping to final Seedance prompt before locking idea/realism/master/storyboard.
- Treating REVISE as PASS.
- Logging dry-runs as paid usage.

Data Safety Reminder

Never paste API keys, signed URLs, private JSON, MP4 links, or data/ contents into AI.

Table Of Contents

Front Matter

Section	Purpose
How To Use This Playbook	How to run the PDF as a production system
Safety Rules	Permanent WSTV rules for every production
WSTV Quick-Start Card	One-page daily workflow and data-safety reminder

Part One: The Big Picture

Chapter	Title	Purpose
1	The WSTV Production System	Define the product, tools, roles, pipeline, and safety rules
2	The 19-Step Production Sequence	Map the full workflow from idea to social pack

Part Two: Step-By-Step AI Production

Chapter	Title
3	Step 1-2: Choose Animal / Generate Ideas
4	Step 3-4: Score And Select Best Idea
5	Step 5: Species And Habitat Realism Check
6	Step 6-7: Master Image Prompt And QA
7	Step 8-9: 9-Panel Storyboard And Lock Gate
8	Step 10: Final Seedance 15s Prompt
9	Step 11: Local Dashboard Dry Run
10	Step 12: Paid Generation
11	Step 13-14: Video QA And Repair
12	Step 15: CapCut Edit And Export
13	Step 16: Facebook Caption And Social Pack
14	Step 17: Comment Reply Pack
15	Step 18: Token / Cost Tracking
16	Step 19: Archive Production Notes

Part Three: Reference Systems

Chapter	Title
17	Scene Category Encyclopedia
18	Failure Recovery System

Chapter	Title
19	Prompt Architecture Deep Dive

Appendices

Appendix	Title
A	Viral Scoring Master Table
B	Quality Gate Summary
C	Token / Cost Reference Card
D	Seedance Dashboard Field Reference
E	Multi-AI Compatibility Notes
F	Master Prompt Template Index

Chapter 1 — The WSTV Production System

Purpose

This chapter explains what WSTV produces, which tools are used, what AI handles, what the creator handles, and which safety rules cannot be negotiated.

Use this chapter before starting a new production. It gives the AI enough context to act like a WSTV production assistant instead of a generic prompt writer.

What WSTV Produces

WSTV produces short, vertical, photorealistic wildlife videos built for USA Facebook Reels.

Each finished video should be:

Requirement	Standard
Format	Vertical 9:16
Length	15 seconds
Style	Photorealistic wildlife documentary
Primary audience	USA Facebook Reels viewers
Core appeal	Fast hook, clear animal story, emotional or suspenseful payoff
Safety posture	No gore, no visible injury, no unsafe wildlife handling
Video text	No text, subtitles, captions, UI, frame numbers, logos, or watermarks inside generated video

The video should be readable on a phone without sound. The viewer should understand the animal, the situation, the tension, and the safe ending quickly.

Target Platform And Format

Platform	Format	Practical Rule
Facebook Reels	9:16 vertical video	Compose for mobile first. Keep the main animal large and readable.
WSTV production draft	Markdown source	Keep prompt blocks and checklists copy-paste friendly.
Final PDF	Creator guide	Use clean headings, tables, checkboxes, and fenced prompt blocks.

Tool Map

Tool	Used For	Creator Rule
AI assistant	Ideas, scoring, realism research, prompts, QA, repair, social copy	Paste one step at a time and check the gate before moving on.
Image generator	Master image and optional storyboard image	Never accept text, logos, grids, split screens, or unsafe contact as final video references.
Local WSTV dashboard	Dry run and controlled video generation workflow	Use dry run before paid submit. Do not change dashboard safety limits.
BytePlus Seedance 2.0	15-second wildlife video generation	Submit only through the approved dashboard workflow.
CapCut	Final edit, export, optional thumbnail overlay, audio cleanup	Add overlay text only in CapCut, never inside AI video generation.
Facebook	Publishing, captions, comments, audience testing	Use the social pack only after Video QA passes.

Full Pipeline Overview

Phase	Steps	Output
Ideation	1-4	Locked scene idea
Realism + identity	5	Species and habitat fact sheet
Master image	6-7	Approved identity/environment anchor
Storyboard	8-9	Approved 9-panel motion guide
Seedance prompt	10	Final 15-second prompt under 3500 characters
Dashboard generation	11-12	Dry-run pass, then one controlled paid generation
Video QA + repair	13-14	Approved video or repair path
Edit + publish	15-17	Exported video, caption, hashtags, replies
Tracking + archive	18-19	Token/cost record and production notes

What AI Does

AI helps you move faster and keep the workflow consistent.

AI should:

- Generate scene ideas.
- Score ideas against WSTV criteria.
- Check species, habitat, behavior, and geography.
- Write master image prompts.
- Write storyboard prompts.
- Write final video prompts under 3500 characters.
- Diagnose video failures.
- Write repair prompts.
- Draft captions, hashtags, pinned comments, and replies.

- Help resume a stopped production from locked outputs.

AI should not:

- Invent safety exceptions.
- Tell you to skip quality gates.
- Ask for private credentials.
- Store secrets, temporary output URLs, private task responses, or MP4 files in this playbook.
- Change the WSTV dashboard prompt limit.
- Submit paid tasks.

What Creator Does

The creator owns the final decision at every gate.

You must:

- Choose the animal and production direction.
- Confirm the locked idea.
- Review realism before image generation.
- Review the master image.
- Review the storyboard.
- Check the final prompt character count.
- Run dashboard dry run first.
- Approve any paid generation manually.
- Watch the full video before publishing.
- Log usage only after a completed paid generation.
- Archive what worked and what failed.

Non-Negotiable Safety Rules

Use the safety block exactly. Copy it into any AI session that will generate or repair WSTV production prompts.

```
WSTV NON-NEGOTIABLE SAFETY RULES
(Apply to every prompt, every step, every video)

NO blood, gore, or visible injury.
NO bite contact.
NO animal death shown.
NO baby animal harmed.
NO unsafe human contact with wildlife.
NO text, logo, watermark, UI, subtitles, frame numbers,
  captions, or storyboard grid inside the generated video.
NO split screen, collage, panel blending, or morphing.
```

NO direct impact, crushing, burial, or graphic contact.
NO 180-degree camera flip during the video.
Wildlife behavior must remain physically believable.

For rescue scenes:
Humans may appear only when explicitly requested.
Rescuers must maintain professional distance unless
a safe vehicle/equipment context is specified.
Acceptable rescue equipment: vehicles, crates, ropes,
nets, waders, long-reach tools. No casual animal touching.

Quick-Start Example

Use this when you want to begin a fresh production fast.

Field	Example
Animal	Sea turtle hatchling
Scene category	Marine/Beach Rescue
Habitat	Moonlit Florida beach
Hook	Hatchling turns toward boardwalk lights, then safe movement toward surf
Safety focus	No human touching, no injury, no predator contact, no text in video
Target output	15-second vertical wildlife Reel

Do not generate the final video prompt from this example yet. The gates must pass first because final video prompts depend on locked idea, realism, master image, and storyboard.

Copy This Into AI

You are my WSTV production assistant.

I am producing one 15-second vertical 9:16 photorealistic wildlife video for Wild Stories TV, targeting USA Facebook Reels.

Your job is to guide me through the WSTV 19-step production workflow one step at a time. Do not skip gates. Do not jump to final video prompt until the idea, realism check, master image, and storyboard are locked.

WSTV NON-NEGOTIABLE SAFETY RULES
(Apply to every prompt, every step, every video)

NO blood, gore, or visible injury.
NO bite contact.
NO animal death shown.
NO baby animal harmed.
NO unsafe human contact with wildlife.
NO text, logo, watermark, UI, subtitles, frame numbers,
captions, or storyboard grid inside the generated video.
NO split screen, collage, panel blending, or morphing.
NO direct impact, crushing, burial, or graphic contact.
NO 180-degree camera flip during the video.
Wildlife behavior must remain physically believable.

For rescue scenes:
Humans may appear only when explicitly requested.
Rescuers must maintain professional distance unless
a safe vehicle/equipment context is specified.
Acceptable rescue equipment: vehicles, crates, ropes,
nets, waders, long-reach tools. No casual animal touching.

Start a new WSTV production.

Ask me only for:

1. Primary animal or animal group
2. Scene category
3. Habitat or location type

Then generate Step 1-2 ideation options only.

Output a table with 5 ideas, short hooks, safety notes, realism risks, generation risks, and PASS/REVISE/REJECT guidance.

Pass/Fail Checklist

Use this checklist before moving from Chapter 1 into the 19-step workflow.

☐ I understand WSTV produces 15-second vertical 9:16 wildlife videos. ☐ I understand the target platform is USA Facebook Reels. ☐ I understand AI assists production but does not approve final decisions. ☐ I understand the creator must pass each gate before moving forward. ☐ I understand the local dashboard is production tooling, not PDF content. ☐ I understand the 3500-character prompt limit must not be changed. ☐ I understand no paid task is submitted from this playbook. ☐ I understand no secrets, temporary output URLs, private JSON, or MP4 files belong in the playbook. ☐ I have copied the safety rules exactly into the AI session. ☐ I am ready to start with Step 1, not the final video prompt.

Result:

- If all boxes pass: go to Chapter 2.
- If any box fails: reread this chapter and fix the production setup before continuing.

Common Mistakes

Mistake	Why It Fails	Fix
Starting with a final Seedance prompt	Skips realism, identity, and storyboard gates	Begin at Step 1 and lock each phase
Treating AI output as approved	AI can miss safety or realism failures	Creator must check every gate
Allowing text in the generated video	Violates WSTV safety/format rules	Move thumbnail or caption text to CapCut or Facebook
Using a storyboard as a visual style source	Grid, labels, and panel borders may bleed into video	Tell AI storyboard is only shot order, framing, pacing, and motion guide
Logging dry runs as paid usage	Corrupts cost tracking	Log only completed paid generations
Reusing private dashboard data in docs	Creates security risk	Keep docs free of secrets and private task artifacts

Next Action

Go to Chapter 2. Identify the current production step and follow the sequence exactly.

Chapter 2 — The 19-Step Production Sequence

Purpose

This chapter maps the complete WSTV production workflow from first idea to finished social pack. It shows the order of work, the output of every step, the gate that must pass, and how to resume if a session stops halfway.

Use this chapter as the control board for every production.

What AI Does

AI helps keep the sequence clean.

AI should:

- Track the current step.
- Ask only for the inputs needed for that step.
- Produce the required output for that step.
- Stop at each gate.
- Help diagnose failed gates.
- Resume from locked outputs if a session is interrupted.

AI should not:

- Skip ahead to paid generation.
- Combine unrelated steps unless the playbook says to.
- Treat a failed gate as acceptable.
- Ask for private task data, temporary output URLs, API keys, or MP4 files.
- Change dashboard safety settings or limits.

What Creator Does

The creator keeps the workflow honest.

You must:

- Confirm which step you are on.
- Save locked outputs outside private dashboard data.
- Reject unsafe or unrealistic ideas.

- Run each gate as a binary pass/fail decision.
- Resume from the last locked step if work stops.
- Submit at most one paid task only after the required gates pass.

Full 19-Step Sequence

Step	Phase	Action	Output	Gate
1	Ideation	Choose animal / scene type	Animal, category, habitat direction	Idea Gate
2	Ideation	Generate viral scene ideas	3-5 ideas with scores	Idea Gate
3	Ideation	Score and rank ideas for USA Facebook virality	Ranked PASS/REVISE/REJECT table	Idea Gate
4	Ideation	Select best idea and lock it	One confirmed scene concept	Creator written confirmation
5	Realism + identity	Research species and habitat realism	Fact sheet	Realism Gate
6	Master image	Generate master image prompt	Copy-ready image prompt	Master Image Gate
7	Master image	Audit master image	PASS or fix prompt	Master Image Gate
8	Storyboard	Generate 9-panel storyboard prompt	3x3 storyboard prompt	Storyboard Gate
9	Storyboard	Audit storyboard and lock it	PASS or fix prompt	Storyboard Gate
10	Seedance prompt	Generate final 15s prompt	Prompt under 3500 characters	Prompt Gate
11	Dashboard generation	Run local dashboard dry run	Log with no errors	Dry Run Gate
12	Dashboard generation	Submit one paid generation	Generated video result	Paid Submit Gate
13	Video QA + repair	Watch and audit full video	PASS or issue list	Video QA Gate
14	Video QA + repair	Generate repair prompt if needed	Targeted fix prompt	Return to Step 10
15	Edit + publish	Edit and export in CapCut	Final export	CapCut Export Checklist
16	Edit + publish	Generate Facebook caption and social pack	Caption, hashtags, pinned comment, titles	Social Pack Gate
17	Edit + publish	Generate comment reply pack	Friendly, skeptic, safety, no-touch replies	Comment Reply Tone Checklist
18	Tracking + archive	Log token / cost usage	Usage entry	Token Usage Entry Checklist
19	Tracking + archive	Archive production notes	Production record	Archive Gate

Phases From Idea To Social Pack

Phase	Steps	Goal	Do Not Continue Until
Phase 1: Ideation	1-4	Find one strong, safe, realistic idea	Creator locks one idea
Phase 2: Realism + Identity	5	Make biology and habitat believable	Realism Gate passes
Phase 3: Master Image	6-7	Create one approved identity/environment anchor	Master Image Gate passes
Phase 4: Storyboard	8-9	Create one approved motion guide	Storyboard Gate passes
Phase 5: Seedance Prompt	10	Write final prompt under 3500 characters	Prompt Gate passes

Phase	Steps	Goal	Do Not Continue Until
Phase 6: Dashboard Generation	11-12	Dry run, then one controlled paid generation	Dry Run and Paid Submit gates pass
Phase 7: Video QA + Repair	13-14	Approve video or repair the prompt	Video QA Gate passes
Phase 8: Edit + Publish	15-17	Export, caption, and reply pack	Social Pack Gate passes
Phase 9: Tracking + Archive	18-19	Record cost and lessons	Archive Gate passes

One-Page Workflow Map

WSTV 19-STEP PRODUCTION WORKFLOW

PHASE 1 – IDEATION

Step 1 Choose animal / scene type
Step 2 Generate 3-5 viral scene ideas
Step 3 Score and rank ideas for USA Facebook virality
Step 4 Select best idea and lock it
Gate IDEA GATE

PHASE 2 – REALISM + IDENTITY LOCK

Step 5 Species + habitat realism research
Gate REALISM GATE

PHASE 3 – MASTER IMAGE

Step 6 Generate master image prompt
Step 7 Master image QA
Gate MASTER IMAGE GATE

PHASE 4 – STORYBOARD

Step 8 Generate 9-panel storyboard prompt
Step 9 Storyboard QA / lock
Gate STORYBOARD GATE

PHASE 5 – SEEDANCE PROMPT

Step 10 Generate final Seedance 15s prompt
Gate PROMPT GATE

PHASE 6 – DASHBOARD GENERATION

Step 11 Dashboard dry run
Step 12 Paid generation
Gate DRY RUN GATE, then PAID SUBMIT GATE

PHASE 7 – VIDEO QA + REPAIR

Step 13 Video QA
Step 14 Repair prompt if needed
Gate VIDEO QA GATE

PHASE 8 – EDIT + PUBLISH

Step 15 CapCut edit + export
Step 16 Facebook caption + social pack
Step 17 Comment reply pack
Gate SOCIAL PACK GATE

PHASE 9 – TRACKING + ARCHIVE

Step 18 Token / cost tracking
Step 19 Archive production notes
Gate ARCHIVE GATE

Pass/Fail Gate Logic

Every WSTV gate is binary.

Result	Meaning	Action
PASS	All required boxes are checked	Continue to the next step
REVISE	The idea or asset can be repaired	Fix and repeat the same gate
REJECT	The idea or asset is unsafe, unrealistic, or unusable	Return to the earlier step and generate a new option
BLOCKER	Publishing or paid submit would create safety, quality, or cost risk	Stop until fixed

Rules:

- Do not continue if a gate fails.
- Do not submit a paid generation if Dry Run Gate fails.
- Do not publish if Video QA Gate fails.
- Do not log usage until a paid generation confirms complete.
- Do not log the same paid usage twice.

How To Resume If A Session Stops Halfway

If an AI session stops, do not restart from zero unless nothing was locked.

Resume from the last locked output:

Last Locked Output	Resume At
Animal/category only	Step 2
Scored idea table	Step 3 or Step 4
Locked scene concept	Step 5
Realism fact sheet	Step 6
Approved master image	Step 8
Approved storyboard	Step 10
Final Seedance prompt	Step 11
Dry run passed	Step 12
Generated video	Step 13
Video QA passed	Step 15
Final export	Step 16
Social pack	Step 18

When resuming, paste only the safe production notes needed for the next step. Do not paste API keys, private task JSON, temporary output URLs, MP4 links, dashboard logs with private data, or anything from data/.

Copy This Into AI

Resume my WSTV production from the last locked step.

Brand: Wild Stories TV / WSTV
Target: USA Facebook Reels
Format: 15-second vertical 9:16 photorealistic wildlife video

WSTV NON-NEGOTIABLE SAFETY RULES
(Apply to every prompt, every step, every video)

NO blood, gore, or visible injury.
NO bite contact.
NO animal death shown.
NO baby animal harmed.
NO unsafe human contact with wildlife.
NO text, logo, watermark, UI, subtitles, frame numbers, captions, or storyboard grid inside the generated video.
NO split screen, collage, panel blending, or morphing.
NO direct impact, crushing, burial, or graphic contact.
NO 180-degree camera flip during the video.
Wildlife behavior must remain physically believable.

For rescue scenes:
Humans may appear only when explicitly requested.
Rescuers must maintain professional distance unless a safe vehicle/equipment context is specified.
Acceptable rescue equipment: vehicles, crates, ropes, nets, waders, long-reach tools. No casual animal touching.

Last locked step:
[PASTE STEP NUMBER AND NAME]

Locked outputs:
[PASTE ONLY SAFE PRODUCTION NOTES: idea, score, realism fact sheet, master image description, storyboard summary, or final prompt.
Do not paste API keys, temporary output URLs, private task JSON, MP4 links, dashboard private responses, or anything from data/.]

Your task:
1. Identify the correct next WSTV step.
2. Summarize what is already locked.
3. Tell me what input you need from me, if any.
4. Produce only the next step output.
5. Stop at the next pass/fail gate.

Pass/Fail Checklist

Use this checklist before starting or resuming production.

[] I know the current step number. [] I know the last locked output. [] I know the next gate that must pass. [] I have not pasted secrets, private task JSON, temporary output URLs, MP4 links, or data/ contents into AI. [] I will not skip realism, master image, storyboard, prompt, dry run, or video QA gates. [] I will keep the final Seedance prompt under 3500 characters. [] I will not submit a paid task before Dry Run Gate passes. [] I will submit one paid task only when all paid-submit checks pass. [] I will not log dry runs as paid usage. [] I will not publish until Video QA passes. [] I will archive the production after social output is complete.

Result:

- If all boxes pass: continue from the current step.
- If any box fails: fix the production record, then repeat this checklist.

Common Mistakes

Mistake	Why It Fails	Fix
Restarting from zero after a break	Wastes time and may change the idea	Resume from the last locked output
Pasting private dashboard data into AI	Creates security risk	Paste only safe notes and approved prompt text
Skipping from storyboard to paid submit	Misses final prompt and dry run gates	Complete Steps 10 and 11 first
Treating REVISE as PASS	Leaves avoidable failures in production	Repair and repeat the same gate
Logging token usage before completion	Creates false cost records	Log only after paid generation confirms complete
Publishing after a low-quality but unsafe video	Violates WSTV rules	Repair or reject unsafe outputs

Next Action

Choose one:

Situation	Next Action
Starting fresh	Begin Step 1 in Chapter 3 after review approval
Resuming	Use the resume prompt above and continue from the last locked output
Reviewing this draft	Confirm Chapters 1-2 before generating Chapters 3-8

Chapter 3 — Steps 1-2: Choose Animal / Generate Ideas

Purpose

This chapter starts a WSTV production. You choose the animal, scene category, and habitat direction, then use AI to generate 5 safe, high-potential scene ideas for USA Facebook Reels.

The goal is not to find a final prompt yet. The goal is to create strong options that can be scored, revised, or rejected before any image or video work begins.

Scene Category Selection

Choose one category before asking for ideas.

Category	Best Use	Safety Reminder
Predator near-miss	Tension, escape, bluff, chase without contact	No bite contact, no visible injury
Baby animal rescue/protection	Parent return, herd shield, safe rescue distance	No baby harmed, no casual human contact
Natural obstacle escape	Mud, tide, cliff edge, ice, branch, water channel	No crushing, burial, or direct impact
Marine/beach rescue	Sea turtle, seal, otter, sea lion, shorebird	Humans only with equipment and professional distance
Comic wildlife mistake	Low-risk animal behavior comedy	No injury, no humiliation, no unsafe handling
Quiet emotional moment	Reunion, release, shelter, rest, parent bond	Keep tension gentle and physically believable
Storm/flood survival	Distant weather, rising water, animals moving to safety	Hazard remains non-graphic
Herd wall defense	Group closes ranks around young	No attack contact

Animal Selection

Pick animals that are readable on mobile and familiar enough for a USA audience to understand quickly.

Strong first choices:

Animal Group	Works Well For	Notes
Bears, wolves, bison, elk, deer	North American familiarity	Strong USA relevance
Elephants, lions, zebras, giraffes	Big visual silhouettes	Good global wildlife appeal
Eagles, owls, hawks	Fast hooks and strong icon value	Keep prey contact non-graphic
Sea turtles, seals, otters, sea lions	Beach rescue and emotional scenes	Avoid casual handling
Foxes, coyotes, raccoons	Comic or suburban-edge moments	Keep comedy safe and gentle

Avoid animals or setups that require graphic harm, confusing scale, unsafe human contact, or biology that the AI is likely to distort.

Idea Output Format

Ask AI for exactly 5 ideas in this table format.

#	Title	Animal(s)	Habitat	0-3s Hook	15s Arc	USA Appeal	Realism Risk	Generation Risk	Safety Note	Score /100	Verdict
1							Low/Medium/High	Low/Medium/High			PASS/REVISE/REJECT

Idea Scoring Criteria

Use these criteria for first-pass idea quality.

Criterion	What It Checks
Hook strength	Is the first 0-3 seconds clear and urgent?
USA relevance	Will a USA Facebook Reels viewer understand and care quickly?
Animal popularity	Is the animal visually familiar, loved, feared, or iconic?
Emotional tension	Is there suspense, relief, surprise, protection, or warmth?
Baby / parent factor	Does the idea include safe parent-young emotion when appropriate?
Novelty	Does the scene feel fresh without becoming unrealistic?
Mobile readability	Is the action visible on a phone screen?
Realism	Could this animal, place, season, and behavior exist together?
Safety risk	Lower risk scores higher. No gore, injury, contact, or unsafe handling.
Generation ease	Easier scenes score higher because they are less likely to fail.

PASS / REVISE / REJECT Rules

Score	Verdict	Action
80-100	PASS	Candidate can move to Chapter 4 scoring and selection.
60-79	REVISE	Keep the core idea but fix weak hook, realism, safety, or readability.
0-59	REJECT	Do not use. Generate a new idea.

Never pass an idea that requires blood, visible injury, bite contact, animal death, harmed baby animals, unsafe human contact, text inside generated video, split screen, collage, panel blending, morphing, or a camera flip to work.

What AI Does

AI generates and organizes idea options. It should:

- Ask for animal, category, and habitat.
- Generate exactly 5 scene ideas.
- Keep every idea vertical 9:16, 15 seconds, and USA Facebook Reels friendly.
- Build a strong 0-3 second hook.
- Add a safety note for each idea.
- Give a first-pass score and verdict.

AI should not write the final Seedance prompt yet.

What Creator Does

You choose the direction and reject unsafe ideas.

You must:

- Pick or approve the scene category.
- Pick or approve the animal.
- Check whether the idea is readable on mobile.
- Reject any idea that needs harm, gore, unsafe contact, or text in the generated video.
- Save the 5-idea table for Chapter 4.

Copy This Into AI — Universal Idea Generator

I am producing one WSTV wildlife AI video.

Brand: Wild Stories TV / WSTV
Platform: USA Facebook Reels
Format: 15 seconds, vertical 9:16
Style: photorealistic wildlife documentary realism

Scene category: [CATEGORY]
Primary animal: [ANIMAL]
Habitat or location type: [HABITAT]

Permanent WSTV rules:

- Strong 0-3 second hook
- No blood
- No gore
- No visible injury
- No bite contact
- No animal death shown
- No baby animal harmed
- No unsafe human contact
- No humans unless explicitly requested
- No text, logo, watermark, UI, subtitles, frame numbers, or captions inside generated video
- No storyboard grid copied into video
- No split screen, collage, panel blending, or morphing

Generate exactly 5 scene ideas.

Output as a table with these columns:

1. #
2. Title
3. Animal(s)
4. Habitat
5. 0-3s Hook
6. Full 15s Arc
7. Why It May Work For USA Facebook Reels
8. Realism Risk: Low / Medium / High
9. Generation Risk: Low / Medium / High
10. Safety Note
11. Score /100
12. Verdict: PASS / REVISE / REJECT

Score using:

hook strength, USA relevance, animal popularity, emotional tension, baby/parent factor, novelty, mobile readability, realism, safety risk where lower risk scores higher, and generation ease.

Do not write image prompts, storyboard prompts, or final Seedance prompts yet.

Copy This Into AI — Predator Near-Miss

Generate 5 WSTV predator near-miss ideas.

Rules:

- The scene must be a near-miss, escape, bluff, or interrupted chase.
- No bite contact.
- No visible injury.
- No animal death shown.
- No blood or gore.
- The prey must remain safe by the end.
- Keep the action readable in a 15-second vertical 9:16 video.

Primary predator: [PREDATOR]

Primary prey or threatened animal: [PREY]

Habitat: [HABITAT]

Use the WSTV 5-idea table format and score every idea /100.

Copy This Into AI — Baby Animal Rescue / Protection

Generate 5 WSTV baby animal rescue or protection ideas.

Rules:

- The baby animal must not be harmed.
- Parent, herd, or professional rescue action may protect the baby.
- Humans may appear only if explicitly needed and must use professional distance or safe equipment.
- No casual animal touching.
- No blood, gore, visible injury, or animal death.
- The ending must clearly show the baby safe.

Baby animal: [BABY ANIMAL]

Protector or rescuer: [PARENT / HERD / PROFESSIONAL RESCUER / NONE]

Habitat: [HABITAT]

Use the WSTV 5-idea table format and score every idea /100.

Copy This Into AI — Natural Obstacle Escape

Generate 5 WSTV natural obstacle escape ideas.

Rules:

- The danger is an obstacle, not graphic harm.
- Good obstacles: tide pool, mud edge, fallen branch, shallow ditch, ice shelf, ledge, fast but distant water.
- No direct impact, crushing, burial, visible injury, blood, or gore.
- The animal must exit safe or reach a stable safe position.
- Keep the scene physically believable for the species and habitat.

Animal: [ANIMAL]

Obstacle: [OBSTACLE TYPE]

Habitat: [HABITAT]

Use the WSTV 5-idea table format and score every idea /100.

Copy This Into AI — Marine / Beach Rescue

Generate 5 WSTV marine or beach rescue ideas.

Rules:

- Good animals: sea turtle, seal, otter, sea lion, shorebird.
- Good settings: rocky beach, tide pool, sandbar, surf line, dune edge.
- Humans may appear only when explicitly requested.
- If humans appear, they must use professional distance or equipment such as crates, nets, ropes, waders, or long-reach tools.
- No casual handling.
- No blood, gore, visible injury, animal death, or harmed baby animal.

Marine animal: [ANIMAL]

Beach or marine setting: [SETTING]

Human rescue visible? [YES/NO]

Use the WSTV 5-idea table format and score every idea /100.

Copy This Into AI — Comic Wildlife Mistake

Generate 5 WSTV comic wildlife mistake ideas.

Rules:

- Comedy must come from believable animal behavior.
- No animal is hurt, trapped, humiliated, or handled unsafely.
- No blood, gore, visible injury, bite contact, or animal death.
- The joke must be readable in the first 0-3 seconds.
- Keep the ending gentle and safe.

Animal: [ANIMAL]

Setting: [HABITAT OR SUBURBAN EDGE]

Comedy object or situation: [OBJECT / SITUATION]

Output exactly this 12-column table:

1. #
2. Title
3. Animal(s)
4. Habitat
5. 0-3s Hook
6. Full 15s Arc
7. Why It May Work For USA Facebook Reels
8. Realism Risk: Low / Medium / High
9. Generation Risk: Low / Medium / High
10. Safety Note
11. Score /100
12. Verdict: PASS / REVISE / REJECT

Idea Gate Checklist

[] One scene category is chosen. [] One primary animal or animal group is chosen. [] Habitat or location type is defined. [] AI generated exactly 5 ideas. [] Each idea has a clear 0-3 second hook. [] Each idea fits 15 seconds and vertical 9:16 framing. [] Each idea includes a safety note. [] No idea depends on blood, gore, visible injury, bite contact, animal death, harmed baby animal, or unsafe human contact. [] No idea requires text, logo, watermark, UI, subtitles, frame numbers, or captions inside generated video. [] At least one idea has PASS potential.

Result:

- If one or more ideas can pass: continue to Chapter 4.
- If all ideas are REVISE: revise the best 1-2 ideas and repeat this gate.
- If all ideas are REJECT: generate a new 5-idea table.

Common Mistakes

Mistake	Why It Fails	Fix
Choosing a scene before choosing a category	Ideas become scattered	Pick category first
Asking for a final prompt too early	Skips scoring and realism	Stop at 5 idea options
Making the hook too subtle	Viewers do not understand the first 3 seconds	Put visible motion or tension in frame immediately
Using graphic predator action	Violates WSTV rules	Convert to near-miss, bluff, or escape
Adding humans by default	Creates handling risk	Use humans only when explicitly requested

Fix/Retry Prompt

```
Revise the WSTV idea table.

Keep only ideas that can obey:
no blood, no gore, no visible injury, no bite contact, no animal death,
no baby animal harmed, no unsafe human contact, no text inside generated video,
no split screen, no collage, no panel blending, and no morphing.

Improve:
- 0-3 second hook clarity
- USA Facebook Reels appeal
- mobile readability
- biological realism
- generation ease

Return a new 5-idea table with PASS / REVISE / REJECT verdicts.
```

Next Action

Go to Chapter 4. Score and select one locked concept.

Chapter 4 — Steps 3-4: Score And Select Best Idea

Purpose

This chapter turns the 5-idea table into one locked WSTV concept. You score ideas, revise weak ideas if useful, reject unsafe ideas, and write the selected concept in a stable format for realism research.

Do not continue until one concept is locked.

Viral Scoring Table

Use this table for each idea.

Criterion	Weight	Score	Weighted Points	Notes
Hook strength	x1.5	/10	/15	Clear in 0-3 seconds
USA relevance	x1.5	/10	/15	Familiar, emotionally legible, or culturally resonant
Animal popularity	x1.0	/10	/10	Recognizable and visually strong
Emotional tension	x1.0	/10	/10	Suspense, relief, protection, surprise, warmth
Baby / parent factor	x1.0	/10	/10	Safe parent-young emotion when relevant
Novelty	x1.0	/10	/10	Fresh without becoming strange
Mobile readability	x1.0	/10	/10	Readable on a phone screen without sound
Realism	x1.0	/10	/10	Species, habitat, behavior, and weather make sense
Safety risk	x1.0	/10	/10	Lower risk gets higher score
Generation ease	x1.0	/10	/10	Lower model-failure risk gets higher score
Total			/100	PASS / REVISE / REJECT

Score Weighting

Hook strength and USA relevance are weighted higher because WSTV videos must work fast in a USA Facebook Reels feed.

Total	Verdict	Meaning
80-100	PASS	Strong candidate for locking
60-79	REVISE	Usable idea with fixable weakness

Total	Verdict	Meaning
0-59	REJECT	Too weak, unsafe, unclear, or hard to generate

USA Relevance Score

Use this definition when scoring USA relevance.

Score	Definition	Example
1	Most USA viewers will not recognize the animal, place, or emotional stakes quickly.	Rare species in an unclear habitat with subtle behavior
5	Viewers may understand the scene, but the animal or situation is not instantly familiar.	Interesting animal behavior with weak cultural or emotional hook
10	Viewers can understand the animal, danger, and emotional stakes immediately.	Bear cub, eagle, wolf, bison, sea turtle, deer, rescue, escape, parent protection

How To Select One Locked Concept

Pick the idea that has the best combination of:

- PASS score.
- Strong 0-3 second hook.
- Clear animal identity.
- Low safety risk.
- Low generation risk.
- Strong mobile readability.
- Realistic animal, habitat, and behavior.
- Ending that can be safe and visually clear.

If the highest-score idea is risky, choose the safer PASS idea. Safety beats novelty.

How To Revise A Weak Idea

Revise only if the core idea is strong.

Weakness	Revision Move
Hook is slow	Put the animal and visible problem in frame 0-3 seconds
Safety risk is high	Convert contact into near-miss, distance, or escape
Habitat is unrealistic	Move the scene to a believable region and season
Too many animals	Reduce to 1-3 readable subjects
Too hard to generate	Simplify motion, reduce crowding, and remove complex contact
Ending unclear	Add a simple safe payoff in seconds 12-15

Selected Concept Lock Format

Save the locked concept like this.

WSTV SELECTED CONCEPT LOCK

Scene title:
[TITLE]

Category:
[CATEGORY]

Primary animal(s):
[ANIMAL(S)]

Habitat / region:
[HABITAT OR REGION]

0-3s hook:
[VISIBLE OPENING HOOK]

15s arc:
0-3s: [HOOK]
3-6s: [ESCALATION]
6-9s: [PEAK TENSION]
9-12s: [TURN / ESCAPE / PROTECTION]
12-15s: [SAFE ENDING]

Why this works for USA Facebook Reels:
[SHORT REASON]

Safety lock:
No blood, gore, visible injury, bite contact, animal death,
harmed baby animal, unsafe human contact, text, logo, watermark,
UI, subtitles, frame numbers, captions, split screen, collage,
panel blending, morphing, or storyboard grid in generated video.

Verdict:
LOCKED FOR REALISM CHECK

What AI Does

AI scores and explains. It should:

- Apply the weighted scoring table.
- Define PASS / REVISE / REJECT for each idea.
- Recommend the safest strong idea.
- Suggest revisions for fixable ideas.
- Produce one selected concept lock.

AI should not invent a new concept after you lock one unless the gate fails.

What Creator Does

You choose the final locked idea.

You must:

- Review each score.
- Challenge scores that feel too generous.
- Reject unsafe or unrealistic ideas even if the score is high.
- Confirm the selected concept in writing.
- Save the concept lock for Chapter 5.

Copy This Into AI — Scoring Prompt

Score and select the best WSTV idea from this table.

Brand: Wild Stories TV / WSTV

Platform: USA Facebook Reels

Format: 15 seconds, vertical 9:16

Style: photorealistic wildlife documentary realism

Permanent rules:

No blood, gore, visible injury, bite contact, animal death, harmed baby animal, unsafe human contact, humans unless explicitly requested, text, logo, watermark, UI, subtitles, frame numbers, captions, storyboard grid copied into video, split screen, collage, panel blending, or morphing.

Score each idea using this weighted table:

- Hook strength x1.5
- USA relevance x1.5
- Animal popularity x1.0
- Emotional tension x1.0
- Baby / parent factor x1.0
- Novelty x1.0
- Mobile readability x1.0
- Realism x1.0
- Safety risk x1.0 where lower risk gets higher score
- Generation ease x1.0

USA relevance guide:

1 = USA viewers will not understand or care quickly.

5 = understandable but not instantly familiar or emotionally strong.

10 = instantly clear, familiar, emotional, or iconic for USA viewers.

Output:

1. Scoring table for all ideas
2. PASS / REVISE / REJECT verdict for each
3. Best safe recommendation
4. If needed, revised version of the best weak idea
5. One WSTV SELECTED CONCEPT LOCK in the exact lock format

Ideas to score:

[PASTE 5-IDEA TABLE]

Pass/Fail Checklist

[] All 5 ideas were scored with the weighted table. [] USA relevance was scored using the 1/5/10 definition. [] Unsafe ideas were rejected even if they had strong hooks. [] At least one idea scored PASS, or one REVISE idea was improved and rescored. [] One selected concept is written in the lock format. [] The selected concept has a clear 0-3

second hook. [] The selected concept has a safe 12-15 second ending. [] The selected concept can fit a 15-second vertical 9:16 video. [] The selected concept avoids text, logos, UI, captions, frame numbers, and storyboard grid inside generated video. [] Creator confirmed the concept is locked.

Result:

- If all boxes pass: continue to Chapter 5.
- If any box fails: revise, rescore, or return to Chapter 3.

Common Mistakes

Mistake	Why It Fails	Fix
Picking the highest score automatically	It may have hidden safety or generation risk	Choose the safest strong PASS idea
Treating USA relevance as personal taste	The target is USA Facebook Reels viewers	Use the 1/5/10 definition
Locking multiple concepts	Breaks the production chain	Lock exactly one
Keeping vague locations	Weakens realism and image prompting	Define habitat or region before Chapter 5
Keeping unsafe tension	Creates downstream repair work	Convert harm into near-miss, distance, or escape

Fix/Retry Prompt

Revise the selected WSTV concept before realism research.

Problem:
[DESCRIBE WEAKNESS: hook, USA relevance, safety, realism, mobile readability, or generation risk]

Keep:

- 15 seconds
- vertical 9:16
- USA Facebook Reels target
- photorealistic wildlife documentary realism
- strong 0-3 second hook
- safe 12-15 second ending

Remove or avoid:
blood, gore, visible injury, bite contact, animal death, harmed baby animal, unsafe human contact, text, logo, watermark, UI, subtitles, frame numbers, captions, storyboard grid, split screen, collage, panel blending, and morphing.

Return one revised WSTV SELECTED CONCEPT LOCK.

Next Action

Go to Chapter 5. Run the Species & Habitat Realism Check.

Chapter 5 — Step 5: Species & Habitat Realism Check

Purpose

This chapter checks whether the locked concept is biologically and geographically believable before you create any images.

The goal is to prevent species drift, impossible anatomy, wrong habitats, wrong seasons, unrealistic predator-prey pairings, unsafe rescue staging, and weak environment details.

What AI Does

AI builds a realism fact sheet. It should:

- Identify exact species or plausible species group.
- Check anatomy and visible features.
- Check habitat, region, season, light, weather, and terrain.
- Check predator-prey or animal relationship realism.
- Check behavior realism.
- Identify safety risks.
- Create geography and camera-direction locks for later prompts.

AI should not move to master image prompting until the Realism Gate passes.

What Creator Does

You approve or reject the realism foundation.

You must:

- Confirm the species is correct.
- Confirm the habitat and region are plausible.
- Remove impossible animal pairings.
- Remove unsafe rescue staging.
- Save the final fact sheet and geography lock.

Species Anatomy Check

Lock details that should stay consistent across image, storyboard, and video.

Field	What To Define
Exact species	Common name and, when useful, scientific name
Age class	Adult, juvenile, calf, cub, pup, hatchling
Body size	Relative size compared with terrain or nearby animals
Body proportions	Leg length, head shape, neck, tail, wings, horns, ears
Markings	Coat, feathers, shell, stripe, spots, scars only if safe and non-injury
Movement style	Walk, run, hop, swim, glide, climb, stumble, pause

Do not invent anatomy that makes the animal more dramatic but less believable.

Habitat / Region / Season Realism

Check whether the animal and setting belong together.

Check	Question
Region	Could this species be in this region?
Habitat	Does the terrain match the animal's real habitat?
Season	Is the season plausible for the behavior and environment?
Time of day	Does the light support clear mobile readability?
Weather	Does the weather make sense without hiding the action?
Terrain	Can the animal physically move through the scene?

Predator / Prey Relationship Realism

Use predator-prey pairings only when they are plausible and safe.

Relationship Type	Allowed Direction
Predator near-miss	Predator appears, prey escapes, no bite contact
Parent protection	Parent blocks, guides, or shields, no graphic contact
Herd wall	Group closes ranks, predator stays outside contact range
Rescue	Professional distance or equipment if humans appear
Comic mistake	No predator pressure required

Behavior Realism

Ask whether the animal would plausibly do the action.

Examples:

- A sea turtle hatchling moves toward light or surf.
- A bison cow positions herself between threat and calf.
- A wolf changes direction at a ravine edge.
- A seal pup stays near the surf line while rescue equipment remains at distance.
- A raccoon investigates a harmless object and retreats.

Avoid behavior that makes the animal act like a human, perform tricks, or survive impossible physics.

Lighting / Weather / Terrain Realism

Lighting should make the subject readable and natural.

Element	WSTV Preference
Light	Dawn, golden hour, overcast daylight, clear moonlit scene only if readable
Weather	Mild mist, distant storm, light rain, wind, surf spray
Terrain	Simple enough for a 15-second scene
Camera	Same side of action throughout, no 180-degree flip

Danger / Safety Realism

Danger should create tension without showing harm.

Allowed:

- Near-miss.
- Escape.
- Distance.
- Parent shield.
- Herd wall.
- Professional equipment.
- Natural obstacle with safe exit.

Not allowed:

- Blood.
- Gore.
- Visible injury.
- Bite contact.

- Animal death shown.
- Baby animal harmed.
- Unsafe human contact.
- Direct impact, crushing, burial, or graphic contact.

Copy This Into AI — Realism Fact Sheet Prompt

Create a WSTV Species & Habitat Realism Fact Sheet.

Locked concept:
[PASTE WSTV SELECTED CONCEPT LOCK]

Production rules:

- 15 seconds
- vertical 9:16
- USA Facebook Reels
- photorealistic wildlife documentary realism
- strong 0-3 second hook
- no blood
- no gore
- no visible injury
- no bite contact
- no animal death shown
- no baby animal harmed
- no unsafe human contact
- no humans unless explicitly requested
- no text, logo, watermark, UI, subtitles, frame numbers, or captions inside generated video
- no storyboard grid copied into video
- no split screen, collage, panel blending, or morphing

Output:

1. Exact species or plausible species group
2. Anatomy lock: size, body proportions, markings, movement
3. Habitat lock: region, terrain, vegetation, water/rock/snow/sand features
4. Season and time-of-day lock
5. Weather and lighting lock
6. Behavior realism notes
7. Predator/prey or animal relationship realism notes
8. Danger/safety realism notes
9. What must be removed or changed, if anything
10. Verdict: PASS / REVISE / REJECT

If the concept fails realism, give a revised safe version.
Do not write image, storyboard, or video prompts yet.

Copy This Into AI — Geography / Environment Lock Prompt

Create a WSTV Geography + Environment Lock for this production.

Use this approved realism fact sheet:
[PASTE REALISM FACT SHEET]

Output a stable lock with:

1. Region or biome
2. Terrain layout
3. Main animal starting position: screen left / center / right
4. Secondary animal, obstacle, water, shelter, or threat position
5. Camera side that must stay consistent
6. Direction of movement
7. Background landmarks
8. Light direction

- 9. Weather and atmosphere
- 10. No 180-degree camera flip rule

Keep it practical for a 15-second vertical 9:16 wildlife video.
Do not add text, captions, logos, UI, frame numbers, split screen, collage, panel blending, morphing, blood, gore, visible injury, bite contact, animal death, harmed baby animal, or unsafe human contact.

Realism Gate Checklist

[] Exact species or plausible species group is named. [] Anatomy lock includes size, proportions, markings, and movement. [] Habitat is believable for the species. [] Region or biome is plausible. [] Season and time of day fit the behavior. [] Weather and lighting keep the subject readable. [] Terrain allows the animal to move physically. [] Predator-prey or animal relationship is realistic. [] Danger creates tension without graphic harm. [] Human presence is absent unless explicitly requested. [] If humans appear, they use professional distance or safe equipment. [] Camera side and movement direction are defined. [] No 180-degree flip rule is included. [] Verdict is PASS or a clear revision is provided.

Result:

- If all boxes pass: continue to Chapter 6.
- If any box fails: revise the concept or fact sheet and repeat this gate.

Common Mistakes

Mistake	Why It Fails	Fix
Using only a common animal name	Can cause species drift	Name exact species or plausible species group
Combining animal and habitat loosely	Generates wrong environments	Lock region, terrain, season, and weather
Making danger too intense	Violates WSTV safety	Use near-miss, distance, shield, or escape
Ignoring camera direction	Causes later 180-degree flip	Define screen positions now
Adding humans to make rescue clearer	Creates unsafe handling risk	Use humans only when explicitly requested

Fix/Retry Prompt

Revise this WSTV realism fact sheet.

Failure:
[DESCRIBE FAILED REALISM OR SAFETY ITEM]

Keep the locked concept if possible, but repair:

- species anatomy
- habitat/region/season
- behavior realism
- predator/prey relationship
- lighting/weather/terrain
- danger/safety realism
- camera side and geography lock

Do not add blood, gore, visible injury, bite contact, animal death, harmed baby animal, unsafe human contact, text, logo, watermark, UI, subtitles, frame numbers, captions, split screen, collage, panel blending, morphing, or storyboard grid.

Return a corrected fact sheet and PASS / REVISE / REJECT verdict.

Next Action

Go to Chapter 6. Generate and audit the master image prompt.

Chapter 6 — Steps 6-7: Master Image Prompt + QA

Purpose

The master image is the identity and environment anchor for the whole production. It is one full-screen vertical 9:16 still that locks the animal, anatomy, habitat, light, terrain, and composition.

It is not a storyboard. It is not a collage. It is not a panel layout.

What AI Does

AI converts the realism fact sheet into a master image prompt and audits the resulting image.

AI should:

- Preserve the selected concept.
- Preserve species anatomy and markings.
- Preserve habitat, light, and terrain.
- Write one full-screen 9:16 image prompt.
- Add safety and negative constraints.
- Audit the generated image against the gate.
- Produce a fix prompt if the image fails.

What Creator Does

You generate or review the image and decide whether it can become the anchor.

You must:

- Confirm the animal is the correct species.
- Confirm anatomy is readable and believable.
- Confirm the environment matches the realism lock.
- Reject text, logos, UI, captions, frame numbers, collage, grids, split screens, or extra panels.
- Save only the approved master image description for later steps.

Master Image Prompt Architecture

Use this order.

Section	Purpose
Output format	One full-screen vertical 9:16 still only
Scene	One sentence describing the core moment
Subject identity lock	Species, age, size, markings, anatomy
Environment lock	Region, terrain, season, weather, light
Composition lock	Screen position, camera angle, depth
Safety constraints	No gore, injury, bite contact, death, unsafe contact
Negative constraints	No text, logo, watermark, UI, captions, frame numbers, grid, panels, collage
Style	Photorealistic wildlife documentary realism

Copy This Into AI — Master Image Prompt Generator

Create one WSTV master image prompt.

Purpose:

This image is the identity and environment anchor for a 15-second vertical 9:16 wildlife video.
It is one full-screen still only.
It is not a storyboard, not a collage, not a split screen, and not a panel layout.

Use this locked concept:

[PASTE WSTV SELECTED CONCEPT LOCK]

Use this realism fact sheet:

[PASTE REALISM FACT SHEET]

Use this geography/environment lock:

[PASTE GEOGRAPHY + ENVIRONMENT LOCK]

Prompt requirements:

- One full-screen vertical 9:16 photorealistic wildlife documentary still
- Exact species and age class
- Clear subject identity: size, anatomy, markings, posture
- Environment lock: region, terrain, season, weather, light
- Composition lock: subject position, camera angle, foreground/midground/background
- Strong mobile readability
- No text, logo, watermark, UI, subtitles, captions, frame numbers, or storyboard grid
- No split screen, collage, panel blending, morphing, or multiple panels
- No blood, gore, visible injury, bite contact, animal death, harmed baby animal, or unsafe human contact
- Humans absent unless explicitly requested in the concept

Output:

1. Copy-ready master image prompt
2. Negative prompt line
3. Short note explaining what the image must lock

Copy This Into AI — Master Image QA Auditor

Audit this WSTV master image.

Intended locked concept:

[PASTE WSTV SELECTED CONCEPT LOCK]

Realism fact sheet:
[PASTE REALISM FACT SHEET]

Generated image description or observations:
[DESCRIBE IMAGE OR PASTE SAFE NONPRIVATE NOTES]

Check:

1. Correct species
2. Correct age class
3. Believable anatomy
4. Distinct identity markings or features
5. Correct habitat and region feel
6. Correct season, weather, and light
7. One full-screen vertical 9:16 still
8. Subject readable on mobile
9. No text, logo, watermark, UI, captions, frame numbers, or storyboard grid
10. No split screen, collage, panel blending, morphing, or extra panels
11. No blood, gore, visible injury, bite contact, animal death, harmed baby animal, or unsafe human contact
12. Good enough to use as Image 1 master identity/environment reference

Output:

- PASS or FAIL
- Failed checklist items
- Risk level: LOW / MEDIUM / HIGH / BLOCKER
- Copy-ready fix prompt if not PASS

Master Image Gate Checklist

[] Image is one full-screen vertical 9:16 still. [] Image is not a storyboard, collage, split screen, or panel layout. [] Correct species is shown. [] Age class is correct. [] Anatomy is believable and readable. [] Identity markings or features are clear enough to reuse. [] Habitat matches the realism fact sheet. [] Season, weather, terrain, and light match the lock. [] Subject is readable on mobile. [] No text, logo, watermark, UI, subtitles, captions, frame numbers, or grid appears. [] No blood, gore, visible injury, bite contact, animal death, harmed baby animal, or unsafe human contact appears. [] Image can serve as Image 1 master identity/environment reference.

Result:

- If all boxes pass: lock the master image and continue to Chapter 7.
- If any box fails: generate a fix prompt and repeat the gate.

Fix Prompt Examples

Wrong Species Or Anatomy

Regenerate the WSTV master image.
Keep the same environment and composition, but correct the animal identity.
The subject must be [EXACT SPECIES], [AGE CLASS], with [MARKINGS/ANATOMY].
Do not change species, size, markings, or anatomy.
One full-screen vertical 9:16 still only.
No text, logo, watermark, UI, captions, frame numbers, grid, collage, split screen, blood, gore, visible injury, bite contact, animal death, harmed baby animal, or unsafe human contact.

Collage Or Storyboard Appeared

Regenerate as one single full-screen vertical 9:16 wildlife documentary still.
Remove all panels, borders, grids, split screen, collage layout, frame numbers, captions, text, logos, watermarks, and UI.
Keep only one continuous scene with [ANIMAL] in [ENVIRONMENT].

Environment Drifted

Regenerate the WSTV master image with the correct environment lock:
[PASTE ENVIRONMENT LOCK]
Keep the animal identity unchanged.
One full-screen vertical 9:16 still only.
No text, panels, grid, unsafe contact, blood, gore, visible injury, bite contact, or animal death.

Common Mistakes

Mistake	Why It Fails	Fix
Asking for multiple moments	Creates storyboard-like output	Ask for one still only
Accepting a pretty but wrong animal	Causes species drift later	Regenerate until species and anatomy pass
Accepting text or watermark	Can carry into video references	Reject and remove all text/UI
Making the subject too small	Weak mobile readability	Move subject to foreground or midground
Ignoring environment mismatch	Breaks realism	Regenerate with environment lock

Next Action

Go to Chapter 7. Create a 9-panel storyboard using the approved master image as the identity and environment anchor.

Chapter 7 — Steps 8-9: 9-Panel Storyboard + Lock Gate

Purpose

The storyboard maps the 15-second video into exactly 9 panels. It helps lock timing, motion, camera side, screen direction, and the safe ending before writing the final Seedance prompt.

The storyboard is a planning asset. It is not the final video layout.

What AI Does

AI turns the locked concept, realism fact sheet, geography lock, and master image identity into a 9-panel storyboard prompt.

AI should:

- Preserve the approved master image identity and environment.
- Create exactly 9 panels in a clean 3x3 grid.
- Treat each panel as a vertical 9:16 frame.
- Add only tiny frame number and short caption below each panel.
- Keep camera side and screen direction consistent.
- Avoid species drift.
- Avoid extra text, logos, watermark, UI, captions inside panels, or unsafe contact.
- Audit the storyboard before it becomes Image 2.

What Creator Does

You approve whether the storyboard is safe and usable as a motion guide.

You must:

- Confirm exactly 9 panels.
- Confirm the animal identity matches the master image.
- Confirm camera side and screen direction stay stable.
- Confirm the ending is safe.
- Reject grid contamination risk if captions, labels, or panel text are too prominent.
- Save the approved storyboard summary for Chapter 8.

Storyboard Requirements

Requirement	Standard
Panel count	Exactly 9
Layout	Clean 3x3 grid
Panel shape	Each panel represents a vertical 9:16 frame
Labels	Tiny frame number and short caption below panel only
Identity	Same species, anatomy, size, markings, and age class as master image
Environment	Same habitat, light, terrain, weather, and geography
Camera	Same side of action, no 180-degree flip
Safety	No blood, gore, visible injury, bite contact, animal death, harmed baby animal, or unsafe human contact

Reference Risk Warning

Reference Image 2 is a storyboard/motion guide only. Do not copy grid lines, borders, frame numbers, panel captions, text, logos, watermarks, or storyboard layout into the video. Use it only for shot order, framing, pacing, and motion continuity.

Copy This Into AI — 9-Panel Storyboard Prompt Generator

```
Create a WSTV 9-panel storyboard prompt.

Purpose:
The storyboard is a motion and timing guide for a 15-second vertical 9:16 wildlife
video.
It must preserve the approved master image identity and environment.
It is not the final video layout.

Use this locked concept:
[PASTE WSTV SELECTED CONCEPT LOCK]

Use this realism fact sheet:
[PASTE REALISM FACT SHEET]

Use this geography/environment lock:
[PASTE GEOGRAPHY + ENVIRONMENT LOCK]

Use this approved master image description:
[PASTE MASTER IMAGE DESCRIPTION]

Storyboard rules:
- Exactly 9 panels
- Clean 3x3 grid
- Each panel represents a vertical 9:16 frame
- Tiny frame number and short caption below each panel only
- Same animal species, age, size, markings, anatomy, and environment in every
panel
- Same camera side and screen direction in every panel
- No 180-degree flip
- No extra text, logo, watermark, UI, subtitles, or captions inside panels
- No species drift
- No split screen inside panels
- No blood, gore, visible injury, bite contact, animal death, harmed baby animal,
or unsafe human contact
```

Panel timing:
Panel 1: 0-2s hook
Panel 2: 2-4s escalation
Panel 3: 4-5s tension builds
Panel 4: 5-7s movement or reaction
Panel 5: 7-9s peak tension
Panel 6: 9-10s turn begins
Panel 7: 10-12s escape/protection/resolution movement
Panel 8: 12-14s safe payoff
Panel 9: 14-15s clean loop-ready ending

Output:
1. Copy-ready storyboard image prompt
2. Panel-by-panel beat list
3. Camera/geography lock reminder
4. Storyboard reference risk warning

Copy This Into AI — Storyboard QA Auditor

Audit this WSTV storyboard.

Locked concept:
[PASTE WSTV SELECTED CONCEPT LOCK]

Master image identity/environment:
[PASTE MASTER IMAGE DESCRIPTION]

Storyboard description or observations:
[DESCRIBE STORYBOARD OR PASTE SAFE NONPRIVATE NOTES]

Check:

1. Exactly 9 panels
2. Clean 3x3 grid
3. Each panel reads as vertical 9:16
4. Tiny frame number and short caption below panel only
5. Same species in all panels
6. Same age, size, anatomy, and markings in all panels
7. Same environment, light, terrain, and weather in all panels
8. Same camera side and screen direction, no 180-degree flip
9. No extra text, logo, watermark, UI, subtitles, or captions inside panels
10. No blood, gore, visible injury, bite contact, animal death, harmed baby animal, or unsafe human contact
11. Safe, clear ending
12. Usable as Image 2 storyboard/motion guide only

Output:

- PASS or FAIL
- Failed checklist items
- Risk level: LOW / MEDIUM / HIGH / BLOCKER
- Copy-ready fix prompt if not PASS
- One paragraph summary of the locked storyboard beats

Storyboard Lock Gate Checklist

[] Storyboard has exactly 9 panels. [] Storyboard is a clean 3x3 grid. [] Each panel represents a vertical 9:16 frame. [] Only tiny frame number and short caption appear below each panel. [] No extra text, logo, watermark, UI, subtitles, or captions appear inside panels. [] Species stays the same in all panels. [] Age, size, anatomy, and markings stay consistent. [] Environment, light, terrain, weather, and geography stay consistent. [] Camera side stays consistent with no 180-degree flip. [] Action reads clearly from panel 1 to panel 9. [] Ending is safe and loop-ready. [] No blood, gore, visible injury, bite contact, animal death, harmed baby animal, or unsafe human contact appears. [] Creator understands Image 2 is storyboard/motion guide only and must not be copied as a grid.

Result:

- If all boxes pass: lock the storyboard and continue to Chapter 8.
- If any box fails: repair or regenerate storyboard, then repeat this gate.

Fix Prompt Examples

Wrong Panel Count

Regenerate the storyboard as exactly 9 panels in a clean 3x3 grid.
Each panel must represent a vertical 9:16 frame.
Keep the same animal identity, environment, camera side, and safe ending.

Species Drift

Fix the storyboard by preserving the exact master image animal identity in every panel:
[PASTE MASTER IMAGE IDENTITY LOCK]
Do not change species, age, size, markings, or anatomy.
Keep all 9 panels in the same environment and camera side.

Too Much Text Or Grid Risk

Simplify storyboard labels.
Use only tiny frame numbers and very short captions below each panel.
Remove all text, UI, logos, watermarks, subtitles, captions, and labels inside panels.
Keep the grid clean and do not add decorative borders.

Common Mistakes

Mistake	Why It Fails	Fix
Treating storyboard as final video composition	Can cause grid copied into video	Use it only as motion guide
Accepting 8 or 10 panels	Breaks timing map	Regenerate exactly 9 panels
Letting animal markings change	Causes identity drift	Re-anchor to master image
Camera crosses the action line	Creates 180-degree flip	Lock same side in every panel
Adding captions inside panels	Raises video contamination risk	Keep text below panels only

Next Action

Go to Chapter 8. Write the final Seedance 15-second prompt from the locked concept, realism fact sheet, master image, and storyboard.

Chapter 8 — Step 10: Final Seedance 15s Prompt

Purpose

This chapter creates the final Seedance prompt for one 15-second vertical 9:16 wildlife video.

The prompt must stay under 3500 characters. Preferred target is 1500-2500 characters. Shorter is better when it preserves identity, geography, timing, safety, and the ending.

Use 720p for testing. Use higher resolution only for final or high-value scenes after the workflow is reviewed.

What AI Does

AI converts locked production notes into one clean final prompt.

AI should:

- Preserve subject identity.
- Preserve environment.
- Preserve geography and camera side.
- Use timed beats for the 15-second arc.
- Include safety and negative constraints.
- Define the safe ending.
- Keep the prompt under 3500 characters.
- Compress without removing protected details.
- Audit the prompt before dashboard dry run.

AI should not ask for private data or submit anything.

What Creator Does

You review the prompt before the dashboard step.

You must:

- Confirm the prompt uses only safe production notes.
- Confirm Image 1 and Image 2 rules are clear.
- Confirm the prompt is under 3500 characters.
- Confirm the 0-3 second hook is strong.

- Confirm the ending is safe.
- Confirm no banned visual elements are allowed.

Reference Image Rules

Use one or two reference images.

Reference	Meaning	Rule
Image 1	Master identity/environment	Use for species, anatomy, markings, habitat, light, terrain, realism
Image 2	Storyboard/motion guide only	Use only for shot order, framing, pacing, and motion

If Image 2 is used, include this rule:

Do not copy grid lines, borders, frame numbers, captions, text, logos, watermarks, UI, or panel layout from the storyboard.

Prompt Architecture

Section	Must Include
Format	One full-screen vertical 9:16 photorealistic wildlife documentary video, 15 seconds
Resolution	720p for testing
Reference image rules	Image 1 identity/environment; Image 2 storyboard/motion guide only
Subject identity lock	Species, age, size, markings, anatomy
Environment lock	Region, terrain, weather, light, season
Geography lock	Screen positions, movement direction, camera side
Camera lock	No 180-degree flip
Timed beats	0-3 / 3-6 / 6-9 / 9-12 / 12-15
Safety constraints	No harm, no gore, no unsafe contact
Negative constraints	No text, UI, logo, watermark, captions, grid, split screen, collage, panel blending, morphing
Ending	Clear safe payoff and loop-ready final moment

Timed Beat Standard

Time	Purpose
0-3s	Hook: immediate animal, situation, motion, or danger
3-6s	Escalation: animal reacts, obstacle appears, tension grows
6-9s	Peak: closest safe moment, highest suspense
9-12s	Turn: escape, parent shield, route opens, rescue distance resolves
12-15s	Ending: safe payoff, readable final frame, loop point

Copy This Into AI — Final Seedance 15s Prompt Generator

Create the final WSTV Seedance 15-second video prompt.

Use only these locked production notes:

Selected concept:

[PASTE WSTV SELECTED CONCEPT LOCK]

Realism fact sheet:

[PASTE REALISM FACT SHEET]

Geography/environment lock:

[PASTE GEOGRAPHY + ENVIRONMENT LOCK]

Master image identity/environment:

[PASTE APPROVED MASTER IMAGE DESCRIPTION]

Storyboard beats:

[PASTE APPROVED STORYBOARD SUMMARY]

Output rules:

- One full-screen vertical 9:16 photorealistic wildlife documentary video
- 15 seconds
- 720p for testing
- Preferred prompt length: 1500-2500 characters
- Absolute maximum: under 3500 characters
- Strong 0-3 second hook

Reference image rules:

Image 1 = master identity and environment reference.

Reference Image 2 is a storyboard/motion guide only. Do not copy grid lines, borders, frame numbers, panel captions, text, logos, watermarks, or storyboard layout into the video. Use it only for shot order, framing, pacing, and motion continuity.

Prompt must include:

1. Subject identity lock: species, age, size, markings, anatomy
2. Environment lock: region, terrain, weather, light, season
3. Geography lock: screen positions, movement direction, camera side
4. Camera side rule: no 180-degree flip
5. Timed beats:
 - 0-3s hook
 - 3-6s escalation
 - 6-9s peak tension
 - 9-12s turn / escape / protection
 - 12-15s safe ending
6. Safety constraints:
 - no blood, no gore, no visible injury, no bite contact,
 - no animal death shown, no baby animal harmed,
 - no unsafe human contact, no humans unless explicitly requested
7. Negative constraints:
 - no text, logo, watermark, UI, subtitles, frame numbers,
 - captions, storyboard grid, split screen, collage,
 - panel blending, or morphing
8. Clear safe ending

Output:

1. Final copy-ready Seedance prompt
2. Estimated character count
3. Prompt Gate notes: PASS / REVISE

Copy This Into AI — Seedance Prompt Compressor

Compress this WSTV Seedance prompt to under 3500 characters.

Preferred target: 1500-2500 characters.

Protect these details:

- 15 seconds
- vertical 9:16
- photorealistic wildlife documentary realism
- 720p for testing
- strong 0-3 second hook
- subject identity lock: species, age, size, markings, anatomy
- environment lock
- geography lock
- camera side and no 180-degree flip
- all timed beats from 0-3 through 12-15 seconds
- safety constraints
- negative constraints
- safe ending

You may cut:

- repeated adjectives
- duplicate safety wording
- long scenic prose
- nonessential camera adjectives
- filler phrases

Do not remove:

no blood, no gore, no visible injury, no bite contact,
no animal death shown, no baby animal harmed,
no unsafe human contact, no humans unless explicitly requested,
no text, logo, watermark, UI, subtitles, frame numbers, captions,
no storyboard grid, no split screen, no collage, no panel blending,
no morphing, and no 180-degree flip.

Output:

1. Compressed prompt
2. Estimated character count
3. Removed details list
4. PASS if under 3500 characters, otherwise REVISE

Prompt to compress:

[PASTE PROMPT]

Copy This Into AI — Prompt Gate Auditor

Audit this final WSTV Seedance prompt before dashboard dry run.

Prompt:

[PASTE FINAL PROMPT]

Check:

1. Under 3500 characters
2. Preferred 1500-2500 character range, or clear reason for longer
3. 15 seconds
4. vertical 9:16
5. 720p for testing
6. photorealistic wildlife documentary realism
7. strong 0-3 second hook
8. subject identity lock included
9. environment lock included
10. geography lock included
11. camera side and no 180-degree flip included
12. timed beats included for 0-3, 3-6, 6-9, 9-12, 12-15
13. Image 1 master identity/environment rule included if references are used
14. Image 2 storyboard/motion guide only rule included if storyboard is used
15. no grid, borders, frame numbers, captions, text, logo, watermark, UI, or panel layout copied from storyboard
16. no blood, gore, visible injury, bite contact, animal death, harmed baby animal, unsafe human contact, or humans unless explicitly requested
17. no split screen, collage, panel blending, or morphing
18. safe ending included

Output:

- PASS or REVISE

- Failed items
- Exact fix text to add or replace
- Revised prompt if needed

Prompt Gate Checklist

[] Prompt is under 3500 characters. [] Prompt target is 1500-2500 characters unless there is a clear reason to be longer. [] Prompt specifies 15 seconds. [] Prompt specifies vertical 9:16. [] Prompt specifies photorealistic wildlife documentary realism. [] Prompt uses 720p for testing. [] Prompt has a strong 0-3 second hook. [] Subject identity lock is included. [] Environment lock is included. [] Geography lock is included. [] Camera side and no 180-degree flip are included. [] Timed beats cover 0-3, 3-6, 6-9, 9-12, and 12-15 seconds. [] Image 1 is defined as master identity/environment if used. [] Image 2 is defined as storyboard/motion guide only if used. [] Prompt says not to copy grid, borders, frame numbers, captions, text, logos, watermarks, UI, or panel layout from storyboard. [] Prompt bans blood, gore, visible injury, bite contact, animal death shown, baby animal harmed, unsafe human contact, and humans unless explicitly requested. [] Prompt bans text, logo, watermark, UI, subtitles, frame numbers, captions, storyboard grid, split screen, collage, panel blending, and morphing. [] Ending is safe and clear.

Result:

- If all boxes pass: go to Chapter 9 and run the local dashboard dry run with the approved final prompt.
- If any box fails: revise or compress the prompt, then repeat this gate.

Common Mistakes

Mistake	Why It Fails	Fix
Prompt is too long	Dashboard blocks paid submit above 3500 characters	Compress before dry run
Storyboard used without warning	Grid, captions, or panels may appear in video	Add Image 2 guide-only rule
Weak 0-3 second hook	Viewer may scroll before story starts	Put visible animal action immediately
Missing identity lock	Species or markings may drift	Add species, age, size, anatomy, markings
Missing camera side	Video may flip direction	Add geography lock and no 180-degree flip
Ending is vague	Final seconds may feel unresolved	Write a concrete safe payoff

Fix/Retry Prompt

Repair this WSTV final Seedance prompt.

Failure:

[DESCRIBE FAILED PROMPT GATE ITEM]

Keep the prompt under 3500 characters.

Preferred target is 1500-2500 characters.

Preserve:

- 15 seconds
- vertical 9:16
- 720p for testing
- photorealistic wildlife documentary realism
- strong 0-3 second hook
- subject identity lock

- environment lock
- geography lock
- camera side and no 180-degree flip
- timed beats
- safety constraints
- negative constraints
- safe ending

Return:

1. Repaired final prompt
2. Estimated character count
3. PASS / REVISE verdict

Next Action

Go to Chapter 9. Run the local dashboard dry run with the approved final prompt.

Chapter 9 — Step 11: Local Dashboard — Dry Run

Purpose

The dry run checks the final Seedance prompt, reference image fields, filename, resolution, cost limit, and dashboard validation before any paid generation.

The local dashboard is local-only at 127.0.0.1:8765. A dry run makes no paid BytePlus request.

What AI Does

AI helps you prepare the dashboard fields and review dry-run errors. It should:

- Confirm the final prompt is under 3500 characters.
- Summarize what belongs in each dashboard field.
- Help diagnose dry-run log errors.
- Keep all guidance local-only and docs-only.

AI must not submit tasks, request credentials, change dashboard code, or change the 3500-character prompt limit.

What Creator Does

You run the local dashboard and verify the dry run.

You must:

- Open the local dashboard at 127.0.0.1:8765.
- Keep Safe Mode ON by default.
- Fill each field carefully.
- Click Dry Run before any paid action.
- Review the dry-run log.
- Fix every error before moving to Chapter 10.

Dashboard Fields To Fill

Field	What To Enter	Rule
Scene idea	Short title or locked concept summary	Keep it specific and readable

Field	What To Enter	Rule
Final Seedance prompt	Approved Chapter 8 prompt	Must be under 3500 characters
Reference image URL 1	Master identity/environment image	Required for normal production
Reference image URL 2	Storyboard/motion guide image	Optional; use only if needed
Output filename	Scene-specific filename	No vague names like test
Resolution	720p for testing	Use higher only for final/high-value scenes
Max cost USD	Creator-approved limit	Must be checked before paid submit

Dry Run Log Review

The dry-run log should confirm:

- Prompt accepted.
- Character count is under 3500.
- Required fields are present.
- Reference image fields are valid.
- Output filename is accepted.
- Resolution and cost settings are valid.
- No paid request was made.

Do not continue if the log shows an error, warning you do not understand, missing field, blocked validation, or prompt length failure.

Copy This Into AI — Dry Run Review Helper

Help me review a WSTV dashboard dry run.

Dashboard is local-only at 127.0.0.1:8765.
 Dry run makes no paid BytePlus request.
 Paid generation is not allowed unless Dry Run Gate passes.

Production rules:

- 15 seconds
- vertical 9:16
- USA Facebook Reels
- photorealistic wildlife documentary realism
- final prompt under 3500 characters
- Resolution: 720p for testing. Use 1080p only for final/high-value scenes.
- no blood, gore, visible injury, bite contact, animal death, harmed baby animal, or unsafe human contact
- no humans unless explicitly requested
- no text, logo, watermark, UI, subtitles, frame numbers, captions, storyboard grid, split screen, collage, panel blending, or morphing

Dry-run log or safe notes:

[PASTE SAFE DRY-RUN NOTES ONLY. DO NOT PASTE API KEYS, PRIVATE JSON, TEMPORARY OUTPUT URLs, MP4 LINKS, OR data/ CONTENTS.]

Output:

1. PASS / REVISE verdict
2. Any missing fields

3. Any prompt limit issue
4. Any reference image issue
5. Any filename/resolution/max-cost issue
6. Exact fix steps
7. Whether I can move to Paid Submit Gate

Dry Run Gate Checklist

[] Dashboard is open at 127.0.0.1:8765. [] Safe Mode is ON. [] Scene idea field is filled. [] Final Seedance prompt is pasted. [] Final Seedance prompt is under 3500 characters. [] Reference image URL 1 is entered for master identity/environment. [] Reference image URL 2 is entered only if storyboard/motion guide is needed. [] Output filename is scene-specific and descriptive. [] Resolution is set to 720p for testing unless this is a final/high-value scene. [] Max cost USD is set and acceptable. [] Dry Run button was clicked. [] Dry-run log was reviewed. [] Dry-run log shows no blocking errors. [] No paid BytePlus request was made.

Result:

- If all boxes pass: continue to Chapter 10.
- If any box fails: fix the issue and repeat the dry run.

Common Dry-Run Errors

Error	Likely Cause	Fix
Prompt over limit	Final prompt exceeds 3500 characters	Compress prompt in Chapter 8
Missing image field	Reference image URL 1 absent	Add master identity/environment URL
Storyboard warning	Reference image 2 used without risk awareness	Confirm it is motion guide only
Output filename rejected	Vague, unsafe, or invalid filename	Use a simple scene-specific name
Cost warning	Max cost missing or too low	Set an approved max cost
Resolution mismatch	Wrong resolution selected	Use 720p for testing

Fix/Retry Instructions

Repair my WSTV dry-run setup.

Dry-run issue:
[DESCRIBE ERROR]

Keep:

- dashboard local-only at 127.0.0.1:8765
- Safe Mode ON during dry run
- no paid request during dry run
- final prompt under 3500 characters
- 720p for testing
- reference image 1 as master identity/environment
- reference image 2 as storyboard/motion guide only if used

Return:

1. What to change
2. Which field to edit
3. Whether the final prompt must be compressed
4. Whether I should repeat dry run before paid submit

Next Action

Go to Chapter 10 only after the Dry Run Gate passes.

Chapter 10 — Step 12: Paid Generation

Purpose

Paid generation creates one WSTV Seedance video from the approved prompt and references. It should happen only after the Dry Run Gate passes.

This chapter is a safety gate, not an encouragement to submit. Submit one task only.

What AI Does

AI can help review readiness and explain the checklist. It should:

- Confirm Dry Run Gate passed.
- Confirm the resolution choice.
- Confirm max cost is set.
- Confirm duplicate prevention steps.
- Remind you to submit one task only.

AI must not submit a task, request API keys, or tell you to bypass dashboard safety.

What Creator Does

You make the paid decision manually.

You must:

- Confirm the dry run passed.
- Turn Safe Mode OFF only when ready.
- Type exactly SUBMIT_ONE_PAID_TASK.
- Submit one task only.
- Wait for completion before QA.
- Avoid duplicate submissions.

Resolution Rule

Situation	Resolution
Testing, iteration, normal prompt validation	720p

Situation	Resolution
Final/high-value scene after review	1080p

Use 720p unless there is a clear reason to spend more.

Duplicate Task Prevention

Before paid submit:

☐ Output filename is unique. ☐ You have not already submitted this same prompt/filename. ☐ You have not clicked paid submit once already in this session. ☐ If the previous submit failed or timed out, you checked local status and Console before trying again. ☐ You understand there is no automatic retry.

Copy This Into AI — Paid Submit Readiness Review

Review my WSTV paid submit readiness.

Paid generation is allowed only after Dry Run Gate passes.
Dashboard is local-only at 127.0.0.1:8765.
Paid confirmation must be exactly: SUBMIT_ONE_PAID_TASK
Submit one task only.

Safe readiness notes:

[PASTE SAFE NOTES ONLY: dry-run verdict, resolution, max cost, output filename, prompt character count. DO NOT PASTE API KEYS, PRIVATE JSON, TEMPORARY OUTPUT URLs, MP4 LINKS, OR data/ CONTENTS.]

Check:

1. Dry Run Gate passed
2. Safe Mode should remain ON unless ready for paid submit
3. Safe Mode OFF only at the moment of intentional paid submit
4. Confirmation text exactly SUBMIT_ONE_PAID_TASK
5. One task only
6. Resolution: 720p for testing, 1080p only for final/high-value scene
7. Max cost USD verified
8. Duplicate task prevention checked

Output PASS / BLOCKED and explain any blocker.

Paid Submit Gate Checklist

☐ Dry Run Gate passed. ☐ Safe Mode is still ON while reviewing readiness. ☐ Final prompt is unchanged after dry run, or dry run was repeated after edits. ☐ Output filename is unique. ☐ Resolution is checked: 720p for testing, 1080p only for final/high-value scene. ☐ Max cost USD is set correctly. ☐ Duplicate task prevention checklist passes. ☐ Safe Mode is set to OFF only when ready to submit. ☐ Confirmation field contains exactly SUBMIT_ONE_PAID_TASK. ☐ One paid task is submitted only once. ☐ No automatic retry is attempted.

Result:

- If all boxes pass: submit one paid task and wait for completion.
- If any box fails: do not submit; fix and repeat the gate.

After-Submit Notes

After submission:

- Wait for generation to complete.
- Note the output filename.
- Do not submit a second task for the same prompt unless you have confirmed the first did not create a usable paid result.
- Do not log token usage until generation confirms complete.
- Move to Video QA before editing, posting, or archiving.

What Not To Do

Do not:

- Submit paid before dry run.
- Change prompt after dry run without repeating dry run.
- Submit multiple tasks because the page feels slow.
- Retry automatically after timeout.
- Paste private dashboard data into AI.
- Treat paid generation as QA-approved.

Common Mistakes

Mistake	Why It Fails	Fix
Turning Safe Mode OFF too early	Raises accidental-submit risk	Leave ON until final paid review
Retyping confirmation incorrectly	Paid gate will not pass	Use exactly SUBMIT_ONE_PAID_TASK
Submitting twice	Creates duplicate spend	Submit one task only
Using 1080p for tests	Higher cost during iteration	Use 720p for testing
Logging usage immediately	Completion and usage may not be confirmed	Log after result is complete

If Dashboard or BytePlus Is Unavailable

- Do not submit a second paid task blindly.
- Check local dashboard status/logs.
- Check BytePlus Console status/billing if relevant.
- Keep Safe Mode ON until the issue is understood.
- Archive the failed/blocked attempt as “service unavailable”.

- Retry later only after dry-run and submit gates are clear.

Next Action

Go to Chapter 11 after the generated video is available for review.

Chapter 11 — Steps 13-14: Video QA + Repair

Purpose

Video QA decides whether the generated video can move to editing or must be repaired, regenerated, or rejected.

Watch the full video before making any decision. A good prompt can still produce a failed video.

What AI Does

AI helps diagnose issues from your safe description. It should:

- Classify issue severity.
- Identify likely prompt or reference cause.
- Recommend repair, regenerate, CapCut edit, or reject.
- Write targeted repair prompt text.

AI should not ask for private task JSON, temporary output URLs, MP4 links, or dashboard data.

What Creator Does

You watch and judge the actual video.

You must:

- Watch the full video at least once.
- Check identity, safety, visual integrity, story, mobile readability, and ending.
- Mark blockers honestly.
- Do not edit around safety blockers.
- Regenerate if the issue cannot be safely fixed in CapCut.

Issue Severity

Severity	Meaning	Action
BLOCKER	Violates safety, identity, format, or platform rules	Do not use; repair and regenerate
HIGH	Major story, camera, morphing, or continuity failure	Usually regenerate
MEDIUM	Noticeable quality issue but not unsafe	Repair prompt or edit if possible
LOW	Minor polish issue	CapCut edit or accept

Video QA Checklist

IDENTITY

[] Correct animal species. [] Same individual identity through full video. [] Anatomy correct. [] No species drift between frames. [] Animal count stays believable and consistent.

SAFETY

[] No blood. [] No gore. [] No visible injury. [] No bite contact. [] No animal death shown. [] No baby animal harmed. [] No unsafe human contact. [] No humans unless explicitly requested.

VISUAL INTEGRITY

[] No text, watermark, logo, UI, subtitles, captions, or frame numbers. [] No storyboard grid, borders, or panel layout copied. [] No split screen, collage, panel blending, or morphing. [] Camera direction stays consistent with no 180-degree flip.

STORY + MOBILE

[] Hook is clear in the first 0-3 seconds. [] Story is readable on mobile without sound. [] Ending is clear and safe. [] Loop ending is acceptable with no hard confusing jump.

Repair Decision

Issue Type	Best Action
Safety blocker	Regenerate with repair prompt
Wrong species or identity drift	Regenerate with stronger identity lock
Text, grid, UI, watermark	Regenerate unless removable by crop without harming video
Camera flip	Regenerate with camera-side lock
Bad audio only	CapCut mute or replace
Long start or rough end	CapCut trim if story remains intact
Slight color or exposure issue	CapCut edit

Copy This Into AI — Video Mistake Diagnosis Prompt

```
I have a WSTV wildlife AI video with a problem.
Diagnose the issue and recommend the safest next action.

Production rules:
- 15 seconds
- vertical 9:16
- USA Facebook Reels
- photorealistic wildlife documentary realism
- strong 0-3 second hook
- no blood, gore, visible injury, bite contact, animal death shown, harmed baby
  animal, unsafe human contact, or humans unless explicitly requested
- no text, logo, watermark, UI, subtitles, frame numbers, captions, storyboard
```

grid, split screen, collage, panel blending, or morphing

Original intended scene:
[PASTE SAFE SCENE SUMMARY]

Problem observed:
[DESCRIBE WHAT YOU SAW. DO NOT PASTE PRIVATE JSON, TEMPORARY OUTPUT URLS, MP4 LINKS, OR data/ CONTENTS.]

Output:
1. Issue category
2. Severity: LOW / MEDIUM / HIGH / BLOCKER
3. Likely cause
4. Repair vs regenerate vs CapCut edit recommendation
5. Exact repair language to add to the prompt
6. Whether Video QA Gate can pass after this fix

Copy This Into AI — Video Repair Prompt Generator

Create a targeted WSTV video repair prompt.

Original final prompt:
[PASTE FINAL PROMPT]

QA issue:
[PASTE ISSUE DIAGNOSIS]

Repair goal:
[DESCRIBE THE SPECIFIC FIX]

Keep:

- final prompt under 3500 characters
- 15 seconds
- vertical 9:16
- USA Facebook Reels
- photorealistic wildlife documentary realism
- strong 0-3 second hook
- subject identity lock
- environment lock
- geography lock
- no 180-degree flip
- safe ending

Remove/avoid:

blood, gore, visible injury, bite contact, animal death shown, baby animal harmed, unsafe human contact, humans unless explicitly requested, text, logo, watermark, UI, subtitles, frame numbers, captions, storyboard grid, split screen, collage, panel blending, and morphing.

Output:

1. Repaired final prompt
2. Estimated character count
3. What changed
4. Which QA issue it addresses

Specific Repair Prompts

Failure	Copy-Ready Repair Language
Wrong animal / species drift	Keep the exact same species, age, size, markings, and anatomy from Image 1 through the full video. Do not change species or transform into another animal.
Wrong animal count	Show only [COUNT] main animal(s). Do not add extra animals, duplicates, crowds, or background copies.

Failure	Copy-Ready Repair Language
Storyboard grid copied	Use Image 2 only for shot order and motion. Do not copy grid lines, borders, panels, frame numbers, captions, text, or layout.
Text / watermark / UI appeared	No text, logo, watermark, UI, subtitles, captions, labels, frame numbers, or readable marks anywhere in the video.
Character morphing	No morphing. Preserve stable body shape, anatomy, size, markings, and identity in every frame.
Camera flip / 180-degree break	Camera stays on the same side of the action for the entire video. No 180-degree flip. Movement direction remains consistent.
Unsafe contact	Keep animals and humans separated by professional distance or safe equipment. No casual touching, grabbing, holding, riding, or direct contact.
Visible injury / gore	No blood, gore, wounds, visible injury, limping injury focus, graphic contact, or aftermath of harm.
Baby animal harmed	The baby animal remains unharmed and visibly safe by the ending. No impact, injury, trapping, or distress close-up.
Weak ending	End with a clear safe payoff in seconds 12-15: [DESCRIBE SAFE ENDING]. Final frame should be readable and loop-ready.
Confusing story	Simplify the 15-second arc: 0-3s clear hook, 3-6s reaction, 6-9s peak, 9-12s turn, 12-15s safe resolution.

Video QA Gate Checklist

[] Full video was watched. [] Correct species and identity remain consistent. [] Animal count is correct. [] No blood, gore, visible injury, bite contact, animal death, harmed baby animal, or unsafe human contact appears. [] Humans are absent unless explicitly requested. [] No text, logo, watermark, UI, subtitles, frame numbers, captions, or storyboard grid appears. [] No split screen, collage, panel blending, or morphing appears. [] Camera side stays consistent with no 180-degree flip. [] 0-3 second hook is clear. [] Story is readable on mobile without sound. [] Ending is safe and clear. [] Any issue has a severity label. [] BLOCKER or HIGH issues were not accepted as final. [] Repair/regenerate/edit decision is documented.

Result:

- If all boxes pass: continue to Chapter 12.
- If any blocker appears: repair and regenerate from Step 10.
- If only low polish issues remain: fix in CapCut if appropriate.

Common Mistakes

Mistake	Why It Fails	Fix
Watching only the first few seconds	Failures often appear near the end	Watch the full video
Editing around unsafe content	Safety blockers remain	Regenerate
Calling species drift “minor”	Identity is core quality	Repair identity lock
Ignoring grid artifacts	Storyboard contamination looks unprofessional	Regenerate with guide-only rule
Accepting confusing endings	Weakens loop and retention	Repair ending or trim only if clear

Next Action

Go to Chapter 12 after Video QA Gate passes.

Chapter 12 — Step 15: CapCut Edit & Export

Purpose

CapCut turns the QA-approved generated video into a clean final export for Facebook Reels.

This step is for trimming, audio cleanup, optional overlays, and export settings. It is not for hiding safety blockers.

What AI Does

AI can help create an edit checklist or thumbnail text ideas. It should:

- Suggest trim points.
- Suggest audio cleanup.
- Suggest thumbnail overlay text.
- Confirm export settings.

AI should not claim the video passed QA if you have not checked it.

What Creator Does

You edit and export.

You must:

- Import the generated video.
- Trim to a clean 15 seconds if needed.
- Remove or mute bad audio if needed.
- Prefer natural field audio when available and clean.
- Add optional logo or thumbnail text only in CapCut, outside AI generation.
- Export in the required format.

CapCut Edit Rules

Task	Rule
Import	Use the QA-approved generated video
Trim	Keep the story readable and close to 15 seconds
Audio	Prefer natural field audio; mute distorted audio

Task	Rule
Music	Use only rights-safe audio
Logo	Optional, added in CapCut, not generated inside AI video
Thumbnail text	Allowed only as CapCut overlay or post thumbnail, not inside AI video
Safety blockers	Do not hide them with edits; regenerate instead

Export Settings

Setting	Value
Resolution	1080x1920
Aspect ratio	9:16
Frame rate	24 fps or 30 fps
Codec	H.264
Length	15 seconds
Platform	USA Facebook Reels

Copy This Into AI — CapCut Edit Plan

Create a WSTV CapCut edit plan.

Video QA verdict:
[PASTE SAFE QA SUMMARY]

Scene summary:
[PASTE SAFE SCENE SUMMARY]

Rules:

- final export 1080x1920
- vertical 9:16
- 24 or 30 fps
- H.264
- 15 seconds
- no safety blockers accepted
- thumbnail text may be added only as CapCut overlay or post thumbnail, not inside AI-generated video
- optional logo may be added only in CapCut, not inside AI-generated video
- natural field audio preferred

Output:

1. Trim guidance
2. Audio guidance
3. Optional thumbnail text ideas
4. Export settings checklist
5. Any reason not to export

CapCut Export Checklist

[] Video QA Gate passed. [] Generated video imported into CapCut. [] Clip is trimmed to a clean 15 seconds if needed. [] Story still has clear hook, middle, and safe ending after trim. [] Bad or distorted audio is muted or replaced. [] Natural field audio is used if clean and rights-safe. [] Optional logo is added only in CapCut, not inside AI generation. [] Thumbnail text is added only as overlay/post asset, not inside AI-generated video. [] Export resolution is 1080x1920. []

] Export frame rate is 24 fps or 30 fps. [] Export codec is H.264. [] Final export is 15 seconds.

Result:

- If all boxes pass: continue to Chapter 13.
- If any box fails: fix the edit/export settings and export again.

Common Mistakes

Mistake	Why It Fails	Fix
Using CapCut to hide unsafe content	Safety blocker remains	Regenerate instead
Exporting wrong aspect ratio	Poor Reels display	Use 1080x1920
Leaving distorted audio	Hurts quality	Mute or replace
Adding text during AI generation	Violates WSTV video rules	Add text only in CapCut
Over-trimming hook	Story becomes confusing	Preserve 0-3 second hook

Fix/Retry Prompt

```
Review my WSTV CapCut export issue.

Issue:
[DESCRIBE EXPORT OR EDIT PROBLEM]

Required settings:
- 1080x1920
- vertical 9:16
- 24 or 30 fps
- H.264
- 15 seconds
- no safety blockers
- thumbnail text only as CapCut overlay/post thumbnail

Return exact fix steps.
```

Next Action

Go to Chapter 13 and generate the Facebook social pack.

Chapter 13 — Step 16: Facebook Caption & Social Pack

Purpose

The social pack prepares the finished WSTV video for USA Facebook Reels with titles, caption, hashtags, pinned comment, optional disclosure, and thumbnail text ideas.

Do this only after the video is QA-approved and exported.

What AI Does

AI writes short platform copy. It should:

- Create 3 title options.
- Write one caption under 150 characters.
- Provide exactly 5 hashtags.
- Write one pinned comment.
- Add optional AI disclosure if requested.
- Suggest thumbnail text ideas for CapCut overlay or post asset only.

AI should not invent rescue claims or claim real footage if the scene is AI-generated.

What Creator Does

You approve the final words.

You must:

- Confirm the caption matches what is actually shown.
- Use American English.
- Avoid fake rescue claims unless rescue is actually shown.
- Keep exactly 5 hashtags.
- Keep thumbnail text outside the generated AI video.

Social Pack Requirements

Asset	Rule
Titles	3 options, short and clear
Caption	Under 150 characters
Hashtags	Exactly 5
Language	American English
Claims	No fake rescue claims
Pinned comment	Short, warm, and engagement-friendly
AI disclosure	Optional, honest, neutral
Thumbnail text	Ideas only; not inside AI video

Copy This Into AI — Facebook Social Pack Generator

```
Generate a WSTV Facebook social pack.

Brand: Wild Stories TV / WSTV
Platform: USA Facebook Reels
Video format: 15-second vertical 9:16 wildlife video
Style: photorealistic wildlife documentary realism

Video description:
[DESCRIBE WHAT IS ACTUALLY SHOWN]

Animals:
[LIST ANIMALS]

Scene category:
[CATEGORY]

Outcome:
[SAFE ENDING / ESCAPE / PROTECTION / RESCUE / COMIC PAYOFF]

Rules:
- American English
- caption under 150 characters
- exactly 5 hashtags
- no fake rescue claims unless rescue is actually shown
- do not claim real footage if disclosure is needed
- thumbnail text ideas are for CapCut overlay or post thumbnail only, not inside
  AI-generated video

Output:
1. Three title options under 8 words each
2. One Facebook caption under 150 characters
3. Exactly 5 hashtags
4. One pinned comment under 100 characters
5. Optional AI disclosure line
6. Three thumbnail text ideas
```

Social Pack Gate Checklist

☐ Video QA Gate passed. ☐ Final export exists. ☐ 3 title options are provided. ☐ Caption is under 150 characters. ☐ Caption uses American English. ☐ Caption accurately describes what is shown. ☐ No fake rescue claim is made. ☐ Exactly 5 hashtags are included. ☐ Pinned comment is short and natural. ☐ Optional AI disclosure line is honest and neutral if used. ☐ Thumbnail text ideas are clearly for CapCut overlay or post thumbnail only. ☐ No instruction adds text inside AI-generated video.

Result:

- If all boxes pass: continue to Chapter 14.
- If any box fails: revise the social pack and repeat this gate.

Common Mistakes

Mistake	Why It Fails	Fix
Caption too long	Weak mobile readability	Keep under 150 characters
Too many hashtags	Looks spammy and breaks the rule	Use exactly 5
Fake rescue claim	Misrepresents the video	Say only what is shown
Thumbnail text in AI prompt	Violates video generation rules	Add text only in CapCut/post asset
Over-explaining AI	Distracts from video	Use one neutral disclosure line if needed

Fix/Retry Prompt

```
Repair this WSTV social pack.

Problem:
[DESCRIBE ISSUE]

Rules:
- American English
- caption under 150 characters
- exactly 5 hashtags
- no fake rescue claims unless rescue is actually shown
- optional AI disclosure must be honest and neutral
- thumbnail text ideas are not inside AI-generated video

Return a corrected social pack.
```

Next Action

Go to Chapter 14 and generate the comment reply pack.

Chapter 14 — Step 17: Comment Reply Pack

Purpose

The comment reply pack gives you ready responses for common Facebook comments after publishing.

Replies should be warm, short, natural, and non-argumentative. Do not start every reply with “Absolutely.”

What AI Does

AI drafts reply options. It should:

- Write 10 friendly replies.
- Write 5 AI skeptic replies.
- Write 5 animal safety replies.
- Write 3 no-touch wildlife replies.
- Keep tone short, calm, and varied.

AI should not argue with viewers, over-explain, or shame people.

What Creator Does

You choose replies that fit the actual comment.

You must:

- Read the viewer comment first.
- Pick the correct reply type.
- Edit for natural voice if needed.
- Avoid defensive or repetitive replies.
- Avoid giving unsafe wildlife advice.

Reply Types

Reply Type	Count	Use For
Friendly replies	10	Positive reactions, awe, emotion, general comments
AI skeptic replies	5	“This is fake,” “AI?” or realism questions
Animal safety replies	5	Welfare, rescue, habitat, species concern

Reply Type	Count	Use For
No-touch wildlife replies	3	Handling, rescue distance, "I would grab it" comments

Bad Reply Examples To Avoid

Bad Reply	Why To Avoid
"You clearly don't understand wildlife."	Insulting and argumentative
"Absolutely! Absolutely! Absolutely!"	Repetitive and unnatural
"Anyone should pick up animals like this."	Unsafe wildlife advice
"This is 100% real footage."	Misleading if AI-generated
"Stop commenting if you don't like it."	Escalates conflict

Copy This Into AI — Comment Reply Pack Generator

```
Generate a WSTV comment reply pack.

Brand: Wild Stories TV / WSTV
Platform: USA Facebook Reels
Video summary:
[PASTE SAFE VIDEO SUMMARY]

Tone:
warm, short, natural, calm, wildlife-aware, non-argumentative

Rules:
- Safety note: Do not give unsafe wildlife handling advice. Do not claim real
  footage if AI-generated. Be honest, brief, and calm if asked about AI.
- Do not start every reply with "Absolutely."
- Do not argue with viewers.
- Do not shame people.
- Do not give unsafe wildlife handling advice.
- Be honest and calm about AI if asked.
- Keep most replies 1 sentence.

Output:
1. 10 friendly replies
2. 5 AI skeptic replies
3. 5 animal safety replies
4. 3 no-touch wildlife replies
5. 5 bad reply patterns to avoid
```

Comment Reply Tone Checklist

[] Replies are warm and natural. [] Replies are short enough for Facebook comments. [] Replies do not all start the same way. [] Replies do not all start with "Absolutely." [] AI skeptic replies are honest, calm, and brief. [] Animal safety replies are welfare-aware and non-preachy. [] No-touch replies recommend professional distance. [] No reply gives unsafe wildlife handling advice. [] No reply insults, argues, or shames viewers. [] Replies match what is actually shown in the video.

Result:

- If all boxes pass: continue to Chapter 15.
- If any box fails: revise the reply pack and repeat this checklist.

Common Mistakes

Mistake	Why It Fails	Fix
Over-answering skeptics	Creates arguments	Keep replies brief and calm
Repeating the same opener	Sounds automated	Vary sentence starts
Giving rescue instructions	Unsafe	Recommend trained help and distance
Sounding defensive	Hurts brand tone	Stay warm and factual
Using replies without reading comments	Can mismatch context	Choose reply by situation

Fix/Retry Prompt

```
Revise this WSTV comment reply pack.

Problem:
[DESCRIBE TONE OR SAFETY ISSUE]

Rules:
- warm, short, natural
- do not start every reply with "Absolutely"
- no arguing
- no unsafe wildlife handling advice
- honest and calm if AI is mentioned

Return corrected replies only.
```

Next Action

Go to Chapter 15 and record token/cost tracking after paid generation is complete.

Chapter 15 — Step 18: Token / Cost Tracking

Purpose

Token and cost tracking helps the creator estimate production capacity and avoid duplicate usage records.

BytePlus Console Billing remains the final source of truth. The dashboard/local ledger is for creator tracking only. This is a tracking example, not a future price guarantee. Always trust current BytePlus Console billing.

What AI Does

AI can help explain estimates and check a manual entry. It should:

- Compare selected resolution with projected tokens.
- Explain pack tokens left and estimated videos left.
- Help check duplicate usage risk.
- Remind you that Console Billing is final.

AI should not ask for API keys, private JSON, temporary output URLs, or MP4 links.

What Creator Does

You record usage only after paid generation confirms complete.

You must:

- Check BytePlus Console Billing for final usage.
- Use dashboard/local ledger for tracking.
- Avoid logging dry runs.
- Avoid duplicate usage entries.
- Use manual console usage entry only from verified Console data.

Token Reference

Resolution	Projected Tokens	Use
720p	324000	Testing and normal iteration
1080p	801900	Final/high-value scenes only

Use 720p for testing.

Token Pack Example

Field	Example
Pack size	1M x 7
Total tokens	7,000,000
Total price	\$30.10
Effective rate	\$4.30/M
Validity	90 days

How To Read The Tracker

Tracker Field	Meaning
Pack tokens left	Estimated remaining token balance in local tracker
Pack videos left	How many more videos fit at selected resolution
Estimated videos left	Projection, not billing guarantee
Selected resolution	Determines estimated next-video token use
Token source	Actual Console usage or local estimate

Manual Console Usage Entry

Use manual entry only when:

- A paid generation completed.
- Console usage is known.
- The generation is not already logged.
- The filename/date/token combination is not a duplicate.

Never log a dry run as paid usage.

Copy This Into AI — Token Usage Review

Review this WSTV token/cost tracking entry.

BytePlus Console Billing remains the final source of truth.
The dashboard/local ledger is for creator tracking only.

Production usage notes:

[PASTE SAFE NOTES ONLY: output filename, resolution, token count if verified, date, whether paid generation completed. DO NOT PASTE API KEYS, PRIVATE JSON, TEMPORARY OUTPUT URLS, MP4 LINKS, OR data/ CONTENTS.]

Reference:

- 720p projected tokens: 324000
- 1080p projected tokens: 801900
- 720p is for testing

- 1080p is for final/high-value scenes only
- example pack: 7M tokens, 1M x 7, \$30.10 total, \$4.30/M, valid 90 days

Check:

1. Is this a completed paid generation?
2. Is this not a dry run?
3. Is the resolution recorded?
4. Is the token count actual or estimated?
5. Is there duplicate-entry risk?
6. What should the creator verify in Console?

Output PASS / BLOCKED with exact correction steps.

Token Usage Entry Checklist

☐ Paid generation completed. ☐ Dry runs are not logged as paid usage. ☐ BytePlus Console Billing was checked when actual usage is needed. ☐ Output filename is recorded. ☐ Resolution is recorded. ☐ Token count is recorded as actual or estimated. ☐ Token source is clear. ☐ Entry is not a duplicate. ☐ Manual console usage entry uses verified Console data. ☐ Selected resolution matches the production record.

Result:

- If all boxes pass: continue to Chapter 16.
- If any box fails: do not log yet; verify and repeat the checklist.

Common Mistakes

Mistake	Why It Fails	Fix
Logging dry run usage	Dry run is not paid usage	Log only completed paid generations
Treating estimates as final billing	Estimates can differ	Check Console Billing
Duplicate entry	Inflates cost and reduces estimated videos left	Check filename/date/token record
Missing resolution	Token math becomes unreliable	Record 720p or 1080p
Forgetting pack validity	Remaining videos may expire	Track purchase date and 90-day validity

Fix/Retry Prompt

Fix my WSTV token/cost tracking note.

Problem:

[DESCRIBE ISSUE]

Rules:

- Console Billing is final source of truth
- local ledger is creator tracking only
- do not log dry runs
- do not duplicate paid usage
- record output filename, resolution, token count, token source, and date

Return the corrected tracking note and any verification needed.

Next Action

Go to Chapter 16 and archive the production notes.

Chapter 16 — Step 19: Archive Production Notes

Purpose

The archive step saves the production record so future WSTV videos improve over time.

Archive only safe production notes. Do not save secrets, private task artifacts, temporary output links, or private media links in the playbook source.

What AI Does

AI can format the archive note and summarize lessons learned. It should:

- Organize safe production details.
- Capture prompts used.
- Capture QA verdict and repair notes.
- Capture social pack.
- Capture lessons for future production.

AI should not request or store API keys, private JSON, signed URLs, MP4 links, secrets, or anything under `data/`.

WSTV DATA SAFETY RULES

- Do not paste API keys into AI.
- Do not paste signed URLs into AI.
- Do not paste private task JSON into AI.
- Do not paste MP4 links or generated video files into AI unless explicitly needed for review and safe.
- Do not commit `.env`, `data/`, `outputs/`, private responses, or dashboard-generated files.
- Save only safe production notes, prompts, verdicts, and public-facing social copy.

What Creator Does

You save a clean production note.

You must save:

- Scene title.
- Animals.

- Category.
- Master image prompt.
- Storyboard prompt.
- Final Seedance prompt.
- Output filename.
- Resolution.
- Token usage.
- QA verdict.
- Social pack.
- Lessons learned.

You must not save:

- API keys.
- Private JSON.
- Signed URLs.
- MP4 links.
- Secrets.
- Anything from data/.

Copy This Into AI — Production Archive Note Template

Create a safe WSTV Production Archive Note.

Rules:

- Include only safe production notes.
- Do not include API keys.
- Do not include private JSON.
- Do not include signed URLs.
- Do not include MP4 links.
- Do not include secrets.
- Do not include anything from data/.

Use this structure:

CAUTION: Review this note before saving. Remove API keys, signed URLs, MP4 links, private task JSON, and any secrets before storing anywhere.

WSTV Production Archive Note

Scene title:
[TITLE]

Animals:
[ANIMALS]

Category:
[CATEGORY]

Platform / format:
USA Facebook Reels, 15 seconds, vertical 9:16

Master image prompt:
[PASTE SAFE PROMPT TEXT]

Storyboard prompt:
[PASTE SAFE PROMPT TEXT]

Final Seedance prompt:
[PASTE SAFE PROMPT TEXT]

Output filename:
[FILENAME ONLY]

Resolution:
[720p / 1080p]

Token usage:
[TOKEN COUNT AND SOURCE]

QA verdict:
[PASS / REPAIR / REJECT + SHORT NOTES]

Social pack:
[TITLE OPTIONS, CAPTION, HASHTAGS, PINNED COMMENT, OPTIONAL DISCLOSURE]

Lessons learned:
[WHAT WORKED / WHAT TO CHANGE NEXT TIME]

Next improvement:
[ONE PRACTICAL NOTE]

Archive Gate Checklist

[] Scene title is saved. [] Animals are saved. [] Category is saved. [] Master image prompt is saved. [] Storyboard prompt is saved. [] Final Seedance prompt is saved. [] Output filename is saved as filename only. [] Resolution is saved. [] Token usage and source are saved. [] QA verdict is saved. [] Social pack is saved. [] Lessons learned are saved. [] No API keys are saved. [] No private JSON is saved. [] No signed URLs are saved. [] No MP4 links are saved. [] No secrets are saved. [] Nothing from data/ is saved.

Result:

- If all boxes pass: production record is complete.
- If any box fails: remove unsafe or missing content and repeat this gate.

Common Mistakes

Mistake	Why It Fails	Fix
Saving private task data	Security risk	Save only safe production notes
Forgetting QA verdict	Future review loses context	Save PASS / REPAIR / REJECT
Saving links instead of filenames	Can expose private outputs	Save filename only
Not saving lessons learned	Repeats avoidable mistakes	Add one practical lesson
Mixing archive with dashboard data	Creates unsafe docs	Keep archive separate and clean

Fix/Retry Prompt

Clean this WSTV archive note for safe storage.

Archive note:
[PASTE NOTE]

Remove:

- API keys
- private JSON
- signed URLs
- MP4 links
- secrets
- anything from data/

Keep:

- scene title
- animals
- category
- master image prompt
- storyboard prompt
- final Seedance prompt
- output filename only
- resolution
- token usage
- QA verdict
- social pack
- lessons learned

Return the cleaned archive note.

Next Action

Production complete. Use Chapter 17 for category reference on the next production.

Chapter 17 — Scene Category Encyclopedia

Purpose

This chapter is the fast reference for choosing a WSTV scene category. Use it before Chapter 3 when you need a proven structure for a 15-second vertical 9:16 wildlife video for USA Facebook Reels.

Every category must keep WSTV realism and safety rules: photorealistic wildlife documentary realism, strong 0-3 second hook, no blood, no gore, no visible injury, no bite contact, no animal death shown, no baby animal harmed, no unsafe human contact, no humans unless explicitly requested, no text/logo/watermark/UI/subtitles/frame numbers/captions inside generated video, no storyboard grid copied into video, no split screen, no collage, no panel blending, no morphing, and final Seedance prompt under 3500 characters.

How To Use This Encyclopedia

Need	Use
High suspense without harm	Predator Near-Miss
Emotional rescue or protection	Baby Animal Rescue / Protection
Parent blocks danger	Parent Protection
Animal escapes terrain problem	Natural Obstacle Escape
Weather creates urgency	Storm / Flood / Fire Survival
Shoreline or marine animal	Marine / Beach Rescue
Professional distance rescue	Helicopter / Vehicle Rescue
Group protects young	Herd Wall Protection
Shareable low-risk comedy	Comic Wildlife Mistake
Gentle emotion, no threat	Quiet Emotional Wildlife Moment

Category Reference Table

#	Category	Purpose	Best Animals	USA-Friendly Habitats	Best Opening Hooks	15s Arc Pattern	Main Danger Rules	Generation Risks	Safety Risks	Sample Ideas	Verdict Guidance
1	Predator Near-Miss	Create suspense with escape, bluff, or interruption.	wolf/elk, eagle/rabbit, lion/zebra, coyote/deer	forest edge, snowy meadow, savanna, cliff path	prey freezes, shadow enters, predator appears at edge	hook, chase starts, near-miss, escape turn, safe distance	no bite contact, no injury, no death	contact may appear, species may change	BLOCKER if contact or injury appears	elk dodges wolf at creek; rabbit slips under brush before eagle lands	PASS only if it stays near-miss

#	Category	Purpose	Best Animals	USA-Friendly Habitats	Best Opening Hooks	15s Arc Pattern	Main Danger Rules	Generation Risks	Safety Risks	Sample Ideas	Verdict Guidance
2	Baby Animal Rescue / Protection	Use safe baby-animal emotion.	bear cub, elephant calf, seal pup, fawn, owl chick	riverbank, beach, forest clearing, meadow	baby near obstacle, parent notices	baby in trouble, helper arrives, safe path opens, baby exits safe	baby never harmed, no casual handling	baby may look injured or trapped too harshly	BLOCKER if baby harmed	calf blocked from flood edge by mother; seal pup guided from tide pool	PASS only with clear safe ending
3	Parent Protection	Show parent positioning between young and danger.	bison cow/calf, elephant cow/calf, wolf mother/pups, goose/goslings	grassland, waterhole, den edge, pond trail	young visible, threat approaches, parent steps in	young at risk, parent blocks, threat pauses, young moves safe	no attack contact, no gore	parent may lunge too aggressively	HIGH if contact implied	bison cow blocks coyote; elephant shields calf from ditch	PASS if protection is distance/blocking
4	Natural Obstacle Escape	Build tension from terrain, tide, mud, ice, branch, or ledge.	deer, moose, turtle, fox, wild horse	mud flat, shallow creek, snow edge, tide pool, ledge	animal stuck or approaching edge	obstacle, struggle, route appears, animal exits, safe final	no burial, crushing, direct impact	obstacle may become graphic	BLOCKER if animal visibly injured	deer steps out of frozen creek; turtle turns from tire rut	PASS if escape is believable
5	Storm / Flood / Fire Survival	Use distant natural hazard and movement to safety.	deer, wild horse, wolf pack, bison, bear	river bend, canyon, meadow, ridge, forest edge	distant lightning, rising water, smoke far away	hazard visible, animals move, route narrows, safety reached	hazard stays non-graphic, no direct impact	smoke/flood may obscure subject	BLOCKER if burning, drowning, impact shown	horses move to ridge before flood; deer exits storm creek	PASS if hazard is distant and readable
6	Marine / Beach Rescue	Use shoreline wildlife with safe-distance rescue or natural escape.	sea turtle, seal, otter, sea lion, shorebird	rocky beach, tide pool, sandbar, dune edge	animal near tide/rope/rock, surf moving	problem, safe approach/distance, route opens, ocean/shore safety	no casual handling, no injury	rope/gear may look tangled into body	HIGH if unsafe handling appears	turtle turns toward surf; seal pup moves off rocks	PASS if no casual touch
7	Helicopter / Vehicle Rescue	Show professional rescue context at distance.	elk, deer, horse, large bird, sea turtle	road edge, flood plain, beach, open field	vehicle lights far back, animal near obstacle	professionals set distance, equipment guides, animal reaches safe zone	only professional equipment, no casual contact	vehicles may dominate frame	HIGH if humans grab animal	ranger vehicle blocks road while elk crosses; rescue crate waits near turtle path	PASS if animal remains central
8	Herd Wall Protection	Show group formation around young.	bison, musk ox, elephants, elk	grassland, snowy plain, waterhole	calf in center, herd closes ranks	threat/danger appears, herd forms wall, young moves safe, calm end	no predator contact, no attack	too many animals may confuse model	HIGH if collision/attack shown	bison ring closes around calf; elephants shield calf from ditch	PASS if formation is clear
9	Comic Wildlife Mistake	Create harmless animal behavior comedy.	fox, coyote, raccoon, otter, squirrel, penguin	meadow, creek, campsite edge, snowy path	animal investigates wrong object	curiosity, mistake, surprise, retreat, safe funny ending	zero injury, no trapping, no unsafe human contact	comedy may become cartoonish	MEDIUM if realism drops	raccoon startles at reflection; otter slides past fish	PASS if realistic and gentle

#	Category	Purpose	Best Animals	USA-Friendly Habitats	Best Opening Hooks	15s Arc Pattern	Main Danger Rules	Generation Risks	Safety Risks	Sample Ideas	Verdict Guidance
10	Quiet Emotional Wildlife Moment	Create warmth without high danger.	wolf, owl, deer, elephant, fox, sea turtle	forest dawn, meadow sunset, den edge, beach dusk	animal pauses, reunion or rest begins	quiet hook, approach, recognition, calm contact/distance, soft ending	no sudden attack, no fake rescue claim	may be too slow	LOW unless unsafe contact added	wolf returns to pack; owl chick settles under wing	PASS if emotion is readable

Copy-Ready Category Prompts

Use one prompt and replace bracketed fields.

Predator Near-Miss

Generate 5 WSTV Predator Near-Miss ideas.
 Animal pair: [PREDATOR] and [PREY]
 Habitat: [HABITAT]
 Rules: 15 seconds, vertical 9:16, USA Facebook Reels, photorealistic wildlife documentary realism, strong 0-3 second hook. The scene must be a near-miss, bluff, or escape. No blood, gore, visible injury, bite contact, animal death shown, harmed baby animal, unsafe human contact, text, logo, watermark, UI, subtitles, frame numbers, captions, storyboard grid, split screen, collage, panel blending, or morphing.
 Output 5 ideas with title, hook, 15s arc, safety note, generation risk, and PASS / REVISE / REJECT.

Baby Animal Rescue / Protection

Generate 5 WSTV Baby Animal Rescue / Protection ideas.
 Baby animal: [BABY ANIMAL]
 Protector/rescuer: [PARENT / HERD / PROFESSIONAL RESCUER / NONE]
 Habitat: [HABITAT]
 Rules: baby animal is never harmed, ending shows baby safe, humans appear only if explicitly requested and must use professional distance or equipment. No casual touching. Keep 15 seconds, vertical 9:16, USA Facebook Reels, photorealistic realism, strong 0-3 second hook, and all WSTV safety rules.
 Output 5 ideas with PASS / REVISE / REJECT.

Parent Protection

Generate 5 WSTV Parent Protection ideas.
 Parent animal: [PARENT]
 Young animal: [YOUNG]
 Possible danger: [DANGER]
 Habitat: [HABITAT]
 Rules: parent protects by blocking, guiding, shielding, or positioning. No attack contact, bite contact, visible injury, blood, gore, animal death, harmed baby animal, unsafe human contact, text, UI, grid, split screen, collage, panel blending, or morphing.
 Output 5 safe 15-second vertical 9:16 ideas for USA Facebook Reels.

Natural Obstacle Escape

Generate 5 WSTV Natural Obstacle Escape ideas.
Animal: [ANIMAL]
Obstacle: [MUD / TIDE / ICE / LEDGE / BRANCH / WATER CHANNEL]
Habitat: [HABITAT]
Rules: danger comes from terrain, not graphic harm. No crushing, burial, direct impact, visible injury, blood, gore, animal death, harmed baby animal, unsafe human contact, text, logo, watermark, UI, subtitles, frame numbers, captions, grid, split screen, collage, panel blending, or morphing.
Output 5 ideas with safe endings.

Storm / Flood / Fire Survival

Generate 5 WSTV Storm / Flood / Fire Survival ideas.
Animal(s): [ANIMAL]
Hazard: [DISTANT STORM / RISING WATER / DISTANT SMOKE]
Habitat: [HABITAT]
Rules: hazard remains distant or non-graphic. No direct impact, burning animal, drowning, injury, gore, bite contact, animal death, harmed baby animal, unsafe human contact, text, UI, grid, split screen, collage, panel blending, or morphing. Keep action readable on mobile.
Output 5 ideas with 0-3s hooks and PASS / REVISE / REJECT.

Marine / Beach Rescue

Generate 5 WSTV Marine / Beach Rescue ideas.
Marine animal: [ANIMAL]
Setting: [BEACH / TIDE POOL / ROCKS / SANDBAR]
Human rescue visible? [YES / NO]
Rules: if humans appear, they use professional distance or safe equipment only. No casual handling. No blood, gore, visible injury, animal death, harmed baby animal, unsafe contact, text, logo, watermark, UI, subtitles, frame numbers, captions, grid, split screen, collage, panel blending, or morphing.
Output 5 safe 15-second vertical 9:16 ideas.

Helicopter / Vehicle Rescue

Generate 5 WSTV Helicopter / Vehicle Rescue ideas.
Animal: [ANIMAL]
Professional equipment: [VEHICLE / CRATE / ROPE / NET / LONG-REACH TOOL / HELICOPTER AT DISTANCE]
Habitat: [HABITAT]
Rules: professional rescue context only. No casual touching, unsafe handling, close contact, blood, gore, visible injury, animal death, harmed baby animal, text, logo, watermark, UI, captions, frame numbers, grid, split screen, collage, panel blending, or morphing.
Output 5 ideas where the animal remains the main subject.

Herd Wall Protection

Generate 5 WSTV Herd Wall Protection ideas.
Herd animal: [SPECIES]
Young animal: [CALF / YOUNG]
Habitat: [HABITAT]
Rules: herd protects by formation, blocking, or guiding. No attack contact, bite contact, visible injury, gore, death, harmed baby animal, unsafe human contact, text, UI, grid, split screen, collage, panel blending, or morphing.
Output 5 ideas with clear 15-second arcs.

Comic Wildlife Mistake

Generate 5 WSTV Comic Wildlife Mistake ideas.
Animal: [ANIMAL]
Setting: [HABITAT OR SUBURBAN EDGE]
Object/situation: [OBJECT OR MOMENT]
Rules: comedy comes from realistic animal behavior. No injury, trapping, humiliation, unsafe human contact, blood, gore, bite contact, animal death, harmed baby animal, text, UI, grid, split screen, collage, panel blending, or morphing.
Output exactly this 12-column table:

1.	#
2.	Title
3.	Animal(s)
4.	Habitat
5.	0-3s Hook
6.	Full 15s Arc
7.	Why It May Work For USA Facebook Reels
8.	Realism Risk: Low / Medium / High
9.	Generation Risk: Low / Medium / High
10.	Safety Note
11.	Score /100
12.	Verdict: PASS / REVISE / REJECT

Quiet Emotional Wildlife Moment

Generate 5 WSTV Quiet Emotional Wildlife Moment ideas.
Animal(s): [ANIMALS]
Emotion: [REUNION / REST / RELEASE / SHELTER / PARENT BOND]
Habitat: [HABITAT]
Rules: low threat, realistic behavior, clear emotion, safe ending. No fake rescue claims, no blood, gore, visible injury, bite contact, animal death, harmed baby animal, unsafe human contact, text, UI, grid, split screen, collage, panel blending, or morphing.
Output exactly this 12-column table:

1.	#
2.	Title
3.	Animal(s)
4.	Habitat
5.	0-3s Hook
6.	Full 15s Arc
7.	Why It May Work For USA Facebook Reels
8.	Realism Risk: Low / Medium / High
9.	Generation Risk: Low / Medium / High
10.	Safety Note
11.	Score /100
12.	Verdict: PASS / REVISE / REJECT

PASS / REVISE / REJECT Guidance

Verdict	Use When	Action
PASS	Hook is clear, animal/habitat are realistic, safety risk is low, generation risk is manageable	Move to scoring and realism
REVISE	Core idea is strong but hook, habitat, safety, or ending needs repair	Fix and rescore
REJECT	Idea needs harm, unsafe contact, impossible behavior, confusing visuals, or likely model failure	Generate a new idea

Next Action

Use the selected category prompt in Chapter 3 or continue to Appendix A for scoring.

Chapter 18 — Failure Recovery System

Purpose

This chapter tells you what to do when a WSTV output fails. Diagnose the failure, assign severity, choose repair/regenerate/edit, then return to the correct workflow step.

Safety blockers are never fixed by hiding them in editing.

Severity Rules

Severity	Meaning	Default Action
LOW	Minor polish problem, no safety issue	CapCut edit or accept
MEDIUM	Noticeable quality issue, no safety blocker	Repair prompt or edit
HIGH	Major identity, story, continuity, or realism failure	Usually regenerate
BLOCKER	Safety, format, private-data, or paid-flow risk	Stop and fix before continuing

Failure Recovery Table

Failure Type	What It Looks Like	Likely Cause	Severity	Repair Strategy	Regenerate vs CapCut Edit
Wrong animal	Output shows a different species than intended	Weak subject identity lock or bad reference	HIGH	Strengthen exact species, anatomy, markings	Regenerate
Wrong animal count	Extra animals appear or main animal duplicates	Prompt allowed crowding or ambiguity	MEDIUM/HIGH	Specify exact count and no duplicates	Regenerate if story changes
Species drift	Animal changes species mid-video	Identity lock not repeated strongly enough	HIGH	Add no species change rule	Regenerate
Character morphing	Body shape, limbs, markings shift unnaturally	Motion too complex or weak anatomy lock	HIGH	Simplify motion and lock anatomy	Regenerate
Storyboard grid copied	Grid, panels, borders, or frame numbers appear	Image 2 used as visual source, not motion guide	BLOCKER	Add guide-only storyboard language	Regenerate
Text/logo/watermark/UI appeared	Any visible text or interface appears	Missing negative constraints or contaminated reference	BLOCKER	Add hard negative text/UI language	Regenerate unless safely cropped
Camera flip / 180-degree break	Screen direction reverses suddenly	Missing camera-side lock	HIGH	Add same-side camera rule	Regenerate
Geography drift	Environment, positions, or landmarks change	Weak geography lock	MEDIUM/HIGH	Lock screen positions and landmarks	Regenerate if confusing
Unsafe human contact	Human touches, grabs, holds, or crowds wildlife	Rescue prompt too vague	BLOCKER	Require professional distance/equipment	Regenerate
Visible injury/gore	Wounds, blood, gore, or injury focus visible	Danger language too intense	BLOCKER	Remove harm language, use near-miss	Regenerate

Failure Type	What It Looks Like	Likely Cause	Severity	Repair Strategy	Regenerate vs CapCut Edit
Baby animal harmed	Baby appears injured, trapped graphically, or hit	Safety not explicit enough	BLOCKER	State baby remains unharmed and safe	Regenerate
Weak ending	Ending lacks payoff or cuts abruptly	12-15s beat too vague	MEDIUM	Add clear safe final frame	CapCut trim if possible, else regenerate
Confusing story	Viewer cannot follow action	Too many events/subjects	MEDIUM/HIGH	Simplify 5-beat arc	Regenerate if unclear
Low realism	Animal, habitat, behavior, physics look fake	Skipped or weak realism check	MEDIUM/HIGH	Return to realism fact sheet	Regenerate
Token/cost mistake	Wrong resolution, duplicate log, dry run logged	Tracking error or skipped gate	BLOCKER for records	Verify Console and local ledger	Do not edit video; fix records

Copy-Ready Fix Prompts

Failure Type	Fix Prompt
Wrong animal	Repair the prompt so the subject remains exactly [SPECIES], [AGE], [SIZE], with [MARKINGS]. Do not show any other species. Preserve this identity in every frame.
Wrong animal count	Show exactly [COUNT] main animal(s). Do not add extra animals, duplicates, crowds, or background copies.
Species drift	Do not change species, breed, size, markings, or anatomy at any point in the video. The same individual remains visible from start to finish.
Character morphing	No morphing. Preserve stable anatomy, limb count, body proportions, size, markings, and movement style in every frame.
Storyboard grid copied	Reference Image 2 is a storyboard/motion guide only. Do not copy grid lines, borders, frame numbers, panel captions, text, logos, watermarks, or storyboard layout into the video. Use it only for shot order, framing, pacing, and motion continuity.
Text/logo/watermark/UI appeared	No text, logo, watermark, UI, subtitles, captions, labels, frame numbers, readable marks, or interface elements anywhere in the video.
Camera flip / 180-degree break	Keep the camera on the same side of the action for the entire video. No 180-degree flip. Screen-left and screen-right positions stay consistent.
Geography drift	Lock the geography: [ANIMAL] starts [SCREEN POSITION], [OBSTACLE/THREAT/SHELTER] stays [SCREEN POSITION], movement goes [DIRECTION], background landmarks remain stable.
Unsafe human contact	Humans appear only if explicitly requested and must keep professional distance or use vehicles, crates, ropes, nets, waders, or long-reach tools. No casual touching, grabbing, holding, riding, or crowding wildlife.
Visible injury/gore	No blood, gore, wounds, visible injury, graphic contact, aftermath of harm, or injury-focused limping. Convert danger into near-miss, distance, or escape.
Baby animal harmed	The baby animal remains unharmed for the full video and is clearly safe by seconds 12-15. No impact, injury, crushing, trapping, or distress close-up.
Weak ending	Make seconds 12-15 a clear safe payoff: [SAFE ENDING]. Final frame is readable, calm, and loop-ready.
Confusing story	Simplify the arc: 0-3s clear hook, 3-6s reaction, 6-9s peak tension, 9-12s turn, 12-15s safe resolution.
Low realism	Rebuild around realistic species anatomy, habitat, season, behavior, terrain, weather, and movement. Remove impossible physics and human-like behavior.
Token/cost mistake	Review this tracking note. Do not log dry runs. Do not duplicate completed paid usage. Console Billing is final. Return what must be corrected before archive.

Copy This Into AI — Failure Recovery Router

Route this WSTV failure to the correct recovery action.

Production rules:

15 seconds, vertical 9:16, USA Facebook Reels, photorealistic wildlife documentary realism, strong 0-3 second hook, final prompt under 3500 characters.

No blood, gore, visible injury, bite contact, animal death shown, baby animal harmed, unsafe human contact, humans unless explicitly requested, text, logo, watermark, UI, subtitles, frame numbers, captions, storyboard grid, split screen, collage, panel blending, or morphing.

Failure observed:

[DESCRIBE FAILURE SAFELY]

Original intent:

[PASTE SAFE SCENE SUMMARY]

Output:

1. Failure type
2. Severity: LOW / MEDIUM / HIGH / BLOCKER
3. Likely cause
4. Repair strategy
5. Copy-ready fix prompt
6. Regenerate vs CapCut edit decision
7. Which workflow step to return to

Next Action

Use this chapter whenever a gate fails. Return to the earliest step that caused the problem.

Chapter 19 — Prompt Architecture Deep Dive

Purpose

This chapter explains how WSTV prompts work underneath the step-by-step system. Use it when writing a prompt from scratch, auditing a prompt, or repairing model drift.

Prompt Architecture Table

Prompt Element	What It Controls	Strong Example
Subject identity lock	Species, age, size, markings, anatomy	adult bald eagle, white head, dark brown body, yellow beak, accurate wings and talons
Environment lock	Habitat, season, weather, terrain, light	rocky Pacific Northwest shoreline, overcast morning, wet basalt rocks, low surf
Geography lock	Positions and movement direction	eagle starts screen right, tide pool screen left, movement stays right to left
Camera side lock	Prevents disorienting perspective flips	camera remains on same side of the shoreline, no 180-degree flip
Timed beats	Keeps story readable in 15 seconds	0-3s hook, 3-6s escalation, 6-9s peak, 9-12s turn, 12-15s safe ending
Safety constraints	Prevents harmful content	no blood, gore, visible injury, bite contact, animal death, harmed baby animal, or unsafe human contact
Negative constraints	Prevents unwanted visual artifacts	no text, logo, watermark, UI, subtitles, frame numbers, captions, grid, split screen, collage, panel blending, or morphing
Mobile readability	Keeps action visible on phone	main animal large in foreground or midground, simple background, clear silhouette
Ending design	Creates payoff and loop	animal reaches safe ground, pauses, final frame calm and readable

Subject Identity Lock

Write the animal like a continuity sheet:

- Exact species or plausible species group.
- Age class.
- Size.
- Markings.
- Anatomy.
- Movement style.

Weak: a bird escapes Strong: adult bald eagle, white head, dark brown body, yellow beak, broad wings, accurate talons, powerful wingbeats

Environment And Geography Lock

The environment lock says where the scene is. The geography lock says where everything sits in the frame.

Use:

- Region or biome.
- Terrain.
- Weather.
- Light direction.
- Main animal position.
- Obstacle/threat/shelter position.
- Movement direction.
- Stable background landmarks.

Camera Side And 180-Degree Continuity

The camera must stay on the same side of the action. If the animal starts moving screen left to screen right, do not let the camera cross the action line and reverse movement.

Use this sentence:

Camera remains on the same side of the action for the entire video. No 180-degree flip. Screen-left and screen-right positions stay consistent.

Screen-Left / Screen-Right Movement

Screen direction makes short videos easier to understand.

Pattern	Use
Animal screen left, danger screen right	Clear approach or threat
Animal screen right, safe route screen left	Clear escape route
Parent center, baby behind	Protection scenes
Herd ring center	Herd wall scenes
Waterline background, animal foreground	Marine/beach clarity

Timed Beats

Time	Job
0-3s	Hook: show animal and problem immediately

Time	Job
3-6s	Escalation: movement or reaction
6-9s	Peak: closest safe tension
9-12s	Turn: escape, shield, route opens
12-15s	Ending: safe payoff and loop-ready final frame

Safety Constraint Language

Use direct constraints. Do not soften them.

No blood. No gore. No visible injury. No bite contact.
 No animal death shown. No baby animal harmed.
 No unsafe human contact. No humans unless explicitly requested.

Negative Constraint Language

Use direct visual negatives:

No text, logo, watermark, UI, subtitles, frame numbers, captions,
 storyboard grid, split screen, collage, panel blending, or morphing.

Mobile Readability

Design for a phone screen:

- One main action.
- One main animal or small readable group.
- Large subject.
- Clear silhouette.
- Simple background.
- Fast hook.
- No tiny details needed to understand the story.

Ending Design

The ending must answer: "Is the animal safe?"

Good endings:

- Animal reaches safe ground.
- Parent blocks and young moves behind parent.

- Herd closes ranks calmly.
- Turtle reaches surf line.
- Comic animal retreats safely.
- Quiet animal settles or reunites.

Prompt Compression Priority

Protect First	Remove First
Species, age, anatomy, markings	Extra adjectives
Geography and camera side	Repeated scenic language
Timed beats	Long mood descriptions
Safety constraints	Duplicate safety wording
Negative constraints	Filler phrases
Safe ending	Nonessential lens details

Prevent Storyboard Contamination

When using Image 2, always state:

Reference Image 2 is a storyboard/motion guide only. Do not copy grid lines, borders, frame numbers, panel captions, text, logos, watermarks, or storyboard layout into the video. Use it only for shot order, framing, pacing, and motion continuity.

Prompts That Survive Model Drift

To reduce drift:

- Repeat the exact species once in the subject lock and once in the continuity line.
- Avoid too many animals.
- Avoid complex contact.
- Keep camera direction stable.
- Keep environment simple.
- Use specific negative constraints.
- Use timed beats instead of long prose.
- Keep the prompt under 3500 characters.

Copy This Into AI — Build Prompt From Scratch

Build a WSTV final Seedance prompt from scratch.

Requirements:

- 15 seconds
- vertical 9:16
- USA Facebook Reels
- photorealistic wildlife documentary realism
- 720p for testing
- strong 0-3 second hook
- final prompt under 3500 characters

Scene concept:

[PASTE CONCEPT]

Subject identity lock:

[SPECIES, AGE, SIZE, MARKINGS, ANATOMY]

Environment lock:

[REGION, HABITAT, SEASON, WEATHER, LIGHT, TERRAIN]

Geography lock:

[SCREEN POSITIONS, MOVEMENT DIRECTION, CAMERA SIDE]

Timed beats:

0-3s: [HOOK]

3-6s: [ESCALATION]

6-9s: [PEAK]

9-12s: [TURN]

12-15s: [SAFE ENDING]

Safety constraints:

No blood, gore, visible injury, bite contact, animal death shown,
baby animal harmed, unsafe human contact, or humans unless explicitly requested.

Negative constraints:

No text, logo, watermark, UI, subtitles, frame numbers, captions,
storyboard grid, split screen, collage, panel blending, or morphing.

Output one copy-ready final prompt and estimated character count.

Copy This Into AI — Audit My Prompt Before Generation

Audit this WSTV prompt before generation.

Prompt:

[PASTE PROMPT]

Check:

1. Under 3500 characters
2. 15 seconds
3. vertical 9:16
4. USA Facebook Reels
5. photorealistic wildlife documentary realism
6. strong 0-3 second hook
7. subject identity lock
8. environment lock
9. geography lock
10. camera side and no 180-degree flip
11. timed beats 0-3, 3-6, 6-9, 9-12, 12-15
12. safety constraints
13. negative constraints
14. safe ending
15. storyboard contamination prevention if Image 2 is used

Output PASS / REVISE, failed items, and exact fix text.

Next Action

Use the appendices as print-ready references.

Appendix A — Viral Scoring Master Table

Use this table to score any WSTV idea.

Criterion	Weight	Score	Weighted Points	Meaning
Hook strength	x1.5	/10	/15	Clear, immediate 0-3 second hook
USA relevance	x1.5	/10	/15	USA viewers understand and care quickly
Animal popularity	x1.0	/10	/10	Animal is familiar, iconic, loved, or feared
Emotional tension	x1.0	/10	/10	Suspense, relief, protection, comedy, or warmth
Baby / parent factor	x1.0	/10	/10	Safe young/parent emotion when relevant
Novelty	x1.0	/10	/10	Fresh but not unrealistic
Mobile readability	x1.0	/10	/10	Clear on a phone without sound
Realism	x1.0	/10	/10	Species, habitat, behavior, and physics make sense
Safety risk	x1.0	/10	/10	Lower risk gets higher score
Generation ease	x1.0	/10	/10	Easier model task gets higher score
Total			/100	Verdict

Score Meanings

Score	Meaning
1-3	Weak, unclear, unrealistic, unsafe, or not mobile-readable
4-6	Usable direction but needs revision
7-8	Strong and practical
9-10	Excellent for WSTV

Verdict Rules

Total	Verdict	Action
80-100	PASS	Continue to realism check
60-79	REVISE	Fix weak areas and rescore
0-59	REJECT	Generate a new idea

Appendix B — Quality Gate Summary

Gate	When Used	Must Pass Before
Idea Gate	After 5 ideas	Scoring and selection
Realism Gate	After species/habitat check	Master image prompt
Master Image Gate	After master image	Storyboard prompt
Storyboard Gate	After 9-panel storyboard	Final Seedance prompt
Prompt Gate	After final prompt	Dashboard dry run
Dry Run Gate	After local dashboard dry run	Paid submit
Paid Submit Gate	Before paid generation	One paid task
Video QA Gate	After generated video	CapCut edit
CapCut Export Checklist	Before final export accepted	Social pack
Social Pack Gate	Before posting	Comment replies
Comment Reply Tone Gate	Before using replies	Token/cost tracking
Token Usage Entry Gate	Before logging usage	Archive
Archive Gate	Before closing production	Production complete

Rule: if any gate fails, stop and fix that gate. Paid generation always requires dry run first. Paid confirmation remains exactly SUBMIT_ONE_PAID_TASK.

Appendix C — Token / Cost Reference Card

BytePlus Console Billing remains the final source of truth. The local ledger is creator tracking only. This is a tracking example, not a future price guarantee. Always trust current BytePlus Console billing.

Resolution	Projected Tokens	Rule
720p	324000	Use for testing and normal iteration
1080p	801900	Use only for final/high-value scenes

Token Pack Example

Field	Value
Pack	7M
Quantity	1M x 7
Total tokens	7,000,000
Total price	\$30.10
Effective rate	\$4.30/M
Validity	90 days

Tracking rules:

- Do not log dry runs as paid usage.
- Do not log usage twice.
- Mark token source as actual or estimated.
- Verify final spend in BytePlus Console Billing.

Appendix D — Seedance Dashboard Field Reference

The dashboard is local-only at 127.0.0.1:8765.

Field	Purpose	Rule
Scene idea	Short production summary	Use locked concept title/summary
Final Seedance prompt	Approved Chapter 8 prompt	Must stay under 3500 characters
Reference Image URL 1	Master identity/environment	Required for normal production
Reference Image URL 2	Storyboard/motion guide	Optional; guide only
Storyboard warning checkbox	Confirms Image 2 contamination risk	Required if Image 2 is used
Non-WSTV host checkbox	Acknowledges external reference host risk	Use only when needed
Output filename	Local output name	Scene-specific, descriptive
Resolution	Generation resolution	720p for testing
Max cost USD	Creator-approved cap	Verify before paid submit
Dry run	Local validation	Makes no paid request
Safe Mode	Paid safety control	ON by default
Paid confirmation	Manual paid gate	Exactly SUBMIT_ONE_PAID_TASK
QA checklist	Creator review aid	Complete after video generation
Cost/budget tracker	Local creator tracking	Console Billing remains final
Add token pack	Record resource pack	Stores safe tracking data only
Add manual console usage	Backfill verified usage	Avoid duplicates

Never use the dashboard as a public service. Do not paste private dashboard data into AI.

Appendix E — Multi-AI Compatibility Notes

The playbook works with ChatGPT, Claude, DeepSeek, Gemini, and Grok because the prompts are plain text and tool-neutral.

WSTV DATA SAFETY RULES

- Do not paste API keys into AI.
- Do not paste signed URLs into AI.
- Do not paste private task JSON into AI.
- Do not paste MP4 links or generated video files into AI unless explicitly needed for review and safe.
- Do not commit .env, data/, outputs/, private responses, or dashboard-generated files.
- Save only safe production notes, prompts, verdicts, and public-facing social copy.

AI	What To Paste	What To Avoid	Best Use
ChatGPT	One chapter prompt block and locked notes	Private dashboard data	Iteration, repair, social packs
Claude	Longer context blocks and tables	Asking for too many chapters at once	Drafting and consistency checks
DeepSeek	Structured prompts and scoring tables	Ambiguous safety wording	Scoring and compression
Gemini	Prompt blocks plus concise context	Overloaded reference details	Summaries and alternate ideas
Grok	Short task blocks and clear outputs	Loose tone requests	Fast idea variations

What To Paste

- Current step prompt.
- Locked concept.
- Realism fact sheet.
- Safe master image description.
- Safe storyboard summary.
- Final prompt text.
- Safe QA notes.

What To Avoid

- API keys.
- Private JSON.
- Signed URLs.
- MP4 links.

- Anything under data/.
- Dashboard logs that include private details.
- Requests to skip gates.

Resume A Session

Resume my WSTV production from the last locked step.
Last locked step: [STEP]
Safe locked notes: [PASTE NOTES]
Identify the next step, produce only that output, and stop at the next gate.

Ask For Shorter Output

Rewrite shorter. Keep the same safety rules, gate result, and copy-ready prompt.
Remove extra explanation.

Ask For Chapter-By-Chapter Output

Generate only Chapter [NUMBER]. Use the WSTV chapter format: Purpose, What AI does, What creator does, Copy This Into AI, checklist, common mistakes, fix/retry prompt, next action. Stop after this chapter.

Appendix F — Master Prompt Template Index

Template	Location
Idea generator	Chapter 3
Category-specific idea prompts	Chapter 3 and Chapter 17
Scoring prompt	Chapter 4
Realism prompt	Chapter 5
Geography/environment lock prompt	Chapter 5
Master image prompt	Chapter 6
Master image QA	Chapter 6
Storyboard prompt	Chapter 7
Storyboard QA	Chapter 7
Final Seedance prompt	Chapter 8
Compressor	Chapter 8
Prompt auditor	Chapter 8 and Chapter 19
Dry-run checklist/helper	Chapter 9
Paid gate readiness review	Chapter 10
Video QA	Chapter 11
Repair prompts	Chapter 11 and Chapter 18
CapCut checklist/edit plan	Chapter 12
Social pack	Chapter 13
Comment replies	Chapter 14
Token/cost tracking	Chapter 15
Archive note	Chapter 16
Build prompt from scratch	Chapter 19

END OF WSTV WILDLIFE AI VIDEO PLAYBOOK FINAL