

Bahari Hai Anti-Poaching

Workflow User Guide

Marine Patrol Dashboard & Report

Powered by Ecoscope · Wildlife Dynamics

This guide covers getting access to EcoScope and running the BH Anti-Poaching Workflow — which transforms coastal and marine patrol data into a comprehensive anti-poaching and patrol effort report, interactive dashboard, and geospatial hotspot maps.

Overview

The **BH Anti-Poaching Workflow** processes patrol findings from the Bahari Hai coastal area to produce a structured patrol report and interactive dashboard. It analyses patrol effort by transport type, illegal activity patterns, village and sector summaries, and temporal trends.

The workflow analyses:

- **Patrol Effort** — counts, hours, and incident rates by year and transport type (Boat / Foot / Vehicle).
- **Illegal Activities** — Mangrove Logging, Poaching, Illegal Fishing, Damaging Coral, and Arrests.
- **Evidence Breakdowns** — detailed counts for mangrove logging, poaching gear, and illegal fishing evidence.
- **Village & Sector Summaries** — proportional effort, arrests, and top-5 village rankings.
- **Temporal Trends** — year, quarter, and monthly time-series charts.
- **9 Geospatial Maps** — illegal events, patrol effort (weighted/standardised/ecograph), and 5 activity-specific hotspot maps.
- **Automated Word Report** (patrol_report.docx) and **Interactive Dashboard** filterable by Year.

Getting Started with EcoScope

EcoScope is a free, open-source data analytics and reporting platform that turns conservation data into action. You can use it as a **web app** in any browser or install the **desktop app** on your computer. Access is by request — follow the steps below to sign up.

A Request an EcoScope account

Submit the sign-up form — each request is reviewed individually by the EcoScope support team. Once your account is ready you will receive login instructions by email.

Fill in: **Email Address**, **Organization**, **EarthRanger Site**, **Country**, and **Contact Name**.

[Click here to sign up for EcoScope](https://docs.google.com/forms/.../viewform) (docs.google.com/forms/.../viewform)

Once your account is active, choose how you want to access EcoScope:

Option	URL	Best for
Web App	app.ecoscope.io/login	Quick access from any browser — no installation needed
Desktop App	app.ecoscope.io/download	Faster performance and offline capability — recommended for running workflows

B Download and install EcoScope Desktop (recommended)

Go to app.ecoscope.io/download and download the installer for your operating system (macOS or Windows). Run the installer — no additional configuration is required.

Launch **EcoScope Desktop** and log in with the credentials you received by email after your sign-up request was approved.

C Or log in via the web app

Navigate to app.ecoscope.io/login in any modern browser and enter your credentials. All workflow features are available in the web app.

■ If you have already submitted the sign-up form for a user, do not submit it again — the support team will follow up by email once the account is ready.

For help, visit the EcoScope Help Center: earthranger-support.helpjuice.com/en_US/ecoscope


Prerequisites: Connect a Data Source

■ An EcoScope account and an active EarthRanger data source connection are both required before running any workflow. The data source only needs to be configured once.

If you have already connected your EarthRanger site, skip to Step 1.

A Open the Data Sources tab

Click **Data Sources**, then click **Connect Data Source**.




The Data Sources tab — click Connect Data Source.

B Select EarthRanger

Click **EarthRanger** in the Select Data Source Type dialog.

C Enter your credentials and connect

Fill in Data Source Name, EarthRanger URL, Username, and Password, then click **Connect**.



Select EarthRanger as the data source type.

Enter credentials and click Connect.

Credentials are not validated at setup time — authentication errors only appear when a workflow runs.

About the Data

This workflow currently runs on a **static CSV dataset covering patrol records from 2021 to 2024**. The data is not a live feed — it is a curated historical snapshot used to produce consistent, reproducible reports for the Bahari Hai programme.

Extending the dataset

The simplest way to bring in newer records is to **update the patrol CSV file** that the workflow reads. Replace or append rows in the CSV to cover the additional period you want to analyse, then re-run the workflow over the new time range. No code changes are required — only the data file needs to change.

■ **The CSV must maintain the same column structure as the original. Adding or renaming columns will cause the workflow to fail.**

Migrating to a live EarthRanger connection

If your team has **fully migrated patrol data collection to EarthRanger**, the workflow can be reconfigured to fetch data directly from your ER site instead of a local CSV. This means every run will automatically pull the latest patrol records without any manual file management.

To make this switch, contact the Wildlife Dynamics team or raise a request via the EcoScope Help Center. The team will update the workflow's data-source task to point at your ER instance and retire the CSV dependency. Once connected, the workflow behaves identically — just with live, always-up-to-date data.

■ **Already on EarthRanger? Reach out early — migrating the data source is straightforward and unlocks real-time reporting for all future runs.**

Step-by-Step Configuration

1 Add the Workflow Template

Click **Workflow Templates** → **Add Workflow Template**. Paste:

`https://github.com/wildlife-dynamics/bh_antipoaching.git`


Click **Add Template**.

The screenshot shows the 'Add Workflow Template' dialog in the EcoScope interface. At the top, there is a navigation bar with 'ECOSCOPE PREVIEW' and tabs for 'My Workflows', 'Workflow Templates', and 'Data Sources'. The main title of the dialog is 'Add Workflow Template', with a 'Back to Library' button in the top right corner. Below the title, there is a 'Github Link' label and a text input field containing 'com/wildlife-dynamics/bh_antipoaching.git'. To the right of the input field is a 'Browse Catalog' button. Below the input field, there is an 'Add Template' button and a 'Cancel' button. At the bottom right, there is a link that says 'Import a Local Folder'.

Pasting the *bh_antipoaching* GitHub URL into the Add Workflow Template page.

2 Select the Workflow

Click the **bh_antipoaching** card to open the configuration form.



The *bh_antipoaching* workflow card in the Workflow Templates list.

3 Set Workflow Details and Time Range

The form has three sections. Fill in the top two:

- **Workflow Name** — e.g. Bahari Hai Anti-Poaching – Q2 2026
- **Timezone / Since / Until** — define the analysis period

The screenshot shows a web form with a sidebar on the left and two main sections on the right. The sidebar contains three links: 'Set Workflow Details', 'Define analysis time range', and 'Define temporal groupers'. The first section, 'Set Workflow Details', has a subtitle 'Add information that will help to differentiate this workflow from another.' and two input fields: 'Workflow Name*' and 'Workflow Description'. The second section, 'Define analysis time range', has a subtitle 'Choose the period of time to analyze.' and three input fields: 'Timezone*' (a dropdown menu showing 'Africa/Nairobi (UTC+03:00)'), 'Since*' (a date/time field showing '09/05/2026, 00:00'), and 'Until*' (a date/time field showing '08/06/2026, 23:59').

Set Workflow Details

Define analysis time range

Define temporal groupers

Set Workflow Details

Add information that will help to differentiate this workflow from another.

Workflow Name*

Workflow Description

Define analysis time range

Choose the period of time to analyze.

Timezone *

Africa/Nairobi (UTC+03:00)

Since *

09/05/2026, 00:00

The start time

Until *

08/06/2026, 23:59

The end time

Set Workflow Details and Define analysis time range — note the third section: Define temporal groupers.

4 Define Temporal Groupers — Group the Dashboard by Year

Scroll to the **Define temporal groupers** section.

■ Always configure this step — leaving it blank merges all years into one combined view, making year-by-year comparison impossible.

Follow these three sub-steps:

a Click Add


Click the **+ Add** button.

b Leave Group by as 'Category' (default)


Do not change the **Group by** dropdown — leave it as **Category**.

c Set Category to 'Year', then click Submit

In the **Category** dropdown, select **Year**, then click **Submit**.



The Define temporal groupers section — click Add to begin.



Leave Group by as Category, set Category to Year, then click Submit.

Outputs

Patrol charts and tables:

Output	Description
patrol_summary.*	Multi-year patrol counts, hours, and incidents table
patrols / hours / incidents per year.*	Line charts — patrol trends over time
village_summary.*	Patrol summary by village
patrol_effort_by_transport.*	Stacked bar — patrol hours by Boat/Foot/Vehicle

Illegal activity charts:

Output	Description
illegal_activity_summary / donut.*	Summary dashboard and donut chart
mangrove / poaching / fishing_evidence.*	Evidence breakdown per activity
illegal_events_by_sector.*	Stacked bar — events by sector
arrests_by_village.*	Arrests by village
top_villages_category / monthly.*	Top 5 villages by category and monthly trend

Geospatial maps:

Output	Description
illegal_events / weighted_effort / standardised_rate / ecograph map.*	Patrol and event density maps (4 maps)
mangrove / poaching / illegal_fishing / arrests / poached_turtles map.*	Activity-specific hotspot maps (5 maps)
patrol_report.docx	Complete Word report with all visuals embedded

For support, visit: earthranger-support.helpjuice.com/en_US/ecoscope