MNC Logistics Report — User Guide

This guide walks you through configuring and running the MNC Logistics Report workflow, which processes balloon landing, airstrip operations, and airstrip maintenance events from EarthRanger to produce tabular CSV reports.

Overview

The workflow delivers, for each run:

- **balloon_landing_by_date.csv** — daily passenger counts grouped by balloon company and lodge
- **airstrip_arrivals_and_departure.csv** — total client counts per camp/lodge pivoted by arrival and departure direction
- **airstrip_maintenance_table.csv** — dated log of airstrip maintenance activities

---

Prerequisites

Before running the workflow, ensure you have:

- Access to an **EarthRanger** instance with `balloon_landing`, `airstrip_operations`, and `airstrip_maintenance` events recorded for the analysis period

---

Step-by-Step Configuration

Step 1 — Add the Workflow Template

In the workflow runner, go to **Workflow Templates** and click **Add Workflow Template**. Paste the GitHub repository URL into the **Github Link** field:

```
https://github.com/wildlife-dynamics/mnc_logistics_report.git
```

Then click **Add Template**.



Add Workflow Template

Step 2 — Configure the EarthRanger Connection

Navigate to **Data Sources** and click **Connect**, then select **EarthRanger**. Fill in the connection form:

Field	Description
Data Source Name	A label to identify this connection (e.g. `Mara North Conservancy`)
EarthRanger URL	Your instance URL (e.g. `your-site.pamdas.org`)
EarthRanger Username	Your EarthRanger username
EarthRanger Password	Your EarthRanger password

> Credentials are not validated at setup time. Any authentication errors will appear when the workflow runs.

Click **Connect** to save.



EarthRanger Connection

Step 3 — Select the Workflow

After the template is added, it appears in the **Workflow Templates** list as **mnc_logistics_report**. Click the card to open the workflow configuration form.



Select Workflow Template

Step 4 — Configure Workflow Details, Time Range, and EarthRanger Connection

The configuration form has three sections on a single page.

Set workflow details

Field	Description
Workflow Name	A short name to identify this run

Field	Description
Workflow Description	Optional notes (e.g. reporting month or site)

Time range

Field	Description
Timezone	Select the local timezone (e.g. `Africa/Nairobi UTC+03:00`)
Since	Start date and time — all logistics events from this point are fetched
Until	End date and time of the analysis window

Connect to ER

Select the EarthRanger data source configured in Step 2 from the **Data Source** dropdown (e.g. `Mara North Conservancy`).

Once all three sections are filled, click **Submit**.



Configure Workflow Details, Time Range, and Connect to ER

Running the Workflow

Once submitted, the runner will:

1. Fetch all events for the analysis period from EarthRanger; extract the date from each event's timestamp; add a temporal index.
2. Filter `balloon_landing` events; flatten event details; rename and clean fields; compute daily passenger totals per balloon company and lodge; save as `balloon_landing_by_date.csv`.

3. Filter `airstrip_operations` events; flatten event details; rename and clean fields; compute total clients per camp/lodge; pivot by arrival/departure direction; save as `airstrip_arrivals_and_departure.csv`.
4. Filter `airstrip_maintenance` events; flatten event details; rename maintenance type to activity; retain only date and activity columns; save as `airstrip_maintenance_table.csv`.
5. Save all outputs to the directory specified by `ECOSCOPE_WORKFLOWS_RESULTS`.

Output Files

All outputs are written to `$ECOSCOPE_WORKFLOWS_RESULTS/`.

File	Description
`balloon_landing_by_date.csv`	Daily passenger totals by balloon company and lodge
`airstrip_arrivals_and_departure.csv`	Total clients per camp/lodge pivoted by arrival and departure
`airstrip_maintenance_table.csv`	Dated log of airstrip maintenance activity types