```
Registered S3 methods overwritten by 'ggplot2':
method   from
[.quosures   rlang
c.quosures   rlang
print.quosures rlang
```

**Elk**

```
Warning: Removed 35 rows containing non-finite values (stat_bin).
```



winter dAbsAng

## Warning: Removed 1 rows containing non-finite values (stat_bin).

winter predatorRSF

## Warning: Removed 1 rows containing non-finite values (stat_bin).

winter preyRSF

winter dyadDist

winter dSI

col

winter di



```
Warning: Removed 28 rows containing non-finite values (stat_bin).
```

spring dAbsAng

col

spring dSI

spring predatorRSF

spring preyRSF

spring dyadDist

spring dSI

spring di



```
season   V1
<char> <num>
1: winter   1
2: winter   1
3: winter   1
4: winter   1
5: winter   1
6: winter   1
7: winter   1
8: spring   1
9: spring   1
10: spring   1
11: spring   1
12: spring   1
13: spring   1
14: spring   1
```

**Caribou**

## Warning: Removed 133 rows containing non-finite values (stat_bin).

spring dAbsAng

spring dSI



```
## Warning: Removed 3 rows containing non-finite values (stat_bin).
```

spring predatorRSF

## Warning: Removed 3 rows containing non-finite values (stat_bin).

spring preyRSF

spring dyadDist

spring dSI

col

spring di

## Warning: Removed 130 rows containing non-finite values (stat_bin).

winter dAbsAng

winter dSI

winter predatorRSF

winter preyRSF

winter dyadDist

winter dSI

winter di


```
##      season     V1
##      <char> <num>
##  1: spring      1
##  2: spring      1
##  3: spring      1
##  4: spring      1
##  5: spring      1
##  6: spring      1
##  7: spring      1
##  8: winter      1
##  9: winter      1
## 10: winter      1
## 11: winter      1
## 12: winter      1
## 13: winter      1
## 14: winter      1
```