

Supplement 3: Foraging landscape efficiency model results and sensitivity analysis

The ecology of individual differences empirically applied to space-use and movement tactics

Quinn M. R. Webber^{1,*}, Michel P. Laforge^{2,*,+}, Maegwin Bonar², Alec L. Robitaille², Christopher Hart², Sana Zabihi-Seissan², Eric Vander Wal^{1,2}.

1. Cognitive and Behavioural Ecology Interdisciplinary Program, Memorial University of Newfoundland, St. John's, Newfoundland, Canada
2. Department of Biology, Memorial University of Newfoundland, St. John's, Newfoundland, Canada

* These authors contributed equally to the preparation of this manuscript.

+ Corresponding author e-mail: m.laforge@mun.ca

The American Naturalist

Supplement 3: Foraging landscape efficiency model results and sensitivity analysis

Table S3.1: Beta coefficients and 95% confidence interval (CI) for model of forage habitat selection efficiency for caribou in Newfoundland as a function of area-restricted search, range-use ratio and forage patch heterogeneity.

Variable	Estimate	95 % CI	
		Lower	Upper
Intercept	0.193	0.180	0.207
First passage time	0.010	0.001	0.019
Heterogeneity	0.030	0.023	0.037
Range-use ratio	0.015	0.008	0.022
First Passage time \times heterogeneity	0.005	-0.001	0.012
Heterogeneity \times range-use ratio	0.011	0.004	0.017




Figure S3.1: Sensitivity analysis for percentile of the landscape that is designated as high-quality patch for patch use models to predict the effect of first-passage time and forage patch aggregation (Moran's I) and range-use ratio and forage patch aggregation on foraging efficiency for caribou (*Rangifer tarandus*, $n = 129$) in Newfoundland. Top two rows represent the response to first-passage time, bottom two rows represent response to range-use ratio (the other variable is held at its mean). Cell values represent the relative proportion of time an individual spends in high quality foraging habitat (the top x% of mean values of instantaneous rate of growth). Note, 20% of the landscape was designated as high-quality patch for all results displayed in the main text.