

# Cucumber Report

11-Sep-2025, 3:25:56 PM

**Start : Sep 11, 3:24:01.723 PM**

**End : Sep 11, 3:25:52.601 PM**

**Duration : 1 m 50.878 s**

Features







PASSED - 0  
FAILED - 2  
SKIPPED - 0

Scenarios

PASSED - 6  
FAILED - 2  
SKIPPED - 0

Steps

PASSED - 36  
FAILED - 2  
SKIPPED - 2




<b>Feature</b>		<b>Scenario</b>				<b>Step</b>			
<b>Name</b>	<b>Duration</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>Validating the Car Name and Price</u>	1 m 2.261 s	4	3	1	0	20	18	1	1
<u>Validating the Car Title</u>	48.524 s	4	3	1	0	20	18	1	1

#	Feature Name	Scenario Name
1	<u>Validating the Car Name and Price</u>	<i>Testing to check wheather the Car Name and Price is retrieved</i>
2	<u>Validating the Car Title</u>	<i>Testing to check wheather the correct title is retrieved</i>




#	Feature Name	T	P	F	S	Duration
1	<u>Validating the Car Name and Price</u>	4	3	1	0	1 m 2.261 s
2	<u>Validating the Car Title</u>	4	3	1	0	48.524 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validating the Car Name and Price</u>	<u>Testing to check wheather the Car Name and Price is retrieved</u>	5	5	0	0	16.569 s
2		<u>Testing to check wheather the Car Name and Price is retrieved</u>	5	5	0	0	12.805 s
3		<u>Testing to check wheather the Car Name and Price is retrieved</u>	5	5	0	0	13.013 s
4		<u>Testing to check wheather the Car Name and Price is retrieved</u>	5	3	1	1	19.671 s
5	<u>Validating the Car Title</u>	<u>Testing to check wheather the correct title is retrieved</u>	5	5	0	0	9.671 s
6		<u>Testing to check wheather the correct title is retrieved</u>	5	5	0	0	10.044 s
7		<u>Testing to check wheather the correct title is retrieved</u>	5	5	0	0	9.783 s
8		<u>Testing to check wheather the correct title is retrieved</u>	5	3	1	1	18.927 s

## Validating the Car Name and Price




## Testing to check wheather the Car Name and Price is retrieved




#	Step / Hook Details	Status	Duration
1	Given The user landed on the New Car page	PASSED	0.004 s
2	When The user mouse over on the NewCar and click on FindNewCar	PASSED	0.101 s
3	Then The user should land to the NewCar page	PASSED	0.914 s
4	And The user clicks on the brand "Hyundai" car	PASSED	0.575 s
5	Then The user should land on "Hyundai" Car page to fetch the CarName and Price	PASSED	2.978 s

## Testing to check wheather the Car Name and Price is retrieved




#	Step / Hook Details	Status	Duration
1	Given The user landed on the New Car page	PASSED	0.005 s
2	When The user mouse over on the NewCar and click on FindNewCar	PASSED	0.017 s
3	Then The user should land to the NewCar page	PASSED	0.787 s
4	And The user clicks on the brand "Tata" car	PASSED	0.674 s
5	Then The user should land on "Tata" Car page to fetch the CarName and Price	PASSED	2.166 s

### Testing to check wheather the Car Name and Price is retrieved



#	Step / Hook Details	Status	Duration
1	Given The user landed on the New Car page	PASSED	0.004 s
2	When The user mouse over on the NewCar and click on FindNewCar	PASSED	0.014 s
3	Then The user should land to the NewCar page	PASSED	0.903 s
4	And The user clicks on the brand "Kia" car	PASSED	0.605 s
5	Then The user should land on "Kia" Car page to fetch the CarName and Price	PASSED	1.696 s

### Testing to check wheather the Car Name and Price is retrieved




#	Step / Hook Details	Status	Duration
1	Given The user landed on the New Car page	PASSED	0.053 s
2	When The user mouse over on the NewCar and click on FindNewCar	PASSED	0.007 s
3	Then The user should land to the NewCar page	PASSED	0.782 s
4	And The user clicks on the brand "Skoda" car  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="roots"]/div[2]/div/section[2]/div/div/div[1]/div/ul/li[7]/a/div[2]"} (Session info: chrome=139.0.7258.157) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.18' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [86fd52a7c8dbce620b266db86bc21cf2, findElement {value=//*[@id="roots"]/div[2]/div/section[2]/div/div/div[1]/div/ul/li[7]/a/div[2], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.157, chrome: {chromedriverVersion: 139.0.7258.154 (9e0d6b2b47f..., userDataDir: C:\Users\wilfr\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62421}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62421/devtoo..., se:cdpVersion: 139.0.7258.157, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 86fd52a7c8dbce620b266db86bc21cf2  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy28.click(Unknown Source) at Pages.NewCarPage.Skoda(NewCarPage.java:38) at StepDefinition.GetCarNameAndPrice.the_user_clicks_on_the_brand_car(GetCarNameAndPrice.java:64) at ?.The user clicks on the brand "Skoda" car(file:///D:/SeleniumLearning/LearningPageObjectModelCucumber/.src/test/resources/Features/GetCarNameAndPrice.feature:8) * Not displayable characters are replaced by '?'.	FAILED	10.532 s
	AFTER_STEP - Hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.477 s

#	Step / Hook Details	Status	Duration
	<b>Failure Screenshot</b> 		
5	Then The user should land on "Skoda" Car page to fetch the CarName and Price	SKIPPED	0.002 s

## Validating the Car Title




## Testing to check wheather the correct title is retrieved




#	Step / Hook Details	Status	Duration
1	Given The user landed on the home page	PASSED	0.002 s
2	When The user clicks on the NewCar	PASSED	0.869 s
3	Then The user should navigate to the NewCar page	PASSED	0.001 s
4	And The user clicks on the "Hyundai" car	PASSED	0.514 s
5	Then The user should navigate to the "Hyundai Cars" page	PASSED	0.475 s

## Testing to check wheather the correct title is retrieved




#	Step / Hook Details	Status	Duration
1	Given The user landed on the home page	PASSED	0.001 s
2	When The user clicks on the NewCar	PASSED	1.012 s
3	Then The user should navigate to the NewCar page	PASSED	0.001 s
4	And The user clicks on the "Tata" car	PASSED	0.518 s
5	Then The user should navigate to the "Tata Cars" page	PASSED	0.559 s

### Testing to check wheather the correct title is retrieved




#	Step / Hook Details	Status	Duration
1	Given The user landed on the home page	PASSED	0.002 s
2	When The user clicks on the NewCar	PASSED	0.838 s
3	Then The user should navigate to the NewCar page	PASSED	0.001 s
4	And The user clicks on the "Kia" car	PASSED	0.567 s
5	Then The user should navigate to the "Kia Cars" page	PASSED	0.609 s

### Testing to check wheather the correct title is retrieved



#	Step / Hook Details	Status	Duration
1	Given The user landed on the home page	PASSED	0.004 s
2	When The user clicks on the NewCar	PASSED	0.728 s
3	Then The user should navigate to the NewCar page	PASSED	0.001 s
4	<p>And The user clicks on the "Skoda" car</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="roots"]/div[2]/div/section[2]/div/div/div[1]/div/ul/li[7]/a/div[2]"} (Session info: chrome=139.0.7258.157) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element- exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java. version: '11.0.18' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [985603a3fe598ad40419435feeb44d53, findElement {value=//*[@id="roots"]/div[2]/div/section[2]/div/div/div[1]/div/ul/li[7]/a/div[2], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.157, chrome: {chromedriverVersion: 139.0.7258.154 (9e0d6b2b47f..., userDataDir: C:\Users\wilfr\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58852}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58852/devtoo..., se:cdpVersion: 139.0.7258.157, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 985603a3fe598ad40419435feeb44d53 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</pre>	FAILED	10.196 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy28.click(Unknown Source) at Pages.NewCarPage.Skoda(NewCarPage.java:38) at StepDefinition.GetTitle.the_user_clicks_on_the_car(GetTitle.java:66) at ?.The user clicks on the "Skoda" car(file:///D:/SeleniumLearning/LearningPageObjectModelCucumber/.src/test/resources/Features/GetTitle.feature:8) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - Hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>Failure Screenshot</p> 	PASSED	0.408 s
5	Then The user should navigate to the "Skoda Cars" page	SKIPPED	0.001 s