[17] Amir Hossein Khalili and Shohreh Kasaei , Object Modeling for Multicamera Correspondence Using Fuzzy Region Color Adjacency Graphs ed. Springer Berlin Heidelberg, Advances in Computer Science and Engineering 2009

Springer Sci-

Algorithm Using Eye-RIS Vision System on a Mobile Robot ed.

ence+Business Media, LLC 2010

- [18] Emre Oto, Frances Lau, and Hamid Aghajan, Color-Based Multiple Agent Tracking for Wireless Image Sensor Networks ed. Proceedings of the 8th international conference on Advanced Concepts For Intelligent Vision Systems, Springer-Verlag, 2006
- [19] Yildiz, Alparslan and Akgul, YusufSinan, A Fast Method for Tracking People with Multiple Camens ed. Trends and Topics in Computer Vision, Springer Berlin Heidelberg, 2012
 [20] Santos, Thiago T. and Morimoto, Carlos H., Multiple camera people detection

and tracking using support integration ed. Journal Pattern Recognition Let-

- ters, SElsevier B.V., 2011

 [21] Hofmann, M., Wolf, D., & Rigoll, G. (2013). Hypergraphs for Joint Multi-view Reconstruction and Multi-object Tracking. 2013 IEEE Conference on Computer Vision and Pattern Recognition, 36503657. doi:10.1109/CVPR.2013.468
- [22] L. Leal-Taixe, G. Pons-Moll, and B. Rosenhahn. Branch-and-price global optimization for multi-view multi-object tracking. In 2012 IEEE Conference on Computer Vision and Pattern Recognition, June 2012
- Computer Vision and Pattern Recognition, June 2012

 [23] Bilir, S. C., & Yemez, Y. (2012). Non-rigid 3D shape tracking from multiview video. Computer Vision and Image Understanding, 116(11), 11211134.
- view video. Computer Vision and Image Understanding, 116(11), 11211134.
 doi:10.1016/j.cviu.2012.07.001
 [24] Tzevanidis, K., & Argyros, A. (2011). Unsupervised learning of background modeling parameters in multicamera systems. Computer Vision and Image Understanding.

standing, 115(1), 105116. doi:10.1016/j.cviu.2010.09.003