


[illegible]


CONTACT US at wavuserhelpdesk@hotmail.com

System Requirements • Microsoft® Windows® XP, Windows® Vista, Windows® 7, Windows® 8 • Pentium 4 Processor with 1 GB RAM or more • OpenGL 1.1 or higher compatible video card supporting S3TC texture compression • Screen resolution of 1024x768 pixel or more • 250 MB hard disc space • Internet Connection recommended (for product activation, online weather/NOTAMs, program updates) • Operating system: Windows XP / VISTA / 7 / 8 In addition, wav Dispatch Centre is able to provide routes in formats compatible

Installation Before installing wav Dispatch Centre read the End User License Agreement (EULA) carefully. wav Dispatch Centre comes as a Microsoft® Windows® 32bit and 64bit executable



installation package including an uninstall function. Execute the installer file and follow the instructions on the screen. Product Activation When starting , wav Dispatch Centre for the first time a product activation is required to verify the validity of the licence key. An internet connection is recommended for product activation. Optionally activation via Email is available for devices without internet connection. Note: During the initial activation process a user name is associated with your license key. The user name cannot be modified



The screenshot shows a window titled "wav Virtual Dispatcher" with a standard Windows interface (minimize, maximize, close buttons). The window has a title bar and a main content area. The title bar includes the text "wav Virtual Dispatcher" and a small icon of a computer monitor. The main content area is titled "Customer Information" and contains two sections. The first section is titled "Enter your name in the box below. The installer will use this information for subsequent installations." and contains a text box labeled "Name:" with the text "Lorcan" entered. The second section is titled "Enter your serial number below. The installer will use this information for subsequent installations." and contains a text box labeled "Serial number:" with three empty boxes separated by hyphens. At the bottom of the window, there are three buttons: "< Back", "Next >" (which is highlighted with a blue border), and "Cancel".

Wav Virtual is a Virtual Airline that supports users of Microsoft™ Flight Simulator 2004, Microsoft™ FSX & FSX SE (also known as FS9 and FSX/FSX Steam Edition), Prepar3D and X-Plane andmsf2020 on the Microsoft Windows platform only. Windows versions 7 and 10 are supported

if you have wav Account please enter your
username and password

if not have wav Account please go to
www.willairwayvirtual34.com/Create an Account
login with wav Account

wav Dispatch Center login

Welcome to the wav Dispatch Center

If you have wav Account please enter your username and password

USERNAME

PASSWORD

☐ Remember me

login

let's dispatch this flight

Put all Flight Information in the to all box

wav Dispatch Center

exit new open save print about

go to the Flight Briefing browser

Flight Info

AircraftType

PAYLOAD

Route

alternates

complete flight

export flight paln

expot to pmdg	expot to pmdg p3d	expot to qualitywingsaim 787	expot to qualitywingsaim 787 p3d	expot to aerosoft Airbus family	expot to aerosoft Airbus family p3d
expot to vatsim	expot to projectFLY	expot to mfs20020			

Flight Dispatch Centre

Welcome to Flight Dispatch Center

Please enter flight number

1 / 1

SAP CRYSTAL REPORTS

Main Report


ope		Flight Briefing Package		14/09/202		ett	
type	airct	registration					
airline wav2	flight wav2	CALLSIGN	123	DEP eglll	ARR	eidw	
Takeoff	taxiout	Land	taxiin				
climb	cruise	maxtakeoff	maxlanding				
maxzeroFuel	maxpax	baggage	cargo	zeroFuel	Fuel		
adults	children	infants					
dep atis							
clearance							
Route ergvfdhrg							

Browser Panel .

RouteFinder

browser

finder | flightradar24 | weather1 | weather2 | North Atlantic Tracks

 **RouteFinder**
Basic IFR route generator - free version

Departure : (example: LIRF) / Country Code: (optional)

Destination .. : (example: EGLL) / Country Code: (optional)

Enroute altitude: between and Level: Database:

☒ Use [SIDs](#) ☒ Use [STARs](#) ☒ RNAV equipped ☐ IACAN routes [NAIs](#):

Full version of

// 2019-12-20 22:30 //

The **Flight Planner** has been updated with Eurocontrol validation and a more flexible route generator

Added Garmin Avionics FPL export format


Visit the main [RouteFinder](#) site for more information and subscription

Aircraft:


Automatic Routing
Departure: Destination: Requested FL:

☒ Use SIDs ☒ Use STARs
☒ Use oceanic tracks ☒ Use random routing ☒ Auto RAD/CDR


Manual edit:



Flight Track



Weather



Track Message

North Atlantic Tracks - Last updated at 2020/09/14 11:41 GMT

The following are active North Atlantic Tracks issued by Shanwick Center (EGGX) and Gander Center (CZQX). Any NOTAMs pertaining to these tracks (waypoint changes, procedures) will be found by searching the ARTCC NOTAMs under Shanwick Center (EGGX), Gander Center (CZQX), Boston Center (KZBW) and New York Center (KZNY).

132000 EGGXZ0ZX
(NAT-1/1 TRACKS FLS 310/390 INCLUSIVE
SEP 14/1130Z TO SEP 14/1900Z
PART ONE OF ONE PART-
A DINIM 51/20 50/30 47/40 44/50 BOBTU JAROM
EAST LVLS NIL
WEST LVLS 330 350 370 390
EUR RTS WEST NIL
NAR NIL -
REMARKS.
1. TMI IS 258 AND OPERATORS ARE REMINDED TO INCLUDE THE
TMI NUMBER AS PART OF THE OCEANIC CLEARANCE READ BACK.
2. NON-DLM COMPLIANT AIRCRAFT ARE TEMPORARILY PERMITTED IN NAT
AIRSPACE BETWEEN FL290-FL410 AS PER NOTAM G0095/20.
3. PBCS OTS LEVELS 350-390. PBCS TRACKS AS FOLLOWS
NO ASSIGNED PBCS TRACKS
END OF PBCS OTS
4. FOR STRATEGIC LATERAL OFFSET AND CONTINGENCY PROCEDURES FOR OPS IN
NAT FLOW REFER TO NAT PROGRAMME COORDINATION WEBSITE
WWW.PARIS.ICAO.INT.
SLOP SHOULD BE STANDARD PROCEDURE, NOT JUST FOR AVOIDING WX/TURB.
5. 80 PERCENT OF GROSS NAVIGATION ERRORS RESULT FROM POOR COCKPIT
PROCEDURES. CONDUCT EFFECTIVE WAYPOINT CHECKS.
6. OPERATORS ARE REMINDED THAT CLEARANCES MAY DIFFER FROM THE
FLIGHT PLAN, FLY THE CLEARANCE.
7. UK AIP. ENR 2.2.4.2 PARA 5.2 STATES THAT NAT OPERATORS SHALL FILE
PRM'S.
8. FLIGHTS REQUESTING WESTBOUND OCEANIC CLEARANCE VIA ORCA DATALINK
SHALL INCLUDE IN RMK/ FIELD THE HIGHEST ACCEPTABLE FLIGHT LEVEL WHICH
CAN

All Route come from Flight finder If you put a Route in Flight Plan database we put for Flight Plan Who next Flight with us this Flight

Dispatch Centre

flight For wav member Account

If you have problem please CONTACT US at

wavuserhelpdesk@hotmail.com