

cyanoMonDocumentation

Bryan

April 29, 2015

To Do List

- Build forms-with data validation steps
- Interface for Phone App
 - Make sure ID structure is the same between database and phoneApp
- Need new relationships figure

Question

- Do we remove the field “filtered”?
- Should we add table for lab results and ancillary data-toxins, nutrients, secchi, etc.?
- How do we keep track of what method was used to enter the data?
- Do we want to keep track of which Fluorometers are used (i.e, assign each unit a code)?
- Do we need to capture information on primary and secondary standards?

Changes for the 2015 database

tblWaterbody * removed field “otherWaterbodyID” * changed commentWB to format “Long Text” to allow for multiple comments

tblStation * removed field “otherStationID” * changed commentSta to format “Long Text” to allow for multiple comments * renamed “stationLocation” to “stationDescription” to match phoneApp

tblSample * added field “sampleRep” to register replicate samples: with default value “primary” and optional value “duplicate”

tblFluorometry * table removed and fields added to tblAnalysis

tblAnalysis * added fields from tblFluorometry - “parameter” - “fluorometerType” - “rep” renamed “analysisRep”: with default value “primary” and optional value “duplicate” - “reading” renamed “valueUGL”
* fields that were not transferred from from tblFluorometry - fluorometryID - commentFluorometry - units

Phone App


- Add field “sampleDate” to tblSample
- Add field “organization” to tblSample
- Add field “fieldCrew” to tblSample
- rename field “time” to “sampleTime” in tblSample
- Check formatting on field “sampleTime”
- Add field “sampleRep” to tblSample: with default value “primary” and optional value “duplicate”
- Add field “analysisRep” to tblAnalysis: with default value “primary” and optional value “duplicate”
- How can we capture the email and phone number for data entered by phoneApp?

Background

- EPA region 1 is coordinating a Cyanobacteria Monitoring Program for the six New England States (CT, MA, ME, NH, RI, & VT)
- Data collection initiated during the summer of 2014
- 2014 data have been collated and standardized
- For future data collection we need a relational database developed for data entry and archiving
- The Database needs to work with a Data Collection Phone App under development
- The database will be created in MSAccess (cyanoMon2015.mdb)

Database Structure

- The relationships between the tables are shown in the figure below



- Each table in the access database (cyanoMon2015.mdb) is described and data definitions are given below

tblWaterbody provides general information on the waterbody and assigns a unique identifier. Ideally we will have this table populated before the field crews go out so that they can select the correct lake from a list. The reality is that we will also need to be able to add lakes on the fly as new lakes are added to the sampling plan. There may be multiple stations for each waterbody.

| Field | Data Type | Description |
|----------------------|--------------|--|
| waterbodyID | Short Text | Primary Key for this table. Unique ID for the Waterbody. Can either be entered by |
| waterbodyName | Short Text | Name of the waterbody |
| state | Short Text | Combo Box (“CT”; “MA”; “ME”; “NH”; “RI”; “VT”): Two letter state abbreviation |
| town | Short Text | Text Box: Closest town to the lake |
| WBID | Long Integer | Text Box: EPA Waterbody Identifier; Not in phoneApp. This field will be populated |
| longitudeWB | Double | Text Box: longitude in decimal degrees (WGS84) of the lake centroid. This field will |
| latitudeWB | Double | Text Box: latitude in decimal degrees (WGS84) of the lake centroid. This field will |

| Field | Data Type | Description |
|-------------------------|------------|---|
| locationSourceWB | Short Text | Combo Box (“WaterbodyDatabase”; “GPS”; “GoogleEarth”; “BingMaps”; “topoMa |
| commentWB | Long Text | Text Box: Additional information or comments |

tblStation within each Waterbody there may be multiple stations. This table provides general information on the station. There may be multiple samples taken from each station.

| Field | Data Type | Description |
|---------------------------|------------|--|
| stationID | Short Text | Primary Key for this table. Unique ID for the Station |
| waterbodyID | Short Text | Lookup primary Key from tblWaterbody |
| stationDescription | Short Text | Text description of the station location |
| stationType | Short Text | List Box/Radio Button (“nearShore”; “offShore”; “other”): Location of the station in r |
| longitudeSta | Double | Text Box: longitude in decimal degrees (WGS84) of the station. Miniumum of 4 decim |
| latitudeSta | Double | Text Box: latitude in decimal degrees (WGS84) of the station. Miniumum of 4 decima |
| locationSourceSta | Short Text | Combo Box (“WaterbodyDatabase”; “GPS”; “GoogleEarth”; “BingMaps”; “topoMap” |
| commentStation | Long Text | Text Box: Additional information or comments |

tblSample for each station within a waterbody there may be multiple sample events. This table provides general information on each sample event. There may be multiple analysis events for each sample event.

| Field | Data Type | Description |
|------------------------------|-------------|--|
| sampleID | Short Text | Primary Key for this table. Unique ID for the sample event |
| stationID | Short Text | Lookup primary Key from tblStation: where was the sample taken? |
| sampleDate | Short Date | Text Box: Date the sample was taken in format MM/DD/YYYY |
| sampleTime | Medium Time | Text Box: Time the sample was taken in format HH:MM AM/PM |
| organization | Short Text | Combo Box (“CRWA”; “CTDEEP”; “MEDEP”; “NHDES”; “RIWW”; “UNH_ |
| fieldCrew | Short Text | Text Box: Names of the field crew separated by commas |
| sampleMethod | Short Text | Combo Box (“Integrated Sampler”): should be Integrated Sampler but other |
| sampleRep | Short Text | Option to choose between “primary” (default) and “duplicate”. Note: a sampl |
| sampleDepthM | Integer | Combo Box (1; 3): Depth (meters) sample was taken. Should be 1 or 3 meter |
| waterTempC | Single | Text Box: Lake water temperature in Celsius |
| weather | Short Text | List Box (“Clear”; “Partly Cloudy”; “Overcast”; “Rain”): Limited choice desc |
| surfaceWaterCondition | Short Text | List Box (“Calm”; “Ripples”; “Choppy”; “White Caps”): Limited choice desc |
| photoSample | Yes/No | Check Box: where photos taken during sampling? |
| commentSample | Long Text | Text Box: Additional information or comments |

tblAnalysis for each sample taken there will be one or more analysis events. This table provides general information on each analysis event.

| Field | Data Type | Description |
|---------------------------|--|---|
| analysisID | Short Text | Primary Key |
| sampleID | Short Text | Lookup primary key |
| analysisDate | Short Date | Text Box: MM/DD/YYYY |
| analystName | Short Text | Text Box: Name |
| frozen | Yes/No | Check Box: Yes/No |
| filtered | Yes/No | Check Box: Yes/No |
| dilution | Short Text | Combo Box: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25, 30, 40, 50, 60, 70, 80, 90, 100 |
| sampleTemperatureC | Single | Text Box: sample temperature in Celsius |
| parameter | Short Text | List Box/Router |
| valueUGL | Single | Text Box: value in UGL |
| analysisRep | Short Text | Option to do repeat analysis |
| fluorometerType | Combo Box: (“Beagle”): this should be a Beagle but user can input other choices. | |
| photoAnalysis | Yes/No | Check Box: Yes/No |
| commentAnalysis | Long Text | Text Box: comment |