ANALYSIS DOCUMENT

南僑 Oracle ERP R12

XXINVP025

組織間庫存移轉出入庫資料寫入 Oracle 程序

Author: Wisdom
Creation Date: 2016/7/31
Last Updated: 2016/11/2

Version: 1.1

Copyright (C) 2011 Ares Corporation

All Rights Reserved

Approvals:

| < Na | amchc | w PM | > | | |
|------|-------|------|---|--|--|
| < Al | RES | PM | > | | |



Copy Number _____

Contributors

| Name | Position |
|------|----------|
| | |
| | |
| | |

Change Record

| Date | Author | Version | Change Reference |
|-----------|--------|---------|------------------|
| 2016/7/31 | Wisdom | 1.0 | New Creation |
| | | | |
| | | | |
| | | | |

Reviewer

| Date | Location | Position |
|------|----------|----------|
| | | |
| | | |
| | | |

Contents

| Overview | 4 |
|----------------------|----|
| Basic Business Needs | |
| Function Flow | 5 |
| Form Layout | |
| Report Parameter | 7 |
| Report Layout | 7 |
| Table & View Used | 8 |
| Field Description | 9 |
| Program Logic | 12 |
| Open/Closed Issues | 13 |
| Open Issues | 13 |
| Close Issues | 13 |

Overview


本程序提供外部系統呼叫,傳入資料列,寫入由PDA掃描OR Code的跨組織移轉交易資料。

Basic Business Needs

- 1 新增暫存檔由 PDA 寫入移轉單號及撿料明細。
- 2 由 PDA 呼叫本程序,可傳入 Oracle 跨組織移轉申請單號(上車及下車)。
- 3 提供由外部系統呼叫本程序檢核處理移轉申請單明細交易。
- 4 寫入跨組織交易紀錄資料表中,後續由組織間移轉出入庫檢核報表抓取資料列印。
- 5 呼叫程序(XXINVP026)逐筆檢核並執行交易,依照傳入之移轉跨組織申請單處理跨組織移轉出貨及 收貨交易。
- 6 將檢核結果更新回跨組織交易紀錄資料表中。
- 7 跨組織移轉必須要有申請單,才能做後續庫存移轉,並更新回跨組織移轉申請單。
- 8 錯誤寫入 XXIFP900 資料處理異常訊息通知程序暫存檔。

Function Flow

(紅色粗框部分代表本客製項目, 黄底部分為本次相關客製)



Form Layout

Nil

Report Parameter

Ni1

Attribute: N:數字, C:文數字, D:日期

I/O/H: I:僅為輸入欄, O:僅為顯示欄, H:隱藏欄位。

Report Layout

Nil

Table & View Used

使用檔案:

| 檔案名稱 (Table or View) | 簡稱 | 中文名稱 | Sel | Ins | Upd | Del | 0th |
|--------------------------------|------|---------------|-----|-----|-----|-----|-----|
| XXINV_SUB_TRX_TEMP | XSTT | 客製組織間移轉交易暫存檔 | V | | V | | |
| XXINV_SUB_TRX_HEADER | XSTH | 客製組織間移轉交易主檔 | V | V | V | V | V |
| XXINV_SUB_TRX_ITEM | XSTI | 客製組織間移轉交易料號明細 | V | V | V | V | V |
| XXINV_SUB_TRX_LINE | XSTL | 客製組織間移轉交易出倉批號 | V | V | V | V | V |
| AATINV_SUB_TRA_LTINE | ASIL | 明細 | V | V | V | V | V |
| MTL_TRANSACTIONS_INTERFACE | MMT | 異動主介面檔 | V | V | | | |
| MTL_TRANSACTION_LOTS_INTERFACE | MTLI | 異動批號介面檔 | V | V | | | |
| RCV_TRANSACTIONS_INTERFACE | RTI | 收料交易介面檔 | V | V | | | |
| RCV_LOTS_INTERFACE | RLI | 收料交易批號介面檔 | V | V | | | |
| XXIFP900_TRANSACTION_LOG | RLI | 資料處理異常訊息檔 | V | V | V | V | V |
| | | | | | · | | |

Field Description

| ul7 | D: -1.1 M | | P: 11 | A | T /O | LOV | D-1- C f F: -1.1 | Additional Department |
|-----|--------------------------------|---|--------|------|------|-----|-------------------------------------|-----------------------------|
| 順 | Field Name | D | Field | | | LOV | Data Source of Field | Additional Description |
| 序 | NIV OUR TRY HEARE | _ | Length | bute | /B | | | |
| | NV_SUB_TRX_HEADE | K | 0 | 0 | | ı | OOD ODGANIZATION CODE | 0 |
| 1. | ORGANIZATION_CO DE | | 3 | С | | | OOD.ORGANIZATION_CODE | Organization_Code |
| 2. | TRANSFER_NUMBE R | | 21 | С | | | XSTH.TRANSFER_NUMBER | TRANSFER_NUMBER |
| 3. | TRANSFER_TYPE | | 20 | С | | | XSTH.TRANSFER_TYPE | TRANSFER_TYPE |
| 4. | TRANSACTION_TYP E_ID | | | Z | | | XSTH.TRANSACTION_TYPE_ID | TRANSACTION_TYPE_ID |
| | TRANSACTION_ACTI | | | Ν | | | XSTH.TRANSACTION_ACTION_ID | TRANSACTION_ACTION_I |
| 6. | TRANSACTION_SOU RCE_TYPE_ID | | | N | | | XSTH.TRANSACTION_SOURCE_ TYPE_ID | TRANSACTION_SOURCE _TYPE_ID |
| | HEADER_ID | | | N | | | XSTH.HEADER_ID | HEADER_ID |
| | FM_ORG_ID | | 3 | С | | | XSTH.FM_ORG_CODE | FM_ORG_CODE |
| | FM_ORG_CODE | | 3 | С | | | XSTH.FM_ORG_CODE | FM_ORG_CODE |
| | TO_ORG_ID | | 3 | С | | | XSTH.TO_ORG_CODE | TO_ORG_CODE |
| 11. | TO_ORG_CODE | | 3 | С | | | XSTH.TO_ORG_CODE | TO_ORG_CODE |
| | FM_SUBINVENTORY _CODE | | 10 | С | | | XSTH.FM_SUBINVENTORY_COD E | FM_SUBINVENTORY_CO DE |
| | TO_SUBINVENTORY _CODE | | 10 | С | | | XSTH.TO_SUBINVENTORY_COD E | TO_SUBINVENTORY_CO DE |
| | TRANSFER_DATE | | | D | | | XSTH.TRANSFER_DATE | TRANSFER_DATE |
| 15. | TRANSACTION_DAT E | | | N | | | XSTH.TRANSACTION_DATE | TRANSACTION_DATE |
| | CAR_NO | | 240 | С | | | XSTH.CAR_NO | CAR_NO |
| 17. | DRIVER | | 240 | С | | | XSTH.DRIVER | DRIVER |
| | REMARK | | 2000 | С | | | XSTH.REMARK | REMARK |
| | CREATED_BY | | | N | | | XSTH.CREATED_BY | CREATED_BY |
| 20. | CREATION_DATE | | | D | | | XSTH.CREATION_DATE | CREATION_DATE |
| | LAST_UPDATED_BY | | | N | | | XSTH.LAST_UPDATED_BY | LAST_UPDATED_BY |
| | LAST_UPDATE_DAT E | | | DATE | | | XSTH.LAST_UPDATE_DATE | LAST_UPDATE_DATE |
| 23. | LAST_UPDATE_LOGI N | | | N | | | XSTH.LAST_UPDATE_LOGIN | LAST_UPDATE_LOGIN |
| XXI | NV_SUB_TRX_ITEM | | | | | | | |
| 24. | HEADER_ID | | | N | | | XSTH.HEADER_ID | HEADER_ID |
| 25. | LINE_ID | | | N | | | XSTH.LINE_ID | LINE_ID |
| 26. | INVENTORY_ITEM_I D | | | N | | | MSIB.INVENTORY_ITEM_ID | INVENTORY_ITEM_ID |
| 27. | ITEM_NUM | | 40 | С | | | MSIB.SEGMENT1 | ITEM_NUM |
| | ITEM_DESCRIPTION | | 240 | С | | | MSIB.DESCRIPTION | ITEM_DESCRIPTION |
| 29. | REQUESTED_UOM | | 10 | С | | | XSTL.REQUESTED_UOM | TRANSACTION_UOM |
| | REQUESTED_QUAN TITY | | | N | | | XSTL.REQUESTED_QUANTITY | REQUESTED_QUANTITY |
| 31. | TRANSACTION_UOM | | 10 | С | | | XSTL.TRANSACTION_UOM | TRANSACTION_UOM |
| 32. | TRANSACTION_QUA NTITY | | 240 | С | | | XSTL.TRANSACTION_QUANTITY | TRANSACTION_QUANTIT Y |
| | CREATED_BY | | | N | | | XSTH.CREATED_BY | CREATED_BY |
| | CREATION_DATE | | | D | | | XSTH.CREATION_DATE | CREATION_DATE |
| | LAST_UPDATED_BY | | | N | | | XSTH.LAST_UPDATED_BY | LAST_UPDATED_BY |
| 55. | | | | . 1 | | | | |

SA_XXINVP025_組織間庫存移轉出入庫資料寫入 Oracle 程序_V1.0.docx Company Confidential-For NAMCHOW INV Customization 9

| 36. LAS | T_UPDATE_DAT | | DATE | XSTH.LAST_UPDATE_DATE | LAST_UPDATE_DATE |
|----------|---------------|-----|------|---------------------------|---------------------|
| 37. LAS | T_UPDATE_LOGI | | N | XSTH.LAST_UPDATE_LOGIN | LAST_UPDATE_LOGIN |
| XXINV_S | SUB_TRX_LINE | | | | |
| 38. HEA | DER_ID | | N | XSTH.HEADER_ID | HEADER_ID |
| 39. LINE | _ID | | N | XSTH.LINE_ID | LINE_ID |
| 40. DET | | | N | XSTH.DETAIL_ID | DETAIL_ID |
| 41. INVE | ENTORY_ITEM_I | | N | MSIB.INVENTORY_ITEM_ID | INVENTORY_ITEM_ID |
| 42. ITEN | M_NUM | 40 | С | MSIB.SEGMENT1 | ITEM_NUM |
| 43. ITEN | M_DESCRIPTION | 240 | С | MSIB.DESCRIPTION | ITEM_DESCRIPTION |
| | QUESTED_UOM | 10 | С | XSTL.REQUESTED_UOM | TRANSACTION_UOM |
| 45. REQ | QUESTED_QUAN | | N | XSTL.REQUESTED_QUANTITY | REQUESTED_QUANTITY |
| 46. TRA | NSACTION_UOM | 10 | С | XSTL.TRANSACTION_UOM | TRANSACTION_UOM |
| NTIT | | 240 | С | XSTL.TRANSACTION_QUANTITY | TRANSACTION_QUANTIT |
| | _NUMBER | 240 | С | XSTL.LOT_NUMBER | LOT_NUMBER |
| 49. CRE | ATED_BY | | N | XSTH.CREATED_BY | CREATED_BY |
| 50. CRE | ATION_DATE | | D | XSTH.CREATION_DATE | CREATION_DATE |
| 51. LAS | T_UPDATED_BY | | N | XSTH.LAST_UPDATED_BY | LAST_UPDATED_BY |
| E | T_UPDATE_DAT | | DATE | XSTH.LAST_UPDATE_DATE | LAST_UPDATE_DATE |
| 53. LAS | T_UPDATE_LOGI | | N | XSTH.LAST_UPDATE_LOGIN | LAST_UPDATE_LOGIN |
| 54. | | | | | |
| 55. | | | | | |
| 56. | | | | | |
| 57. | | | | | |

| | I | | 1 | | | | | |
|-----|--------------------------|-----|--------|-------|-----|-----|----------------------------|------------------------|
| 順 | Field Name | | Field | Attri | I/0 | LOV | Data Source of Field | Additional Description |
| 序 | | Req | Length | bute | /B | | | |
| XXI | NV_SUB_TRX_TEMP | | | | | | | |
| 1. | ORGANIZATION_CO DE | | 3 | С | | | OOD.ORGANIZATION_CODE | Organization_Code |
| 2. | HEADER_ID | | | N | | | XSTH.HEADER_ID | HEADER_ID |
| 3. | LINE_ID | | | N | | | XSTH.HEADER_ID | HEADER_ID |
| 4. | TRANSFER_NUMBE R | | 21 | С | | | XSTH.TRANSFER_NUMBER | TRANSFER_NUMBER |
| 5. | ACTION_CODE | | 20 | С | | | ACTION_CODE | T ACTION_CODE |
| 6. | FM_ORG_ID | | 3 | С | | | XSTH.FM_ORG_CODE | FM_ORG_CODE |
| 7. | FM_ORG_CODE | | 3 | С | | | XSTH.FM_ORG_CODE | FM_ORG_CODE |
| 8. | TO_ORG_ID | | 3 | С | | | XSTH.TO_ORG_CODE | TO_ORG_CODE |
| 9. | TO_ORG_CODE | | 3 | С | | | XSTH.TO_ORG_CODE | TO_ORG_CODE |
| 10. | FM_SUBINVENTORY _CODE | | 10 | С | | | XSTH.FM_SUBINVENTORY_COD E | FM_SUBINVENTORY_CO DE |
| 11. | TO_SUBINVENTORY _CODE | | 10 | С | | | XSTH.TO_SUBINVENTORY_COD E | TO_SUBINVENTORY_CO DE |
| 12. | TRANSFER_DATE | | | D | | | XSTH.TRANSFER_DATE | TRANSFER_DATE |
| 13. | TRANSACTION_DAT E | | | D | | | XSTH.TRANSACTION_DATE | TRANSACTION_DATE |
| 14. | CAR_NO | | 240 | С | | | XSTH.CAR_NO | CAR_NO |

SA_XXINVP025_組織間庫存移轉出入庫資料寫入 Oracle 程序_V1.0.docx Company Confidential-For NAMCHOW INV Customization 10

| 15. | DRIVER | 240 | С | XSTH.DRIVER DRIVER |
|-----|--------------------------|------|------|---|
| 16. | INVENTORY_ITEM_I D | | N | MSIB.INVENTORY_ITEM_ID INVENTORY_ITEM_ID |
| 17. | ITEM_NUM | 40 | С | MSIB.SEGMENT1 ITEM_NUM |
| 18. | ITEM_DESCRIPTION | 240 | С | MSIB.DESCRIPTION ITEM_DESCRIPTION |
| | REQUESTED_UOM | 10 | С | XSTL.REQUESTED_UOM TRANSACTION_UOM |
| 20. | REQUESTED_QUAN TITY | | N | XSTL.REQUESTED_QUANTITY REQUESTED_QUANTITY |
| 21. | TRANSACTION_UOM | 10 | С | XSTL.TRANSACTION_UOM TRANSACTION_UOM |
| | TRANSACTION_QUA NTITY | 240 | С | XSTL.TRANSACTION_QUANTITY TRANSACTION_QUANTIT Y |
| 23. | LOT_NUMBER | 240 | С | XSTL.LOT_NUMBER LOT_NUMBER |
| 24. | REMAEK | 2000 | С | XSTH.REMAEK REMARK |
| 25. | CREATED_BY | | N | XSTH.CREATED_BY CREATED_BY |
| 26. | CREATION_DATE | | D | XSTH.CREATION_DATE CREATION_DATE |
| 27. | LAST_UPDATED_BY | | N | XSTH.LAST_UPDATED_BY LAST_UPDATED_BY |
| 28. | LAST_UPDATE_DAT E | | DATE | XSTH.LAST_UPDATE_DATE LAST_UPDATE_DATE |
| 29. | LAST_UPDATE_LOGI N | | N | XSTH.LAST_UPDATE_LOGIN LAST_UPDATE_LOGIN |
| 30. | | | | |
| 31. | | | | |
| 32. | | | | |
| 33. | | | | |

Program Logic

- 1 跨組織移轉必須要有申請單(XXINVF006),才能做後續庫存移轉。
- 2 由 PDA 外部系統將移轉單撿料明細寫入暫存檔後再呼叫 Package(XXINVP025. MAIN(ERRBUF OUT VARCHAR2, RETCODE OUT VARCHAR2, P_ORGANIZATION_ID IN NUMBER, P_TRANSFER_NUMBER IN VARCHAR2, P_ACTION_CODE IN VARCHAR2, P_FLOW_TYPE IN VARCHAR2)
- 3 Package(XXINVP025), 傳入 Oracle 跨組織移轉之組織 ID、申請單號、交易類別(撿料、上車或下車)及流程類別(1:自動入庫,2:手動入庫)。
 - 3.1 參數 P ACTION CODE (撿料):
 - 3.1.1 PDA 系統寫入撿料(上車)資料至 XXINV_SUB_TRX_TEMP,寫入完畢執行 XXINVP025. MAIN 檢核程序。
 - 3.1.2 寫入出倉批號明細完成後,呼叫交易處理程序(XXINVP026)檢核並執行移轉交易。
 - 3.1.3 檢核無誤後,執行庫存間移轉出/入庫。
 - - 3.2.1 PDA 系統寫入下車批號資料至 XXINV_SUB_TRX_TEMP, 寫入完畢執行 XXINVP025. MAIN 檢核程序。
 - 3.2.2 寫入入倉批號明細完成後,逐筆檢核下車資料是否與上車資料相符。
 - - 3.3.1 (預設)自動執行收料入庫作業。
 - 3.4 參數 P FLOW TYPE(2: 手動入庫)
 - 4.1 僅執行到移轉出庫,需手動執行收料入庫。
- 4 寫入跨組織交易紀錄資料表中,提供給組織間移轉出入庫檢核報表為列印之資料來源。
- 5 更新檢核結果寫入跨組織交易紀錄資料表中。
- 6 交易發生異常時,寫入交易資料異常檔(XXIFP900_TRANSACTION_LOG)中(請參考 XXIFP900_資料處理 異常訊息通知程序)。
- 7 檢核無誤,呼叫 XXINVP026 組織間移轉出入庫暨資料檢程序。
- 8 使用者可自行手動 Submit。
- 9 本文件為正向表列,程式不提供文件中未列示的功能。



Open/Closed Issues

Open Issues

1.

Close Issues