Laboratório 2 AOSP

```
administrador@lab-dacc-08:~$ sudo apt install vim git git-core python3 python-is-python3
python-mako openjdk-8-jdk android-tools-adb bc bison build-essential curl flex g++-multilib
qcc-multilib gnupg gperf imagemagick lib32ncurses-dev lib32readline-dev lib32z1-dev
liblz4-tool libncurses5-dev libsdl1.2-dev libssl-dev libxml2 libxml2-utils lzop pngcrush rsync
schedtool squashfs-tools xsltproc yasm zip zlib1g-dev libtinfo5 libncurses5 zip
libc6-dev-i386 lib32ncurses5-dev x11proto-core-dev libx11-dev libql1-mesa-dev screen
unzip fontconfig kpartx libcurl4
[sudo] senha para administrador:
Lendo listas de pacotes... Pronto
Construindo árvore de dependências
Lendo informação de estado... Pronto
Note, a seleccionar 'git' em vez de 'git-core'
Note, a seleccionar 'lib32ncurses-dev' em vez de 'lib32ncurses5-dev'
bc já é a versão mais recente (1.07.1-2build1).
bison já é a versão mais recente (2:3.5.1+dfsg-1).
flex já é a versão mais recente (2.6.4-6.2).
fontconfig já é a versão mais recente (2.13.1-2ubuntu3).
g++-multilib já é a versão mais recente (4:9.3.0-1ubuntu2).
gcc-multilib já é a versão mais recente (4:9.3.0-1ubuntu2).
kpartx já é a versão mais recente (0.8.3-1ubuntu2).
lib32ncurses-dev já é a versão mais recente (6.2-0ubuntu2).
lib32readline-dev já é a versão mais recente (8.0-4).
libncurses5-dev já é a versão mais recente (6.2-0ubuntu2).
python-is-python3 já é a versão mais recente (3.8.2-4).
python3 já é a versão mais recente (3.8.2-0ubuntu2).
unzip já é a versão mais recente (6.0-25ubuntu1).
x11proto-core-dev já é a versão mais recente (2019.2-1ubuntu1).
zip já é a versão mais recente (3.0-11build1).
android-tools-adb já é a versão mais recente (1:8.1.0+r23-5ubuntu2).
gperf já é a versão mais recente (3.1-1build1).
librourses5 iá é a versão mais recente (6.2-0ubuntu2).
libsdl1.2-dev já é a versão mais recente (1.2.15+dfsg2-5).
libtinfo5 já é a versão mais recente (6.2-0ubuntu2).
lzop já é a versão mais recente (1.04-1).
pngcrush já é a versão mais recente (1.8.13-0.1).
schedtool já é a versão mais recente (1.3.0-3).
yasm já é a versão mais recente (1.3.0-2ubuntu1).
build-essential já é a versão mais recente (12.8ubuntu1.1).
curl já é a versão mais recente (7.68.0-1ubuntu2.13).
git já é a versão mais recente (1:2.25.1-1ubuntu3.5).
gnupg já é a versão mais recente (2.2.19-3ubuntu2.2).
lib32z1-dev já é a versão mais recente (1:1.2.11.dfsg-2ubuntu1.4).
libc6-dev-i386 já é a versão mais recente (2.31-0ubuntu9.9).
libcurl4 já é a versão mais recente (7.68.0-1ubuntu2.13).
libgl1-mesa-dev já é a versão mais recente (21.2.6-0ubuntu0.1~20.04.2).
libssl-dev já é a versão mais recente (1.1.1f-1ubuntu2.16).
libx11-dev já é a versão mais recente (2:1.6.9-2ubuntu1.2).
libxml2 já é a versão mais recente (2.9.10+dfsg-5ubuntu0.20.04.4).
libxml2-utils já é a versão mais recente (2.9.10+dfsg-5ubuntu0.20.04.4).
rsync já é a versão mais recente (3.1.3-8ubuntu0.4).
screen já é a versão mais recente (4.8.0-1ubuntu0.1).
squashfs-tools já é a versão mais recente (1:4.4-1ubuntu0.3).
```

```
vim já é a versão mais recente (2:8.1.2269-1ubuntu5.9).
xsltproc já é a versão mais recente (1.1.34-4ubuntu0.20.04.1).
zlib1g-dev já é a versão mais recente (1:1.2.11.dfsg-2ubuntu1.4).
imagemagick já é a versão mais recente (8:6.9.10.23+dfsg-2.1ubuntu11.4).
liblz4-tool já é a versão mais recente (1.9.2-2ubuntu0.20.04.1).
openjdk-8-jdk já é a versão mais recente (8u342-b07-0ubuntu1~20.04).
python-mako já é a versão mais recente (1.1.0+ds1-1ubuntu2.1).
O pacotes atualizados, O pacotes novos instalados, O a serem removidos e 126 não
atualizados.
administrador@lab-dacc-08:~$ sudo apt install mplayer pigz pbzip2 # Alguns pacotes
extras usados nos laboratórios
Lendo listas de pacotes... Pronto
Construindo árvore de dependências
Lendo informação de estado... Pronto
mplayer já é a versão mais recente (2:1.3.0-8build5).
pbzip2 já é a versão mais recente (1.1.13-1build1).
pigz já é a versão mais recente (2.4-1).
O pacotes atualizados, O pacotes novos instalados, O a serem removidos e 126 não
atualizados.
administrador@lab-dacc-08:/media/arquivos/aosp$ lunch
```

You're building on Linux

Lunch menu... pick a combo:

- 1. aosp arm-eng
- 2. aosp arm64-eng
- 3. aosp barbet-userdebug
- 4. aosp blueline-userdebug
- 5. aosp_blueline_car-userdebug
- 6. aosp bonito-userdebug
- 7. aosp bonito car-userdebug
- 8. aosp bramble-userdebug
- 9. aosp bramble car-userdebug
- 10. aosp_car_arm-userdebug
- 11. aosp car arm64-userdebug
- 12. aosp car x86-userdebug
- 13. aosp car x86 64-userdebug
- 14. aosp_cf_arm64_auto-userdebug
- 15. aosp_cf_arm64_phone-userdebug
- 16. aosp cf x86 64 foldable-userdebug
- 17. aosp cf x86 64 pc-userdebug
- 18. aosp cf x86 64 phone-userdebug
- 19. aosp_cf_x86_64_tv-userdebug
- 20. aosp_cf_x86_auto-userdebug
- 21. aosp_cf_x86_phone-userdebug
- 22. aosp cf x86 tv-userdebug
- 23. aosp coral-userdebug
- 24. aosp_coral_car-userdebug
- 25. aosp crosshatch-userdebug
- 26. aosp crosshatch car-userdebug
- 27. aosp_crosshatch_vf-userdebug
- 28. aosp flame-userdebug
- 29. aosp flame car-userdebug
- 30. aosp redfin-userdebug
- 31. aosp redfin car-userdebug
- 32. aosp redfin vf-userdebug
- 33. aosp sargo-userdebug
- 34. aosp sargo car-userdebug
- 35. aosp sunfish-userdebug

```
36. aosp sunfish car-userdebug
```

- 37. aosp_trout_arm64-userdebug
- 38. aosp_trout_x86-userdebug
- 39. aosp_x86-eng
- 40. aosp_x86_64-eng
- 41. arm krait-eng
- 42. arm_v7_v8-eng
- 43. armv8-eng
- 44. armv8 cortex a55-eng
- 45. armv8 kryo385-eng
- 46. beagle x15-userdebug
- 47. beagle x15 auto-userdebug
- 48. car x86 64-userdebug
- 49. db845c-userdebug
- 50. fuchsia arm64-eng
- 51. fuchsia x86 64-eng
- 52. gsi_car_arm64-userdebug
- 53. gsi_car_x86_64-userdebug
- 54. hikey-userdebug
- 55. hikey64_only-userdebug
- 56. hikey960-userdebug
- 57. hikey960 tv-userdebug
- 58. hikey tv-userdebug
- 59. palomakoba kraken-eng
- 60. pixel3 mainline-userdebug
- 61. poplar-eng
- 62. poplar-user
- 63. poplar-userdebug
- 64. gemu trusty arm64-userdebug
- 65. sdk car arm-userdebug
- 66. sdk_car_arm64-userdebug
- 67. sdk car x86-userdebug
- 68. sdk_car_x86_64-userdebug
- 69. silvermont-eng
- 70. uml-userdebug
- 71. yukawa-userdebug
- 72. yukawa_sei510-userdebug

administrador@lab-dacc-08:/media/arquivos/aosp\$ lunch sdk phone x86 64-userdebug

PLATFORM VERSION CODENAME=REL

PLATFORM_VERSION=12

TARGET_PRODUCT=sdk_phone_x86_64

TARGET_BUILD_VARIANT=userdebug

TARGET BUILD TYPE=release

TARGET_ARCH=x86_64

TARGET ARCH VARIANT=x86 64

TARGET 2ND ARCH=x86

TARGET 2ND ARCH VARIANT=x86 64

HOST ARCH=x86 64

HOST_2ND_ARCH=x86

HOST OS=linux

HOST OS EXTRA=Linux-5.15.0-48-generic-x86 64-Ubuntu-20.04.4-LTS

HOST_CROSS_OS=windows

HOST_CROSS_ARCH=x86

HOST_CROSS_2ND_ARCH=x86_64

HOST_BUILD_TYPE=release

BUILD ID=SP1A.210812.016.A1

OUT DIR=out

PRODUCT_SOONG_NAMESPACES=device/generic/goldfish device/generic/goldfish-opengl hardware/google/camera hardware/google/camera/devices/EmulatedCamera device/generic/goldfish device/generic/goldfish-opengl

administrador@lab-dacc-08:/media/arquivos/aosp\$ export declare -x

ANDROID_BUILD_PATHS="/media/arquivos/aosp/out/soong/host/linux-x86/bin:/media/arquivos/aosp/out/host/linux-x86/bin:/media/arquivos/aosp/prebuilts/gcc/linux-x86/x86/x86_64-linux-android-4.9/bin:/media/arquivos/aosp/development/scripts:/media/arquivos/aosp/prebuilts/devtools:/media/arquivos/aosp/external/selinux/prebuilts/bin:/media/arquivos/aosp/prebuilts/misc/linux-x86/dtc:/media/arquivos/aosp/prebuilts/misc/linux-x86/libufdt:/media/arquivos/aosp/prebuilts/clang/host/linux-x86/llvm-binutils-stable:/media/arquivos/aosp/prebuilts/android-emulator/linux-x86_64:/media/arquivos/aosp/prebuilts/asuite/acloud/linux-x86:/media/arquivos/aosp/prebuilts/asuite/acloud/linux-x86:"

declare -x ANDROID_BUILD_TOP="/media/arquivos/aosp" declare -x

ANDROID_DEV_SCRIPTS="/media/arquivos/aosp/development/scripts:/media/arquivos/aosp/prebuilts/devtools/tools:/media/arquivos/aosp/external/selinux/prebuilts/bin:/media/arquivos/aosp/prebuilts/misc/linux-x86/dtc:/media/arquivos/aosp/prebuilts/misc/linux-x86/libufdt" declare -x

ANDROID_EMULATOR_PREBUILTS="/media/arquivos/aosp/prebuilts/android-emulator/linux-x86 64"

declare -x ANDROID_HOST_OUT="/media/arquivos/aosp/out/host/linux-x86"

declare -x

ANDROID_HOST_OUT_TESTCASES="/media/arquivos/aosp/out/host/linux-x86/testcases" declare -x ANDROID_JAVA_HOME="/media/arquivos/aosp/prebuilts/jdk/jdk11/linux-x86" declare -x

ANDROID_JAVA_TOOLCHAIN="/media/arquivos/aosp/prebuilts/jdk/jdk11/linux-x86/bin" declare -x

 $\label{lem:android_preduction} ANDROID_PRE_BUILD_PATHS = "/media/arquivos/aosp/prebuilts/jdk/jdk11/linux-x86/bin:" declare -x$

ANDROID_PRODUCT_OUT="/media/arquivos/aosp/out/target/product/emulator_x86_64" declare -x ANDROID_PYTHONPATH="/media/arquivos/aosp/development/python-packages:" declare -x ANDROID_SOONG_HOST_OUT="/media/arquivos/aosp/out/soong/host/linux-x86" declare -x

ANDROID_TARGET_OUT_TESTCASES="/media/arquivos/aosp/out/target/product/emulator_x 86 64/testcases"

declare -x

 $ANDROID_TOOLCHAIN = "/media/arquivos/aosp/prebuilts/gcc/linux-x86/x86/x86_64-linux-android-4.9/bin"$

declare -x ANDROID TOOLCHAIN 2ND ARCH=""

declare -x

ASAN_SYMBOLIZER_PATH="/media/arquivos/aosp/prebuilts/clang/host/linux-x86/llvm-binutils-stable/llvm-symbolizer"

declare -x BUILD_ENV_SEQUENCE_NUMBER="13"

declare -x COLORTERM="truecolor"

declare -x DBUS_SESSION_BUS_ADDRESS="unix:path=/run/user/1000/bus"

declare -x DESKTOP SESSION="ubuntu"

declare -x DISPLAY=":1"

declare -x

GCC_COLORS="error=01;31:warning=01;35:note=01;36:caret=01;32:locus=01:quote=01

declare -x GDMSESSION="ubuntu"

declare -x GJS_DEBUG OUTPUT="stderr"

declare -x GJS DEBUG TOPICS="JS ERROR;JS LOG"

declare -x GNOME_DESKTOP_SESSION_ID="this-is-deprecated"

declare -x GNOME SHELL SESSION MODE="ubuntu"

```
declare -x
GNOME TERMINAL SCREEN="/org/gnome/Terminal/screen/6277cca6 9a79 47de 8f06 bf7
c06760014"
declare -x GNOME TERMINAL SERVICE=":1.120"
declare -x GPG_AGENT_INFO="/run/user/1000/gnupg/S.gpg-agent:0:1"
declare -x GTK MODULES="gail:atk-bridge"
declare -x HOME="/home/administrador"
declare -x IM CONFIG PHASE="1"
declare -x INVOCATION ID="8bfa7d219fe44651bec0a7f7d4b629e2"
declare -x IAVA HOME="/media/arquivos/aosp/prebuilts/idk/idk11/linux-x86"
declare -x JOURNAL STREAM="8:48806"
declare -x LANG="pt BR.UTF-8"
declare -x LANGUAGE="pt BR:pt:en"
declare -x LD LIBRARY PATH="/usr/local/cuda/lib64:\$LD LIBRARY PATH"
declare -x LESSCLOSE="/usr/bin/lesspipe %s %s"
declare -x LESSOPEN="| /usr/bin/lesspipe %s"
declare -x LOGNAME="administrador"
declare -x
LS COLORS="rs=0:di=01;34:ln=01;36:mh=00:pi=40;33:so=01;35:do=01;35:bd=40;33;01:
cd=40;33;01:or=40;31;01:mi=00:su=37;41:sg=30;43:ca=30;41:tw=30;42:ow=34;42:st=3
7;44:ex=01;32:*.tar=01;31:*.tgz=01;31:*.arc=01;31:*.arj=01;31:*.taz=01;31:*.lha=01;31:
*.lz4=01;31:*.lzh=01;31:*.lzma=01;31:*.tlz=01;31:*.txz=01;31:*.tzo=01;31:*.t7z=01;31:*.
zip=01;31:*.z=01;31:*.dz=01;31:*.gz=01;31:*.lrz=01;31:*.lz=01;31:*.lzo=01;31:*.xz=01;3
1:*.zst=01;31:*.tzst=01;31:*.bz2=01;31:*.bz=01;31:*.tbz=01;31:*.tbz2=01;31:*.tz=01;31:
*.deb=01;31:*.rpm=01;31:*.jar=01;31:*.war=01;31:*.ear=01;31:*.sar=01;31:*.rar=01;31:
*.alz=01;31:*.ace=01;31:*.zoo=01;31:*.cpio=01;31:*.7z=01;31:*.rz=01;31:*.cab=01;31:*.
wim=01;31:*.swm=01;31:*.dwm=01;31:*.esd=01;31:*.jpg=01;35:*.jpg=01;35:*.mjpg=0
1;35:*.mjpeg=01;35:*.gif=01;35:*.bmp=01;35:*.pbm=01;35:*.pgm=01;35:*.ppm=01;35:*.
tga=01;35:*.xbm=01;35:*.xpm=01;35:*.tif=01;35:*.tiff=01;35:*.png=01;35:*.svg=01;35:*.
svqz=01;35:*.mpq=01;35:*.pcx=01;35:*.mov=01;35:*.mpq=01;35:*.mpeq=01;35:*.m2v=
01;35:*.mkv=01;35:*.webm=01;35:*.ogm=01;35:*.mp4=01;35:*.m4v=01;35:*.mp4v=01;
35:*.vob=01;35:*.qt=01;35:*.nuv=01;35:*.wmv=01;35:*.asf=01;35:*.rm=01;35:*.rmvb=0
1;35:*.flc=01;35:*.avi=01;35:*.fli=01;35:*.flv=01;35:*.gl=01;35:*.dl=01;35:*.xcf=01;35:*.
xwd=01;35:*.yuv=01;35:*.cgm=01;35:*.emf=01;35:*.ogv=01;35:*.ogx=01;35:*.aac=00;3
6:*.au=00;36:*.flac=00;36:*.m4a=00;36:*.mid=00;36:*.midi=00;36:*.mka=00;36:*.mp3=
00;36:*.mpc=00;36:*.oqg=00;36:*.ra=00;36:*.wav=00;36:*.oqa=00;36:*.opus=00;36:*.sp
x=00;36:*.xspf=00;36:"
declare -x MANAGERPID="1783"
declare -x OLDPWD="/home/administrador"
declare -x OUT="/media/arquivos/aosp/out/target/product/emulator x86 64"
declare -x
PATH="/media/arquivos/aosp/prebuilts/jdk/jdk11/linux-x86/bin:/media/arquivos/aosp/out/so
ong/host/linux-x86/bin:/media/arquivos/aosp/out/host/linux-x86/bin:/media/arquivos/aosp/p
rebuilts/gcc/linux-x86/x86/x86 64-linux-android-4.9/bin:/media/arquivos/aosp/development
/scripts:/media/arquivos/aosp/prebuilts/devtools/tools:/media/arquivos/aosp/external/selinu
x/prebuilts/bin:/media/arquivos/aosp/prebuilts/misc/linux-x86/dtc:/media/arquivos/aosp/pre
builts/misc/linux-x86/libufdt:/media/arquivos/aosp/prebuilts/clang/host/linux-x86/llvm-binuti
ls-stable:/media/arquivos/aosp/prebuilts/android-emulator/linux-x86 64:/media/arquivos/ao
sp/prebuilts/asuite/acloud/linux-x86:/media/arquivos/aosp/prebuilts/asuite/aidegen/linux-x8
6:/media/arquivos/aosp/prebuilts/asuite/atest/linux-x86:/usr/local/sbin:/usr/local/bin:/usr/sbi
n:/usr/bin:/sbin:/bin:/usr/games:/usr/local/games:/snap/bin:/usr/local/cuda/bin:/home/admini
strador/bin/:/home/administrador/bin/"
declare -x PWD="/media/arquivos/aosp"
declare -x PYTHONPATH="/media/arquivos/aosp/development/python-packages:"
declare -x QT ACCESSIBILITY="1"
declare -x QT IM MODULE="ibus"
declare -x
SESSION MANAGER="local/lab-dacc-08:@/tmp/.ICE-unix/2000,unix/lab-dacc-08:/tmp/.ICE-u
nix/2000"
```

```
declare -x SHELL="/bin/bash"
declare -x SHLVL="1"
declare -x SSH_AGENT_PID="1965"
declare -x SSH AUTH SOCK="/run/user/1000/keyring/ssh"
declare -x TARGET_BUILD_APPS=""
declare -x TARGET BUILD TYPE="release"
declare -x TARGET_BUILD_VARIANT="userdebug"
declare -x TARGET GCC VERSION="4.9"
declare -x TARGET PRODUCT="sdk phone x86 64"
declare -x TERM="xterm-256color"
declare -x USER="administrador"
declare -x USERNAME="administrador"
declare -x VTE VERSION="6003"
declare -x WINDOWPATH="2"
declare -x XAUTHORITY="/run/user/1000/gdm/Xauthority"
declare -x XDG CONFIG DIRS="/etc/xdg/xdg-ubuntu:/etc/xdg"
declare -x XDG CURRENT DESKTOP="ubuntu:GNOME"
declare -x
XDG DATA DIRS="/usr/share/ubuntu:/usr/local/share/:/usr/share/:/var/lib/snapd/desktop"
declare -x XDG MENU PREFIX="gnome-"
declare -x XDG RUNTIME DIR="/run/user/1000"
declare -x XDG SESSION CLASS="user"
declare -x XDG SESSION DESKTOP="ubuntu"
declare -x XDG SESSION TYPE="x11"
declare -x XMODIFIERS="@im=ibus"
administrador@lab-dacc-08:/media/arquivos/aosp$ export | grep
"ANDROID \|TARGET \|PATH"
declare -x
ANDROID BUILD PATHS="/media/arquivos/aosp/out/soong/host/linux-x86/bin:/media/arquiv
os/aosp/out/host/linux-x86/bin:/media/arquivos/aosp/prebuilts/gcc/linux-x86/x86/x86 64-lin
ux-android-4.9/bin:/media/arquivos/aosp/development/scripts:/media/arquivos/aosp/prebuil
ts/devtools/tools:/media/arquivos/aosp/external/selinux/prebuilts/bin:/media/arquivos/aosp/
prebuilts/misc/linux-x86/dtc:/media/arquivos/aosp/prebuilts/misc/linux-x86/libufdt:/media/ar
quivos/aosp/prebuilts/clang/host/linux-x86/llvm-binutils-stable:/media/arquivos/aosp/prebuil
ts/android-emulator/linux-x86 64:/media/arquivos/aosp/prebuilts/asuite/acloud/linux-x86:/
media/arguivos/aosp/prebuilts/asuite/aidegen/linux-x86:/media/arguivos/aosp/prebuilts/asu
ite/atest/linux-x86:"
declare -x ANDROID BUILD TOP="/media/arquivos/aosp"
declare -x
ANDROID DEV SCRIPTS="/media/arquivos/aosp/development/scripts:/media/arquivos/aosp/
prebuilts/devtools/tools:/media/arquivos/aosp/external/selinux/prebuilts/bin:/media/arquivo
s/aosp/prebuilts/misc/linux-x86/dtc:/media/arquivos/aosp/prebuilts/misc/linux-x86/libufdt"
declare -x
ANDROID EMULATOR PREBUILTS="/media/arguivos/aosp/prebuilts/android-emulator/linux-
declare -x ANDROID HOST OUT="/media/arquivos/aosp/out/host/linux-x86"
declare -x
ANDROID HOST OUT TESTCASES="/media/arquivos/aosp/out/host/linux-x86/testcases"
declare -x ANDROID JAVA HOME="/media/arquivos/aosp/prebuilts/jdk/jdk11/linux-x86"
ANDROID JAVA TOOLCHAIN="/media/arquivos/aosp/prebuilts/jdk/jdk11/linux-x86/bin"
declare -x
ANDROID PRE BUILD PATHS="/media/arquivos/aosp/prebuilts/jdk/jdk11/linux-x86/bin:"
declare -x
ANDROID PRODUCT OUT="/media/arquivos/aosp/out/target/product/emulator x86 64"
declare -x ANDROID PYTHONPATH="/media/arquivos/aosp/development/python-packages:"
declare -x ANDROID SOONG HOST OUT="/media/arquivos/aosp/out/soong/host/linux-x86"
```

declare -x

ANDROID_TARGET_OUT_TESTCASES="/media/arquivos/aosp/out/target/product/emulator_x 86 64/testcases"

declare -x

 $ANDROID_TOOLCHAIN = "/media/arquivos/aosp/prebuilts/gcc/linux-x86/x86/x86_64-linux-android-4.9/bin"$

declare -x ANDROID TOOLCHAIN 2ND ARCH=""

declare -x

ASAN_SYMBOLIZER_PATH="/media/arquivos/aosp/prebuilts/clang/host/linux-x86/llvm-binutils-stable/llvm-symbolizer"

declare -x LD_LIBRARY_PATH="/usr/local/cuda/lib64:\\$LD_LIBRARY_PATH" declare -x

PATH="/media/arquivos/aosp/prebuilts/jdk/jdk11/linux-x86/bin:/media/arquivos/aosp/out/so ong/host/linux-x86/bin:/media/arquivos/aosp/prebuilts/gcc/linux-x86/bin:/media/arquivos/aosp/prebuilts/gcc/linux-x86/x86/x86_64-linux-android-4.9/bin:/media/arquivos/aosp/development/scripts:/media/arquivos/aosp/prebuilts/devtools/tools:/media/arquivos/aosp/external/selinux/prebuilts/bin:/media/arquivos/aosp/prebuilts/misc/linux-x86/liburfdt:/media/arquivos/aosp/prebuilts/misc/linux-x86/liburfdt:/media/arquivos/aosp/prebuilts/clang/host/linux-x86/llvm-binutils-stable:/media/arquivos/aosp/prebuilts/android-emulator/linux-x86_64:/media/arquivos/aosp/prebuilts/asuite/acloud/linux-x86:/media/arquivos/aosp/prebuilts/asuite/acloud/linu

declare -x PYTHONPATH="/media/arquivos/aosp/development/python-packages:"

declare -x TARGET BUILD APPS=""


declare -x TARGET_BUILD_TYPE="release"

declare -x TARGET_BUILD_VARIANT="userdebug"

declare -x TARGET GCC VERSION="4.9"

declare -x TARGET PRODUCT="sdk phone x86 64"

declare -x WINDOWPATH="2"



```
Abilidades

In Internal * Interna
```

aluno@lab-dacc-08:/media/arquivos/aosp\$ cd packages/apps/Settings aluno@lab-dacc-08:/media/arquivos/aosp/packages/apps/Settings\$ git status fatal: detected dubious ownership in repository at '/media/arquivos/aosp/packages/apps/Settings'
To add an exception for this directory, call:

git config --global --add safe.directory /media/arquivos/aosp/packages/apps/Settings

