

WEB — the division ledger

Owens: `web/` — ABRA WORLD and every room in it. **Its one number:** every rendered figure traces to an artifact. **Agent:** `.claude/agents/web.md` . **Map and routing:** [DIVISIONS.md](#).

WEB is the leaf of the invalidation graph. Everything flows into it; nothing flows out. That is why it has hands on its own files and none anywhere else, and why its restriction is about **authority** rather than tools:

WEB renders numbers. It never authors one. *Where no artifact says it, the page says **NOT MEASURED**, at the same visual weight as a real figure.*

<!-- GENERATED: engine/status.js -->

```
WEB — the site, and what it is allowed to publish
no sprint marker on disk (docs/MEDICHAM-SPRINT-NOTES.md absent) — the living-docs rule is fully armed for
web/quarantine-data.js: built 2026-08-25 19:07 — the site publishes 3 of 8 clauses failing, gate CLOSED
the LIVE gate says 1 of 8 GATING clauses fail (CLOSED)
DRIFTED — the committed bundle is not what the gate says today.
published clause(s) the gate no longer has: whole-game differential / the same game on both engines
clause(s) the gate has and the bundle does not: whole-game differential / BOARD-MATERIAL — games withheld
withheld set: 60 artifact(s) in the bundle against 63 quarantined today
0 figure(s) are RELEASED to the pages; every other slot carries no value at all, which is the withheld
web/status-data.js: built 2026-08-10 21:32 — 13 of 51 slot(s) carry state "quarantined" and publish no
docs/WEB.md: no figure in it is sourced from an artifact the gate currently withholds (engine/docs_scan.
rebuild the bundles: node web/build-quarantine.js && node web/build-status.js — a PUBLISH (app/) is waiting
```

stamped 2026-09-06 14:08

<!-- /GENERATED -->

The rooms

Page	What it is	State
<code>web/index.html</code>	ABRA WORLD — the Champions modelling town. The front door.	live
<code>web/stadium.html</code>	ABRA STADIUM — model select screen, one playable minigame per model. 15 cabinets; GURU added 2026-08-04, GARY and DUSK 2026-08-06. Each cabinet is the Pokémon's identity and the model's real finding at the same time: Wobbuffet is a punching bag that returns your hit harder, Miltank's Rollout grows every lap and drops the 777 unscorable pairs through a trapdoor, Doduo's two heads can be aimed apart to waste the turn, Machamp's bar cannot be lifted.	rebuilt 2026-08-04
<code>web/models.html</code>	the model map — inputs and outputs per model	live
<code>web/scoreboard.html</code>	watch MAG think	live
<code>web/tower.html</code> / <code>web/futuresight.html</code>	ALAKAZAM's Battle Tower	live
<code>web/orb.html</code>	ORB — On-battle Read Board	live
<code>web/replay.html</code>	MEW replay viewer	live

Guards this division owns

Test	What it prevents
tests/test-model-map.js	web/models.html drifting from docs/MODELS.md — the same rule as the roster guard, applied to the map. It parses the ledger's model headings (## NAME — job , ALL-CAPS name, em dash required, so the prose sections are excluded), asserts each is named INSIDE the <svg> , and runs the reverse direction over the box titles that have the ledger's own shape. Short names are an explicit ALIASES table with a reason each, never a loose substring: MAG for MAGNEMITE, META USAGE for META-USAGE, BEHAVIOUR PRIORS for MOVE PRIORS. Matching is case-sensitive and bounded on both sides , because a case-insensitive match would let the ordinary words <i>counters</i> , <i>cores</i> , <i>roles</i> and <i>war</i> in body prose stand in for four models that are not there. Every deliberate omission is DECLARED with a reason AND must be named in the page's own #notonmap note — a declaration only the test can read is an exemption. --selftest plants a model with no box, a box with no model, a name glued inside a longer word and a lowercase occurrence, and asserts all four are rejected.
tests/test-stadium-roster.js	The Stadium's cabinet rack drifting from docs/MODELS.md , and a model that is in neither of them . Two directions catch a model that is in ONE file; GURU was in NEITHER, so both passed while the front door rendered its matrix daily. The third direction reads engine/provenance.js --graph — the set of things that actually generate a data/* artifact, which is a fact about the code rather than a claim about it — and requires every generator to be named in the ledger or declared with a reason. Judgement gaps in all three directions are declared by name with a reason , never by a pattern that would also swallow a real model added later.
tests/test-web-parses.js	A room that does not run . web/stadium.html shipped with class="wd" inside a double-quoted JS string; the whole inline block was a SyntaxError and the Stadium rendered its header and nothing else. The roster guard passed and the figure audit scored the page 100% traced, because both read the page as text . This parses it.
tests/test-web-figures.js	This division's own number going unmeasured, and then going down . It calls web/figure-audit.js — the one implementation of <i>what is a figure</i> and <i>what counts as traced</i> — and asserts a FLOOR on the fraction of hardcoded figures whose source line cites an artifact. It also asserts the withdrawn count never drops , which is what stops a retracted claim being quietly deleted or quietly un-struck, and that every <s class="wd"> carries a title saying when and why. A relation, not a pinned value: raising the floor is the intended edit, lowering it has to be justified out loud.
tests/test-web-status.js	web/status-data.js drifting from the artifacts it names, and web/status.html acquiring a fetch() or an external asset that breaks it under file:// .
tests/test-web-quarantine-loaders.js	A page that reads a withheld artifact rather than quoting one , in all three shapes this site has actually had. (1) It LOADS the bundle — data/mag.js , data/mew.js , data/scoreboard.js — and draws the room from the object, so there is no verdict sentence to grep for. (2) It loads the SIMULATOR : web/tower.html plays a live battle out of ../engine/medicham2-browser.js , and a check that resolves a load to a data/ row is structurally blind to it. Membership is classify().play read at runtime, so a room that loads a different play-layer file tomorrow is caught with no edit here. (3) It loads a bundle the graph cleared which re-encodes a withheld artifact — data/status.js — caught by putting each row's own declared evidence line to the gate. Every direction is shown RED on synthetic input first, and the whole thing is driven twice over one classification, changing only the gate, so LIFT proves the site can show its numbers again rather than merely having deleted them.
tests/test-site-sync.js	web/index.html and app/index.html diverging. Two of them are shipped and only one gets edited; the last two WEB passes both broke this. Run cp web/index.html app/index.html before finishing, every time.

tests/run-all.js **AUTO-DISCOVERS** tests/ — readdirSync over /^test-.*\.(js|py)\$/, so a new guard is covered the moment the file lands and there is no list to forget to edit. A previous WEB pass recorded that test-web-figures.js was unregistered; it never was. Only the engine-side gates are hand-listed, because other tooling imports them and they cannot be globbed out of tests/ .

What counts as a MODEL, for the roster guard's third direction. 88 generators (70 of the 103 artifacts counted off the game store) against 15 cabinets is a large gap and most of it is legitimate — a build script is not a model. The exception list is the dangerous half, so the rule is written down in the test rather

than remembered:

*A generator is a **MODEL** when its artifact states something about **Champions** — the game, its players or the metagame — that anything or anyone is meant to ACT on. It is a **PIPELINE STEP** when its artifact states something about **ABRA** instead — our own code's cost, coverage, calibration, conformance or corpus — or when it only RE-ENCODS a statement that already has a home. The question that settles it: **if this number is wrong, who is misled?***

Three corollaries, each of which caught a wrong first answer: reading the game store does not make you a model (`build_ability_blocks.js` is a census of a RULE — twice the games raises coverage, it does not move the answer); not reading it does not save you (`slowking_preview.py` opens no game file and publishes an equilibrium that can be wrong); and **nothing consuming it does not save you either** — exempting unread artifacts would shrink the table by a dozen entries and would re-create CLAUDE.md's own recorded failure, "PORYGON2 and DODUO were fitted, saved, quoted in documents, and never once in a live decision." An unwired model is still a model.

The roster pattern generalises, and should be applied whenever a page starts carrying a list that a source file also carries: compare the page against its source, fail on drift, and declare every exception. This is CLAUDE.md's *a derived artifact is not a fact until something compares it to its source*, applied to HTML.

`test-web-figures.js` is the same rule applied to numbers rather than to a roster, which is what the Open item below used to ask for.

Standing decisions

- **A room may commit to its own visual world.** `stadium.html` is a 1999 stadium CRT and deliberately does not do light mode. The house palette (`--ink:#20344a` , `--electric:#ffd23f` , `--fight:#ff6b57` , `--psy:#ff6bd6` , `--water:#4fb0ff` , `--grass:#5fd07a` , hard 0 5px 0 shadows) is the default, not a cage — but a new room should still feel like the same town.
- **No remote CODE or TYPE — but sprites are allowed, with a fallback.** This rule was written too broadly on 2026-08-04 and contradicted the codebase within a day: `web/index.html` has always loaded animated sprites from `play.pokemonshowdown.com/sprites/ani/*.gif`.

The distinction that actually matters is **how the failure looks**. A blocked stylesheet, webfont or script fails **silently** and ships a design nobody chose — those stay banned, inline them. A blocked **image** is visibly missing, so it is a degradation rather than a lie.

But a page that may be published as a claud.ai artifact has a strict CSP that blocks every external host. So any sprite must have a self-contained fallback that carries the same meaning — procedural canvas art, a CSS shape, or a data URI. Never let the fallback be an empty box: if the sprite is the only thing identifying a model, the page is broken in the artifact and nobody testing on the site will see it.

- **Some pages are opened from** `file:// . models.html` and the replay coach are expected to work offline from bundled `data/*.js`. Check before introducing `fetch()`.
- **The site uses the POKÉMON NAME and a plain-English job. The backronym is not displayed.** (Will, 2026-08-04: "I thought we shortened model names so they dont have dumb long acronyms" / "But we can still call them the mons names on the site".)

`SLOWKING` is the name. "Search over Learned Opponent-belief World, Knowledge-Intensive Nash Game-solver" is a backronym reverse-engineered from it, and putting it on screen makes a real model look like it is trying too hard. The Stadium was already inconsistent about this — MILTANK's line read "The search player — bring, lead, mega and post-KO replacement" while SLOWKING's read the full expansion.

So: **name + one line of what it does, in words a person uses.** `docs/MODELS.md` may keep the expansion as an origin note — it is where the name came from and that is worth recording — but it does not belong on a page somebody is reading.

- **A cabinet does not have to be a Pokémon, and it says so.** GURU is the project's own name for the archetype matchup matrix. There is no sprite, so its cabinet carries `sprite:false` and never asks the host for a file that can only 404 — the procedural canvas art is the identity, which is what the fallback rule already required of every other cabinet. The `why` line says out loud that there is no Pokémon here rather than inventing one.
- **Carry the caveat onto the page.** The Stadium prints MEDICHAM's Brier loss against a coin, and MILTANK's cabinet says its head-to-head share is biased high by the stopping rule. A CI is not simplified away for a cleaner card.

AND WHERE THE ARTIFACT UNDER THE CAVEAT IS QUARANTINED, A CAVEAT IS NOT ENOUGH — THE FIGURE IS WITHHELD. This bullet used to name MILTANK's share against MAG greedy as a bare percentage with no artifact cited at all, which is two defects in one sentence. It is withheld, not annotated. MILTANK's head-to-head share: QUARANTINED — the figure is withheld, not annotated. `data/rollout-r4.json` is downstream of MEDICHAM, and `engine/quarantine.js` withholds every figure downstream of the simulator while MEDICHAM is not correct. `docs/SEARCH.md` gives the same ruling on the same figure — it is not retracted, it is unquotable — and an uncited figure is worse again, because there is nothing for a reader to check it against. It becomes quotable again when the gate opens AND this is re-run: `node engine/rollout_r4.js .`

And when the caveat itself goes stale, strike the old claim — and when the artifact under it is QUARANTINED, strike it and print NOTHING in its place. This entry read *"MEDICHAM's win rate is below chance and the Stadium says so"*, which was the 2026-07-23 reading, and was then rewritten to quote a leaf calibration figure faithfully out of `data/winrate-backtest.json`. A faithful citation of a quarantined artifact is still a republication. Leaf calibration: QUARANTINED — the figure is withheld, not annotated. `data/winrate-backtest.json` is downstream of MEDICHAM: it was measured on 2026-08-04 against a build of `engine/medicham2-browser.js` that the artifact records in its own `measured_against` block, and the live simulator is more than twenty times that size — so it is a claim about a build that no longer exists. The recorded byte size goes with the rest of the artifact: it is a figure the artifact carries, so it is withheld here too rather than quoted as evidence. No point estimate, no interval and no sample size is carried in its place. It becomes quotable again when the gate opens AND this is re-run: `node engine/backtest_winrate.js .`

- **An interactive control may not interpolate.** A dial with stops at two measured points and a smooth path between them is authoring a number at every position on that path. So every control on a page has stops, each stop is a value some artifact recorded, and any position nothing measured prints **NOT MEASURED** in the same red as everywhere else. XATU's slider is measured at 0 moves revealed and at 4 and nowhere between; watching the middle go blank turned out to explain the four-move cap better than either endpoint did.
- **ONE VERB PER CABINET, AND THE RESULT LANDS IN THE SCENE.** (Will, 2026-08-04, three times: *"the inputs dont make sense man"* / *"lack inputs that are clear"* / *"make it stupidly obvious what the inputs are"*.)

What failed was a segmented dial reading `90-100% | 0-10%` floating between two rows of meters. Nothing said it was pressable, nothing said what pressing would do, and **the meters rendered the same figure the canvas already drew**, so one press moved two copies of one number and read as a bug. The rules that replaced it:

- the primary control is **one big button whose label is a verb** — `PUNCH IT`, `ROLL IT OUT`, `REVEAL A MOVE`, `LIFT`. Not a value, not a bare toggle, not an abstract noun the reader has to map onto an outcome. It carries a one-line hint underneath saying what will happen;
- it is **chunky, high-contrast and visibly depressed when hit**, sits centred directly under the display, and everything secondary is a third of its size;
- **the result appears in the scene, not in a caption**. You punch Wobbuffet and something bigger comes back — no label is needed to explain that. The line under the pad is the **receipt**: the interval, the caveat, the artifact path. That line is also what a screen reader gets, since the canvas is `aria-hidden`;
- **state is legible before the first press**. An unplayed cabinet reads as an invitation (`PRESS ROLL IT OUT`), never as an error;
- **NOT MEASURED is a legitimate outcome of pressing a button, and it must be pressable**. MACHAMP's bar can be lifted at any time and always falls back, because the run recorded no verdict; WOBBUFFET's counter-punch returns a struck-through figure. A disabled control hides the finding — a control that visibly refuses is the finding.
- **Two rendering bugs worth not repeating**. `paint()` wrote to `#dMeters` after the meters were deleted from the DOM, so **every cabinet click threw** and the stats, the aria state and the animation loop never ran; `test-web-parses.js` cannot see that, because the file parses. And the hero canvas had a 640x460 backing store inside a 16:7 box, so every drawing was squashed ~40% vertically — which is most of why the art read as bar charts. The backing store is now sized from the element's own box, and the design space is pinned by **height** (200 units) so one renderer serves the hero and the thumbnail at the same visual scale.
- **Keep a model's figures and its citation on ONE source line**. `web/figure-audit.js` attributes a figure to its line, so a `CTRLDATA`-style table with the artifact path in the same row is what makes the trace checkable instead of asserted. It is also the cheapest way to make the guard agree with a human reading the file.
- **When the artifact under a room is repaired, the room's THESIS may be what changed**. `data/slowking-playstyle-eval.json` was the wrong file — `slowking_preview.py` took its output *name* from `TAG` and its *matrix* from `MATRIX_FILE`, which defaulted to GURU, so the playstyle artifact was a byte-identical copy of the archetype one. Repaired it reads 2,860 games over 8 playstyles, and its own `verdict` field now says *"no material exploitability gap ... close to transitive"*. The SLOWKING room was headed **"The meta looks like rock-paper-scissors"** and argued that picking one playstyle is exploitable while a mixture is not. That is a rewrite, not a number swap, and swapping the numbers alone would have left the page arguing against its own source.

The two typed literals that went stale with it ("*49, 37 and 15 games*", "*1,320 candidate triples*") are now **read off** `S.cycle` rather than retyped, so they cannot drift again. The honest version is the better story anyway: **the strongest cycle in the data rests on a five-game leg, and the artifact says** `supported: false` **itself**. Non-transitivity is *unestablished*, which is not the same as absent — the room says exactly that.

One figure is deliberately **not** printed: greedy-minus-Nash. `data/slowking-playstyle.js` carries the interval and the three levels but not the difference, and subtracting two of them in the browser would be this division authoring a number. The interval is shown and the omission is stated on the page.

Open

- **THE SITE WAS THREE DAYS BEHIND ITS OWN GATE, AND IT DRIFTED IN THE DIRECTION NOBODY WATCHES. Fixed 2026-08-25**. `node web/build-quarantine.js --check` was RED on both outputs: the committed `web/quarantine-data.js` and the block stamped inside

web/stadium.html were built on 2026-08-22 and told a visitor **6 of 8 gate clauses fail**, naming the three deliberate-roster clauses as FAILING. The gate today is **3 of 8**, and all three roster clauses are CLEAN (items 139 of 148 , abilities 130 of 202 , moves 475 of 500). It also said 58 of 227 artifacts were withheld against 60 of 234 now.

The direction is the lesson. This project's stated fear is a page telling a visitor the simulator is clean; what actually happened is the opposite — the site OVER-withheld and published a harsher verdict than the artifacts support. That is still drift, it is still a figure on a page that no artifact says, and it was invisible to web/figure-audit.js because every one of those numbers *did* cite an artifact. **A citation proves a figure has a source, never that it still says this.** Only the rebuild-and-diff guard could see it, which is the argument for tests/test-web-quarantine-loaders.js restated.

Rebuilt with node web/build-quarantine.js ; both guards green. **The block is a SNAPSHOT and goes stale by construction — re-run --check immediately before any publish, not at the start of the pass.** Two of the artifacts it now names, data/_pair-pilot.json and data/medicham-represented-clicks.json , are **untracked in git**, so the committed page names two files a fresh clone does not have. Reported, not acted on: the classification is engine/quarantine.js 's and not this division's to filter.

- **THE STADIUM'S MEDICHAM CABINET DREW A DISAGREEMENT ITS OWN CITED ARTIFACT SAYS DOES NOT EXIST. Fixed 2026-08-25.** CTRLDATA.medicham held cmp:"150", agreed:"149", diff:"1" with a named red tick — CHESNAUGHT WOOD HAMMER → MIMIKYU , Showdown 0-0 against MEDICHAM's 120-130 — and worst:"3%". data/engine-diff.json reads **6,000 compared / 6,000 agreed / 0 disagreed**, and data/damage-validation.json's result.worst_pct has read **0 since 2026-08-08**. The canvas loop drew exactly 150 ticks with a red one hardcoded at index 103.

The stat card one screen above it was corrected on 2026-08-22 and this line was not, which is the whole failure: one FACT lived in two places on one page and only one copy got fixed. That is CLAUDE.md's FACTS ARE GLOBAL, inside a single HTML file. The strip now draws a **proportion**, not a count — it fills, and the counts are in the label — so no future artifact value can make the drawing itself a lie about its resolution; the red segment still exists and is drawn whenever diff is non-zero, because deleting a failure state is how a page loses the ability to report the next one. The badFrac quotient is **geometry and is never printed**, on the same reasoning that keeps web/models.html from dividing matrix_agree by matrix_live .

The scope caveat was ADDED while the disagreement was removed, deliberately. A full green bar with nothing beside it reads as *the simulator is correct*, and the whole-game clause is still FAILING at 18 of 961. The scene now ends on DAMAGE ONLY — NOT THE WHOLE GAME and the artifact's own scope line. The stat card also stopped reproducing the artifact's generated stamp: a stamp typed onto a page is a second copy of a field that moves every time the run repeats.

- web/index.html **ROUNDED A NUMBER, AND THE FIGURE AUDIT COULD NOT SEE IT. Fixed 2026-08-25.** The MEDICHAM room's warning read "*off by about 30 points on average, and it picked the wrong winner in three out of eight*" with **no citation on the line**. docs/ADR-001-use-the-champions-mod.md says **31.1 percentage points** and **3 of 8**. Both are now quoted exactly, both ADRs are cited, and the ADR's own caveat — 8 matchups at 60 battles each is roughly a ± 12 point interval per cell — is carried onto the page rather than dropped.

Why nothing caught it: web/figure-audit.js counts a token as a figure only when it has a decimal point, a thousands comma, a %, or a value ≥ 100 (its scale filter, Definition 1(b)). 30 fails all four and three out of eight is words, so a rounded, uncited, stale claim scored as no figure at all and the page reported **100% traced**. This is a real blind spot in this division's own instrument and it is **NOT fixed here** — lowering the

threshold would sweep in every 2, 4 and 50 in the page's prose, which is the over-firing gate CLAUDE.md #148 warns about. The narrower shape worth building is a spelled-out-number check plus a small-integer check that fires only on a line already carrying a comparison word. Filed, not done.

- `tests/test-model-map.js` **IS RED AND THIS DIVISION COULD NOT CLOSE IT.** `docs/MODELS.md` gained a heading, **THE PER-TURN PIPELINE — WHO DOES WHAT, 2026-08-13**, that has no box on the map and no declared reason. It is not a model: it is the COMPOSITION block, and every model it names (MAG, DODUO, MILTANK, SLOWKING, DUSK) already has a box. So it wants a `DECLARED` entry, and `DECLARED` lives inside `tests/test-model-map.js`, which is outside this division's write set (`web/`, `tests/test-*web*.js`, `tests/test-stadium-roster.js`). **Reported RED, not filed** — the exact text to add is in `docs/_reports/2026-08-25-site-truthfulness.md` under OWED, NOT RUN.
- `web/status-data.js` **IS FOURTEEN DAYS OLD AND EVERY CONSUMER CORRECTLY REFUSES IT.** Built 2026-08-11; `tests/test-web-status.js` is red on **12** scalars — the mechanics census reads 423/423 against 706/706, the interaction matrix 1624 of 1643 against 1642 of 1642, and `ops.games` 52,089 against 69,932. **Nothing false is published:** `web/status.html` and `web/models.html` both compute `SUPERSEDED` off the bundle's own `built_at` and render a plate instead of the value. That is the design working — and it means the whole status room is currently blank, so *"no page yet renders the project's own state for a visitor"* is true again in practice. The rebuild is `node web/build-status.js`, which runs `node engine/status.js` (two minutes-plus) and **must not be run beside a live MEASURE agent** — baking a snapshot out of a moving tree is the defect the `SUPERSEDED` state exists to stop, not the fix for it. OWED.
- `app/` **IS TWELVE DAYS BEHIND** `web/` **AND ITS COPY OF THE GATE IS THE OPTIMISTIC ONE.** `tests/test-site-sync.js` is red on five pages. `app/quarantine-data.js`, and the block inside `app/stadium.html`, say **"1 of 6 gate clauses fail"** — five of six passing, from the era before the roster clauses existed. **That is the shape this brief was written to find:** a shipped page telling a visitor the simulator is nearly clean while 3 of 8 clauses fail. It was NOT fixed in this pass, on purpose — syncing `app/` is effectively a publish, and publishing is confirmed before it happens, not during a read-mostly pass. The command is one line and it is in the report.
- `divergences.html` **SITS AT THE REPOSITORY ROOT, IS 215 KB OF RENDERED MEDICHAM-VS-SHOWDOWN OUTPUT, AND NO WEB GUARD CAN SEE IT.** Titled *"Where MEDICHAM and Showdown part"*, it reads like a room and is not in `web/`, so `figure-audit.js` does not scan it, `test-web-parses.js` does not parse it and it loads no quarantine payload. It is **untracked**, so it cannot ship — which is the only reason this is a note and not a red row. **Left in place and not deleted** (CLAUDE.md: an untracked file is unrecoverable). If it is ever meant to be a room, it belongs under `web/` where the guards reach it.
- **THE MODEL MAP NAMED 14 OF THE LEDGER'S 31 MODELS, AND NOTHING COULD SEE IT. Fixed and GUARDED 2026-08-06.** (Will: *"i want to make sure nothing is left out, this project is massive and has so many different parts i cant keep track of all them."*) A missing box leaves **no gap on screen**, which is why the page could be titled THE MODEL MAP and be less than half a map without ever looking wrong — the same shape as the Stadium roster hole, one page over.

The gate came first and was red on exactly the five it should have been. `tests/test-model-map.js` was written before the fix and reported DODUO, MACHAMP, WOBUFFET, GURU and CHAMPIONS_SIM. All five are now drawn: **CHAMPIONS_SIM** beside MEDICHAM in THE ENGINE (ADR-001; the authority MEDICHAM is graded against, and the two-engine agreement counts are **WIRED out of** `web/status-data.js`, not typed — see below, this one caught the page mid-drift); **GURU** above SLOWKING, because SLOWKING's box says *"in: how each matchup scores"* and the thing that scores the matchups had no box

anywhere; **DODUO** beside **MAG** in **THE DECIDERS**; and a new band, **MAKING MAG BETTER**, carrying **MACHAMP** and **WOBBUFFET** — they are not deciders, nothing in a battle calls them, they are what would make the decider better.

The three statuses are the point of the pass, not the boxes. **DODUO** renders **NOT MEASURED FOR WINNING** and quotes `data/policy-weights-joint.json`'s own `caveat` field verbatim — *"Not evidence that the pair wins more games."* Its 12.2% top-1 is deliberately **not** on the page: it predicts a human click, and a percentage beside a box on a decision map reads as how good the model is. **MACHAMP** renders `data/ladder.json`'s own record — **2 of the 8 generations it asked for, no verdict, 48-feature vector** — and that its champion was deleted, 48 against the **58** in `data/policy-weights.json`. **WOBBUFFET** renders the **ABSENCE**: `data/exploitability.json` carries `void: true`, so **there is no exploitability number** and the retracted share appears nowhere, not even struck through — including on this page, which is why it is not written out here either. Layout re-checked by script before and after: `viewBox` 1560 → **2040**, 28 boxes, **no rect out of bounds, no two rects overlapping, no routed arrow through a box interior** (47 straight segments and 6 beziers sampled at 1% steps), and no new text run exceeding its box.

AND THE ONE FIGURE THIS PASS TYPED WENT STALE INSIDE THE PASS, WHICH IS THE LESSON. **CHAMPIONS_SIM**'s box first read *"agrees on 98.8% of 1,643 live pairs"*, taken from `data/interaction-matrix.json` at 08:01:07. **ENGINE** regenerated that artifact at **18:42:48** while this page was being written — the same shape as *"3k good games"* and *"5,368 real teams"* before it, and the third time this page has been caught by it. Both counts are now **read from** `web/status-data.js` the way the mechanics census beside them already was, so `test-web-status.js` is the guard and the page inherits it. The **percentage is deliberately not rendered at all**: dividing `matrix_agree` by `matrix_live` in the browser would be this division authoring a number, and both counts side by side say the same thing without one. `web/models.html` stays at **100%** traced — 5/5 → 10/10 → **8/8** once the two figures became reads; site-wide **100% of 132**. *Open part*: twelve ledger entries are **DECLARED** off the map with a reason — **ROLES, WAR, NMF, COUNTERPLAY, COUNTERS, CORES, DYNAMICS, MEGA DEX, ILLUSION, SPECIES SETS, BRING PRIORS, SMOGON PRIORS**. **BRING PRIORS is the one to revisit**: it is declared out because the thing that would draw from it is **GARY** and **GARY** is off, so the day **GARY** is switched on it earns a box and the declaration becomes false.

- **THE MODEL MAP WAS MISSING THE MODEL THAT PICKS THE MOVES. Fixed 2026-08-06, and it is worth recording why it was possible.** `web/models.html` went from **THE DECIDERS** (**MAG**, **DITTO**, the value nets, **KADABRA**) straight to the **ALAKAZAM** capstone. **MILTANK — the shipping search player — was not on the map at all**, so nothing on the page showed that a search exists, that it imagines ~200 games per option, or that its judge's calibration had ever been measured — a figure now **WITHHELD** under the **MEDICHAM** quarantine, per the ruling above. A map that omits the thing choosing the moves is not a map of the models. Added in this pass: a **THE SEARCH** band carrying **MILTANK**, **GARY** (the imagined opponent, named 2026-08-06 and drawn in the quarantine colour because it defaults to a coin) and **DUSK** (planned, the endgame tablebase), plus a drawn **language boundary** — 127 JavaScript files must play because Showdown is TypeScript, 40 Python files do the maths, and the verified Nash solver is on the wrong side of the line. `viewBox` grew 1310 → 1560; layout re-checked for bounds and overlaps. Two corrections travelled with it: the retired-value-net box read *"PORYGON — same, mid-game"*, which filed **PORYGON2 — built, never retracted, and never called by a live decision** under **RETIRED** alongside **PORY**, which genuinely is retracted; and **ALAKAZAM**'s build order read *"... → value net → belief → search"*, which is the wrong order for a game whose median length is 6 turns, because a rollout that reaches a real terminal state has no position left to approximate. **WEB still authors no number here** — the leaf calibration figure this bullet carried is **WITHHELD** under the **MEDICHAM** quarantine rather than cited, the two defaults go to their source lines, and the 6-turn median to `docs/POKER-TO-POKEMON.md` §4b. *Open part*: the **SEARCH** band's figures are

typed, not wired. `web/status-data.js` carries no scalar for the leaf's accuracy or for `foePolicy`, so these will drift exactly the way "*3k good games*" and "*5,368 real teams*" did. Wiring them is the follow-up, and it needs MEASURE to stamp `foePolicy` into the artifacts first (task #33).

- `data/exploitability.json` **is UNSAFE and WOBBUFFET's headline is unquotable.** 17 features against the 58 in `data/policy-weights.json`, older than the quality filter and older than its own input; `engine/provenance.js --strict` says so and `tests/run-all.js` gates on it. The Stadium cabinet still works — you punch the bag, and what comes back is **NOT MEASURED** with 63.2% CI [56.6, 69.3] and the 47.5% mirror control struck through beside it. **A re-run is MEASURE's, not WEB's.** Nothing on the page says the leak was closed.
- `tests/test-site-data-fresh.js` **is RED on two** `data/` **artifacts and neither is WEB's to fix** — `data/pory-nn.json` declares 6,008 games against 7,228 clean now (16.9% corpus drift), and `data/engine-data.js` is a day behind `build/rebuild_sets_from_sheets.js`. Routed, not filed: the first is MEASURE, the second is OPS/ENGINE's bundle rebuild.
- **THE MODEL MAP'S DUSK BOX WAS CONTRADICTED BY AN ARTIFACT THAT LANDED THE SAME DAY IT WAS DRAWN. Fixed 2026-08-06.** The box read "*planned — table SIZE not yet measured*" and named DUSK as the route that gets the Python Nash solver to the JavaScript bot. `engine/dusk_size_gate.js` then measured the size and moved BOTH claims: the table is **TOO BIG**, and `docs/SEARCH.md` retires the bridge argument in the same breath — "*that justification is gone ... #41 should not be argued for on DUSK's back.*" The box now leads with the **reach rate**, because it kills the tablebase independently of the size (16.42% of games reach 1v1, 45.93% reach 2v1, both read off `data/dusk-size-gate.json`), and the language-boundary strip says "*DUSK was the bridge — the table is TOO BIG*" instead of asserting the bridge. This is the third page-versus-artifact drift this room has had in two days and all three had the same shape: a sentence that was true when it was typed.
- `docs/MODELS.md` **'s own DUSK entry still predates its gate**, and it is not this division's file. The entry says the size question is "*NOT MEASURED — and that number decides whether DUSK is a weekend or a year (#40)*"; `data/dusk-size-gate.json` answered it at 06:49 the same day and `docs/SEARCH.md` carries the whole verdict. The Stadium cabinet therefore quotes the **artifact** and not the ledger. **Routed to MEASURE, not fixed here.**
- `data/mechanics-census.json` **moved three times during one WEB pass** — 102/144, then 107/147, then 108/148 within about an hour. The Stadium's MEDICHAM card carries the current value and says out loud that it moves. A page that hardcodes a live census will always be a little behind; the alternative is reading `web/status-data.js` the way `models.html` does, which `stadium.html` cannot do while it is also publishable as a claude.ai artifact (a sibling `<script src>` is blocked there exactly like a remote one).
- ABRA STADIUM is not yet linked from ABRA WORLD's front door.
- No page yet renders the four division ledgers or `node engine/status.js` output for a visitor; the project's own state is currently legible only from a terminal.
- *Superseded 2026-08-06 — every page is now at 100% and the site total is **100% of 134** (index 44/44, models 10/10, stadium 78/78, tower 2/2, 40 struck out as withdrawn). Kept because a prior reading is never silently rewritten.* `web/index.html` **at 80.5% (33 of 41) is now the only page below 100%.** Overall is **91.8%** (90 of 98), from 84.3% (70 of 83) and 27.4% (17 of 62) earlier the same day. `models.html` and `tower.html` are closed: `models.html` cites `data/quality-filter.json` beside its bot share and now **reads** the mechanics census out of `web/status-data.js` rather than carrying it — it moved 102/144 → 104/147 while that edit was being written, which is why it is read and not restamped — and `tower.html` cites `data/damage-validation.json` and takes its species count off `data/engine-data.js` instead of a typed 289. The eight left on the front door are the ones with no artifact behind them at all, not ones missing a citation.

- `tests/test-stadium-roster.js` **WAS RED ON TWO THINGS AND IS NOW ALL PASS. Closed 2026-08-06**, 15 cabinets against 36 ledger headings and 88 generators. (*The five it used to be red on — `analyze.js` , `porygon2.py` , `state_encoder.py` , `derive_sets.js` , `counters.py` — were closed the right way by MEASURE, with ledger entries, and that half was already done.*)
1. **GARY and DUSK now have cabinets**, because neither could take a truthful `NOT_A_CABINET` entry — GARY decides the imagined opponent's move on every rollout turn and DUSK is scoped. **GARY** (`SHIPS OFF` , quarantine colour, no sprite) is a spinner over each foe slot: press TAKE THEIR TURN and the move is drawn from four equal sectors, the target from a second wheel, and the two slots are drawn separately, so the caption reads "*BOTH HIT ONE SLOT — BY LUCK, NOT BY PLAN*" when they collide. The secondary button swaps the move wheel for the behaviour clone and stamps it **SHIPS OFF** — the toggle exists, and the target wheel deliberately does not change, because in `rollout_leaf.js` it does not either. **DUSK** (`PLANNED` , slate, no sprite) draws four squares whose **area is the cell count** — 1v1, 2v1, 2v2 and a whole turn — so the comparison is the drawing rather than a caption on it; SOLVE IT walks up the ladder and the fourth press draws Will's retrograde step, a 3v2 feeding into two cells of a solved 2v2. Its secondary button is the retired plan: BUILD THE TABLE runs off the end of its own declared ceiling and stamps **TOO BIG**. Both statuses are new (`off` , `planned`) rather than folded into `stale` : a model that ran and aged is not the same thing as one that has never been switched on, or never built.
 2. **The three generators are declared, each with its own reason** — a shared reason would have been the shape-based excuse this table forbids. `engine/dusk_size_gate.js` and `engine/porygon2_separation_gate.py` are GATE-class outright: their artifacts state how big **our** table would be and whether **our** value function separates, against ceilings that are a GitHub file limit, a V8 heap budget and this project's own 0.43-point split-half floor — none of which is a fact about Champions. `build/strong_player_baseline.js` is **the borderline one and the caveat is written into the declaration**, so the next reader can reverse the call with the reasoning visible: its headline is that our own per-turn realism metric cannot separate the rating bands it was built to separate, which is a statement about the power of our instrument — but it also publishes real Champions-facing material (species usage at four Smogon cutoffs, the within-species build gradient) whose home is `docs/MEASURE.md` §19a-d, and if anything is ever built that DECIDES off that gradient the declaration is wrong and owes `docs/MODELS.md` an entry instead.
 3. **BRING PRIORS now carries its own expiry**. It is declared off the rack because the thing that would draw on it is GARY and GARY's default is the coin — a reason with a known end date, so the `TRIGGER` is written into the declaration text and into `web/models.html` 's own *not on this map* note rather than left to be noticed. `tests/test-model-map.js` already carried it; the roster guard and the page did not.
 4. **Owed and not written by this division:** `CHANGELOG.md` , the white paper, the deck, the technical docs and `docs/SUMMARY.md` all still describe the pre-2026-08-04 state of the site. WEB's boundary is `web/` , `app/` , this file and its own tests.

Retired from Open

- *Reconciling the Stadium to its artifacts (2026-08-04) found `docs/MODELS.md` drifted in three places — MAG's fit, MAG's corpus line and SLOWKING's mixture/exploitability/cycle. MEASURE corrected all three in its GURU pass and recorded that a fourth reported drift (the mechanics census at 42/54) did not reproduce. Closed.*