

Thanks for adding the Project! Please fill out the rest of the information to get the Badge.

Edit Project Badge Status

Projects that follow the best practices below can voluntarily self-certify and show that they've achieved an Open Source Security Foundation (OpenSSF) best practices badge.

Please 'submit' often to save your work (you can always go back and edit more later).

If you need help, have a question, or see a problem, please *file an issue* (<https://github.com/coreinfrastructure/best-practices-badge/issues>).

These are the passing (/en/projects/11445/edit) level criteria. You can also view the silver (/en/projects/11445/edit?criteria_level=1) or gold (/en/projects/11445/edit?criteria_level=2) level criteria.

^ Basics

9/13 •

Identification

What is the human-readable name of the project?

image-preprocessing-detector

What is a brief description of the project?

Intelligent image preprocessing detection system for RAG applications

What is the URL for the project (as a whole)?

https://github.com/williaby/image-preprocessing-detector

What is the URL for the version control repository (it may be the same as the project URL)?

https://github.com/williaby/image-preprocessing-detector

What programming language(s) are used to implement the project?

Python, Shell

What is the Common Platform Enumeration (CPE) (<https://nvd.nist.gov/cpe.cfm>) name for the project (if it has one)?

(Optional) CPE name

Basic project website content

(/en/projects/11445/edit#description_good)



☒ Met

☐ Unmet

The project website MUST succinctly describe what the software does (what problem does it solve?).

[description_good]

This MUST be in language that potential users can understand (e.g., it uses minimal jargon).

(/en/projects/11445/edit#description_good)

(Optional) Where is the succinct description? Consider providing a URL.

(/en/projects/11445/edit#interact)



☐ Met

☐ Unmet

The project website MUST provide information on how to: obtain, provide feedback (as bug reports or enhancements), and contribute to the software. [interact]

(/en/projects/11445/edit#interact)

(/en/projects/11445/edit#contribution)



☒ Met

☐ Unmet

The information on how to contribute MUST explain the contribution process (e.g., are pull requests used?) (URL required) [contribution]

(/en/projects/11445/edit#contribution)

Non-trivial contribution file in repository: <<https://github.com/willliaby/image-preprocessing-detector/blob/main/CONTRIBUTING.md>>.



(/en/projects/11445/edit#contribution_requirements)



☐ Met

The information on how to contribute SHOULD include the requirements for acceptable contributions (e.g., a reference to any required coding standard). (URL required) ^[contribution_requirements]

☐ Unmet

(/en/projects/11445/edit#contribution_requirements)

FLOSS license

What license(s) is the project released under?

MIT

(/en/projects/11445/edit#floss_license)



☒ Met

The software produced by the project MUST be released as FLOSS. ^[floss_license]

☐ Unmet

(/en/projects/11445/edit#floss_license)

The MIT license is approved by the Open Source Initiative (OSI).



(/en/projects/11445/edit#floss_license_osi)



☒ Met

It is SUGGESTED that any required license(s) for the software produced by the project be approved by the Open Source Initiative (OSI). (<https://opensource.org/licenses>) ^[floss_license_osi]

☐ Unmet

(/en/projects/11445/edit#floss_license_osi)

The MIT license is approved by the Open Source Initiative (OSI).



(/en/projects/11445/edit#license_location)



☒ Met

☐ Unmet

The project MUST post the license(s) of its results in a standard location in their source repository.
(URL required) [license_location]

(/en/projects/11445/edit#license_location)

Non-trivial license location file in repository: <<https://github.com/williaaby/image-preprocessing-detector/blob/main/LICENSE>>.



Documentation

(/en/projects/11445/edit#documentation_basics)



☒ Met

☐ Unmet

The project MUST provide basic documentation for the software produced by the project.
[documentation_basics]

(/en/projects/11445/edit#documentation_basics)

☐ ?

Some documentation basics file contents found.



(/en/projects/11445/edit#documentation_interface)



☐ Met

☐ Unmet

The project MUST provide reference documentation that describes the external interface (both input and output) of the software produced by the project. [documentation_interface]

(/en/projects/11445/edit#documentation_interface)

☒ ?

Other

(/en/projects/11445/edit#sites_https)



☒ Met

☐ Unmet

The project sites (website, repository, and download URLs) MUST support HTTPS using TLS. [sites_https]

(/en/projects/11445/edit#sites_https)

Given only https: URLs.

(/en/projects/11445/edit#discussion)



☒ Met

☐ Unmet

The project MUST have one or more mechanisms for discussion (including proposed changes and issues) that are searchable, allow messages and topics to be addressed by URL, enable new people to participate in some of the discussions, and do not require client-side installation of proprietary software. [discussion]

(/en/projects/11445/edit#discussion)

GitHub supports discussions on issues and pull requests.

(/en/projects/11445/edit#english)



☐ Met

☐ Unmet

The project SHOULD provide documentation in English and be able to accept bug reports and comments about code in English. [english]

(/en/projects/11445/edit#english)

(/en/projects/11445/edit#maintained)



☒ Met

☐ Unmet

The project MUST be maintained. [maintained]

(/en/projects/11445/edit#maintained)

(Optional) Please explain how this is met, possibly including 1+ key URLs.

Owner id (a positive integer), change to change ownership:

43144

Repeated new owner id (to confirm an ownership change):

Email Notification Settings If you are the owner of this badge entry and want to disable inactivity reminder emails, please edit your user profile settings (/users/43144/edit). This setting applies to all your projects.

(Advanced) What other users have additional rights to edit this badge entry? Currently: []

Change using + or - followed by a comma-separated user id list

Other general comments about the project:

Additional Comments (in markdown)

By submitting this data about the project you agree to release it under at least the Community Data License Agreement – Permissive, Version 2.0 (<https://cdla.dev/permissive-2-0/>). This means that a Data Recipient may share the Data, with or without modifications, so long as the Data Recipient makes available the text of this agreement with the shared Data. This agreement does *not* impose any restriction or obligations with respect to the use, modification, or sharing of Results. You retain copyright (if any), and the project license is unaffected.

Save (and continue)

Submit (and exit)

⬆ Change Control

3/9 •

Public version-controlled source repository

(/en/projects/11445/edit#repo_public)



- ☒ Met
☐ Unmet

The project **MUST** have a version-controlled source repository that is publicly readable and has a URL. [repo_public]

(/en/projects/11445/edit#repo_public)

Repository on GitHub, which provides public git repositories with URLs.



- ☒ Met
☐ Unmet

The project's source repository **MUST** track what changes were made, who made the changes, and when the changes were made. [repo_track]

(/en/projects/11445/edit#repo_track)

Repository on GitHub, which uses git. git can track the changes, who made them, and when they were made.



- ☐ Met
☐ Unmet

To enable collaborative review, the project's source repository **MUST** include interim versions for review between releases; it **MUST NOT** include only final releases. [repo_interim]

(/en/projects/11445/edit#repo_interim)



- ☒ Met
☐ Unmet

It is **SUGGESTED** that common distributed version control software be used (e.g., git) for the project's source repository. [repo_distributed]

(/en/projects/11445/edit#repo_distributed)

Repository on GitHub, which uses git. git is distributed.

Unique version numbering

(/en/projects/11445/edit#version_unique)



☐ Met

The project results MUST have a unique version identifier for each release intended to be used by users. [version_unique]

☐ Unmet

(/en/projects/11445/edit#version_unique)

(/en/projects/11445/edit#version_semver)



☐ Met

It is SUGGESTED that the Semantic Versioning (SemVer) (<https://semver.org>) or Calendar Versioning (CalVer) (<https://calver.org/>) version numbering format be used for releases. It is SUGGESTED that those who use CalVer include a micro level value. [version_semver]

☐ Unmet

(/en/projects/11445/edit#version_semver)

(/en/projects/11445/edit#version_tags)



☐ Met

It is SUGGESTED that projects identify each release within their version control system. For example, it is SUGGESTED that those using git identify each release using git tags. [version_tags]

☐ Unmet

(/en/projects/11445/edit#version_tags)

Release notes

(/en/projects/11445/edit#release_notes)



☐ Met

The project MUST provide, in each release, release notes that are a human-readable summary of major changes in that release to help users determine if they should upgrade and what the upgrade impact will be. The release notes MUST NOT be the raw output of a version control log (e.g., the "git log" command results are not release notes). Projects whose results are not intended for reuse in multiple locations (such as the software for a single website or service) AND employ continuous delivery MAY select "N/A". (URL required) [release_notes]

☒ Unmet

(/en/projects/11445/edit#release_notes)

☐ ?

// No release notes file found.



(/en/projects/11445/edit#release_notes_vuln)



- ☐ Met
- ☐ Unmet
- ☒ ?

(/en/projects/11445/edit#release_notes_vulns)

The release notes MUST identify every publicly known run-time vulnerability fixed in this release that already had a CVE assignment or similar when the release was created. This criterion may be marked as not applicable (N/A) if users typically cannot practically update the software themselves (e.g., as is often true for kernel updates). This criterion applies only to the project results, not to its dependencies. If there are no release notes or there have been no publicly known vulnerabilities, choose N/A.

[release_notes_vulns]

By submitting this data about the project you agree to release it under at least the Community Data License Agreement – Permissive, Version 2.0 (<https://cdla.dev/permissive-2-0/>). This means that a Data Recipient may share the Data, with or without modifications, so long as the Data Recipient makes available the text of this agreement with the shared Data. This agreement does *not* impose any restriction or obligations with respect to the use, modification, or sharing of Results. You retain copyright (if any), and the project license is unaffected.

Save (and continue)

Submit (and exit)

Reporting

0/8 •

Bug-reporting process

(/en/projects/11445/edit#report_process)



- ☐ Met
- ☐ Unmet
- ☒ ?

(/en/projects/11445/edit#report_process)

The project MUST provide a process for users to submit bug reports (e.g., using an issue tracker or a mailing list). (URL required) [report_process]

(/en/projects/11445/edit#report_tracker)



- ☐ Met
- ☐ Unmet
- ☒ ?

(/en/projects/11445/edit#report_tracker)

The project SHOULD use an issue tracker for tracking individual issues. [report_tracker]

(/en/projects/11445/edit#report_responses)



- ☐ Met
- ☐ Unmet
- ☒ ?

(/en/projects/11445/edit#report_responses)

The project MUST acknowledge a majority of bug reports submitted in the last 2-12 months (inclusive); the response need not include a fix. [report_responses]

(/en/projects/11445/edit#enhancement_responses)



- ☐ Met
☐ Unmet

The project SHOULD respond to a majority (>50%) of enhancement requests in the last 2-12 months (inclusive). [enhancement_responses]

(/en/projects/11445/edit#enhancement_responses)



- ☐ Met
☐ Unmet

The project MUST have a publicly available archive for reports and responses for later searching. (URL required) [report_archive]

(/en/projects/11445/edit#report_archive)

Vulnerability report process

(/en/projects/11445/edit#vulnerability_report_process)



- ☐ Met
☐ Unmet

The project MUST publish the process for reporting vulnerabilities on the project site. (URL required) [vulnerability_report_process]

(/en/projects/11445/edit#vulnerability_report_process)



- ☐ Met
☐ Unmet

If private vulnerability reports are supported, the project MUST include how to send the information in a way that is kept private. (URL required) [vulnerability_report_private]

(/en/projects/11445/edit#vulnerability_report_private)

☒ ?

(/en/projects/11445/edit#vulnerability_report_response)



- ☐ Met
☐ Unmet

The project's initial response time for any vulnerability report received in the last 6 months MUST be less than or equal to 14 days. [vulnerability_report_response]

(/en/projects/11445/edit#vulnerability_report_response)

☒ ?

as the Data Recipient makes available the text of this agreement with the shared Data. This agreement does *not* impose any restriction or obligations with respect to the use, modification, or sharing of Results. You retain copyright (if any), and the project license is unaffected.

Save (and continue)

Submit (and exit)

^ Quality

0/13 •

Working build system

(/en/projects/11445/edit#build)



☐ Met

If the software produced by the project requires building for use, the project **MUST** provide a working build system that can automatically rebuild the software from source code. ^[build]

☐ Unmet

(/en/projects/11445/edit#build)

☒ ?

(/en/projects/11445/edit#build_common_tools)



☐ Met

It is **SUGGESTED** that common tools be used for building the software. ^[build_common_tools]

☐ Unmet

(/en/projects/11445/edit#build_common_tools)

☒ ?

(/en/projects/11445/edit#build_floss_tools)



☐ Met

The project **SHOULD** be buildable using only FLOSS tools. ^[build_floss_tools]

☐ Unmet

(/en/projects/11445/edit#build_floss_tools)

☒ ?

Automated test suite

(/en/projects/11445/edit#test)



☐ Met

The project **MUST** use at least one automated test suite that is publicly released as FLOSS (this test suite may be maintained as a separate FLOSS project). The project **MUST** clearly show or document how to run the test suite(s) (e.g., via a continuous integration (CI) script or via documentation in files such as BUILD.md, README.md, or CONTRIBUTING.md). ^[test]

☐ Unmet

(/en/projects/11445/edit#test)

☒ ?

(/en/projects/11445/edit#test_invocation)



☐ Met

A test suite SHOULD be invocable in a standard way for that language. [test_invocation]

☐ Unmet

(/en/projects/11445/edit#test_invocation)

(/en/projects/11445/edit#test_most)



☐ Met

It is SUGGESTED that the test suite cover most (or ideally all) the code branches, input fields, and functionality. [test_most]

☐ Unmet

(/en/projects/11445/edit#test_most)

(/en/projects/11445/edit#test_continuous_integration)



☐ Met

It is SUGGESTED that the project implement continuous integration (where new or changed code is frequently integrated into a central code repository and automated tests are run on the result).

☐ Unmet

[test_continuous_integration]

(/en/projects/11445/edit#test_continuous_integration)

New functionality testing

(/en/projects/11445/edit#test_policy)



☐ Met

The project MUST have a general policy (formal or not) that as major new functionality is added to the software produced by the project, tests of that functionality should be added to an automated test suite.

☐ Unmet

[test_policy]

(/en/projects/11445/edit#test_policy)

(/en/projects/11445/edit#tests_are_added)



☐ Met

The project MUST have evidence that the test_policy for adding tests has been adhered to in the most recent major changes to the software produced by the project. [tests_are_added]

☐ Unmet

(/en/projects/11445/edit#tests_are_added)

(/en/projects/11445/edit#tests_documented_added)



- ☐ Met
☐ Unmet

It is SUGGESTED that this policy on adding tests (see test_policy) be *documented* in the instructions for change proposals. [tests_documented_added]

(/en/projects/11445/edit#tests_documented_added)

Warning flags

(/en/projects/11445/edit#warnings)



- ☐ Met
☐ Unmet

The project MUST enable one or more compiler warning flags, a "safe" language mode, or use a separate "linter" tool to look for code quality errors or common simple mistakes, if there is at least one FLOSS tool that can implement this criterion in the selected language. [warnings]

(/en/projects/11445/edit#warnings)

- ☒ ?

(/en/projects/11445/edit#warnings_fixed)



- ☐ Met
☐ Unmet

The project MUST address warnings. [warnings_fixed]

(/en/projects/11445/edit#warnings_fixed)

- ☒ ?

(/en/projects/11445/edit#warnings_strict)



- ☐ Met
☐ Unmet

It is SUGGESTED that projects be maximally strict with warnings in the software produced by the project, where practical. [warnings_strict]

(/en/projects/11445/edit#warnings_strict)

- ☒ ?

By submitting this data about the project you agree to release it under at least the Community Data License Agreement – Permissive, Version 2.0 (<https://cdla.dev/permissive-2-0/>). This means that a Data Recipient may share the Data, with or without modifications, so long as the Data Recipient makes available the text of this agreement with the shared Data. This agreement does *not* impose any restriction or obligations with respect to the use, modification, or sharing of Results. You retain copyright (if any), and the project license is unaffected.

Save (and continue)

Submit (and exit)

Secure development knowledge

(/en/projects/11445/edit#know_secure_design)



☐ Met

☐ Unmet

The project **MUST** have at least one primary developer who knows how to design secure software. (See 'details' for the exact requirements.) [know_secure_design]

(/en/projects/11445/edit#know_secure_design)

(/en/projects/11445/edit#know_common_errors)



☐ Met

☐ Unmet

At least one of the project's primary developers **MUST** know of common kinds of errors that lead to vulnerabilities in this kind of software, as well as at least one method to counter or mitigate each of them. [know_common_errors]

(/en/projects/11445/edit#know_common_errors)

Use basic good cryptographic practices

Note that some software does not need to use cryptographic mechanisms. If your project produces software that (1) includes, activates, or enables encryption functionality, and (2) might be released from the United States (US) to outside the US or to a non-US-citizen, you may be legally required to take a few extra steps. Typically this just involves sending an email. For more information, see the encryption section of *Understanding Open Source Technology & US Export Controls* (<https://www.linuxfoundation.org/resources/publications/understanding-us-export-controls-with-open-source-projects>).

(/en/projects/11445/edit#crypto_published)



☐ Met

☐ Unmet

The software produced by the project **MUST** use, by default, only cryptographic protocols and algorithms that are publicly published and reviewed by experts (if cryptographic protocols and algorithms are used). [crypto_published]

(/en/projects/11445/edit#crypto_published)

☒ ?

(/en/projects/11445/edit#crypto_call)



☐ Met

☐ Unmet

If the software produced by the project is an application or library, and its primary purpose is not to implement cryptography, then it **SHOULD** only call on software specifically designed to implement cryptographic functions; it **SHOULD NOT** re-implement its own. [crypto_call]

(/en/projects/11445/edit#crypto_call)

☒ ?

(/en/projects/11445/edit#crypto_floss)



☐ Met

All functionality in the software produced by the project that depends on cryptography MUST be implementable using FLOSS. [crypto_floss]

☐ Unmet

(/en/projects/11445/edit#crypto_floss)

☒ ?

(/en/projects/11445/edit#crypto_keylength)



☐ Met

The security mechanisms within the software produced by the project MUST use default keylengths that at least meet the NIST minimum requirements through the year 2030 (as stated in 2012). It MUST be possible to configure the software so that smaller keylengths are completely disabled.

☐ Unmet

(/en/projects/11445/edit#crypto_keylength)

☒ ?

(/en/projects/11445/edit#crypto_working)



☐ Met

The default security mechanisms within the software produced by the project MUST NOT depend on broken cryptographic algorithms (e.g., MD4, MD5, single DES, RC4, Dual_EC_DRBG), or use cipher modes that are inappropriate to the context, unless they are necessary to implement an interoperable protocol (where the protocol implemented is the most recent version of that standard broadly supported by the network ecosystem, that ecosystem requires the use of such an algorithm or mode, and that ecosystem does not offer any more secure alternative). The documentation MUST describe any relevant security risks and any known mitigations if these broken algorithms or modes are necessary for an interoperable protocol. [crypto_working]

☐ Unmet

(/en/projects/11445/edit#crypto_working)

☒ ?

(/en/projects/11445/edit#crypto_weaknesses)



☐ Met

The default security mechanisms within the software produced by the project SHOULD NOT depend on cryptographic algorithms or modes with known serious weaknesses (e.g., the SHA-1 cryptographic hash algorithm or the CBC mode in SSH). [crypto_weaknesses]

☐ Unmet

(/en/projects/11445/edit#crypto_weaknesses)

☒ ?

(/en/projects/11445/edit#crypto_pfs)



☐ Met

The security mechanisms within the software produced by the project SHOULD implement perfect forward secrecy for key agreement protocols so a session key derived from a set of long-term keys cannot be compromised if one of the long-term keys is compromised in the future. [crypto_pfs]

☐ Unmet

(/en/projects/11445/edit#crypto_pfs)

☒ ?

(/en/projects/11445/edit#crypto_password_storage)



- ☐ Met
- ☐ Unmet
- ☒ ?

If the software produced by the project causes the storing of passwords for authentication of external users, the passwords **MUST** be stored as iterated hashes with a per-user salt by using a key stretching (iterated) algorithm (e.g., Argon2id, Bcrypt, Scrypt, or PBKDF2). See also OWASP Password Storage Cheat Sheet (https://cheatsheetseries.owasp.org/cheatsheets/Password_Storage_Cheat_Sheet.html). [crypto_password_storage]

(/en/projects/11445/edit#crypto_random)



- ☐ Met
- ☐ Unmet
- ☒ ?

The security mechanisms within the software produced by the project **MUST** generate all cryptographic keys and nonces using a cryptographically secure random number generator, and **MUST NOT** do so using generators that are cryptographically insecure. [crypto_random]

Secured delivery against man-in-the-middle (MITM) attacks

(/en/projects/11445/edit#delivery_mitm)



- ☐ Met
- ☐ Unmet
- ☒ ?

The project **MUST** use a delivery mechanism that counters MITM attacks. Using https or ssh+scp is acceptable. [delivery_mitm]

(/en/projects/11445/edit#delivery_unsigned)



- ☐ Met
- ☐ Unmet
- ☒ ?

A cryptographic hash (e.g., a sha1sum) **MUST NOT** be retrieved over http and used without checking for a cryptographic signature. [delivery_unsigned]

Publicly known vulnerabilities fixed

(/en/projects/11445/edit#vulnerabilities_fixed_60_days)



- ☐ Met
- ☐ Unmet
- ☒ ?

There **MUST** be no unpatched vulnerabilities of medium or higher severity that have been publicly known for more than 60 days. [vulnerabilities_fixed_60_days]

(/en/projects/11445/edit#vulnerabilities_critical_fixed)



☐ Met

Projects SHOULD fix all critical vulnerabilities rapidly after they are reported. [vulnerabilities_critical_fixed]

☐ Unmet

(/en/projects/11445/edit#vulnerabilities_critical_fixed)

Other security issues

(/en/projects/11445/edit#no_leaked_credentials)



☐ Met

The public repositories MUST NOT leak a valid private credential (e.g., a working password or private key) that is intended to limit public access. [no_leaked_credentials]

☐ Unmet

(/en/projects/11445/edit#no_leaked_credentials)

By submitting this data about the project you agree to release it under at least the Community Data License Agreement – Permissive, Version 2.0 (<https://cdla.dev/permissive-2-0/>). This means that a Data Recipient may share the Data, with or without modifications, so long as the Data Recipient makes available the text of this agreement with the shared Data. This agreement does *not* impose any restriction or obligations with respect to the use, modification, or sharing of Results. You retain copyright (if any), and the project license is unaffected.

Save (and continue)

Submit (and exit)

^ Analysis

0/8 •

Static code analysis

(/en/projects/11445/edit#static_analysis)



☐ Met

At least one static code analysis tool (beyond compiler warnings and "safe" language modes) MUST be applied to any proposed major production release of the software before its release, if there is at least one FLOSS tool that implements this criterion in the selected language. [static_analysis]

☐ Unmet

(/en/projects/11445/edit#static_analysis)

☒ ?

(/en/projects/11445/edit#static_analysis_common_vulnerabilities)



☐ Met

☐ Unmet

It is SUGGESTED that at least one of the static analysis tools used for the static_analysis criterion include rules or approaches to look for common vulnerabilities in the analyzed language or environment. [static_analysis_common_vulnerabilities]

(/en/projects/11445/edit#static_analysis_common_vulnerabilities)

☒ ?

(/en/projects/11445/edit#static_analysis_fixed)



☐ Met

☐ Unmet

All medium and higher severity exploitable vulnerabilities discovered with static code analysis MUST be fixed in a timely way after they are confirmed. [static_analysis_fixed]

(/en/projects/11445/edit#static_analysis_fixed)

☒ ?

(/en/projects/11445/edit#static_analysis_often)



☐ Met

☐ Unmet

It is SUGGESTED that static source code analysis occur on every commit or at least daily. [static_analysis_often]

(/en/projects/11445/edit#static_analysis_often)

☒ ?

Dynamic code analysis

(/en/projects/11445/edit#dynamic_analysis)



☐ Met

☐ Unmet

It is SUGGESTED that at least one dynamic analysis tool be applied to any proposed major production release of the software before its release. [dynamic_analysis]

(/en/projects/11445/edit#dynamic_analysis)

(/en/projects/11445/edit#dynamic_analysis_unsafe)



☐ Met

☐ Unmet

It is SUGGESTED that if the software produced by the project includes software written using a memory-unsafe language (e.g., C or C++), then at least one dynamic tool (e.g., a fuzzer or web application scanner) be routinely used in combination with a mechanism to detect memory safety problems such as buffer overwrites. If the project does not produce software written in a memory-unsafe language, choose "not applicable" (N/A). [dynamic_analysis_unsafe]

(/en/projects/11445/edit#dynamic_analysis_unsafe)

☒ ?

(/en/projects/11445/edit#dynamic_analysis_enable_assertions)



☐ Met

☐ Unmet

It is SUGGESTED that the project use a configuration for at least some dynamic analysis (such as testing or fuzzing) which enables many assertions. In many cases these assertions should *not* be enabled in production builds. [dynamic_analysis_enable_assertions]

(/en/projects/11445/edit#dynamic_analysis_enable_assertions)

(/en/projects/11445/edit#dynamic_analysis_fixed)



☐ Met

☐ Unmet

All medium and higher severity exploitable vulnerabilities discovered with dynamic code analysis MUST be fixed in a timely way after they are confirmed. [dynamic_analysis_fixed]

(/en/projects/11445/edit#dynamic_analysis_fixed)

☒ ?

By submitting this data about the project you agree to release it under at least the Community Data License Agreement – Permissive, Version 2.0 (<https://cdla.dev/permissive-2-0/>). This means that a Data Recipient may share the Data, with or without modifications, so long as the Data Recipient makes available the text of this agreement with the shared Data. This agreement does *not* impose any restriction or obligations with respect to the use, modification, or sharing of Results. You retain copyright (if any), and the project license is unaffected.

Save (and continue)

Submit (and exit)

Need help? Have a question? See a problem? Please file an issue

(<https://github.com/coreinfrastructure/best-practices-badge/issues>). Copyright

© OpenSSF Best Practices Badge a Series of LF Projects, LLC

(<https://www.bestpractices.dev>). For web site terms of use, trademark policy and

other project policies please see these policies (<https://lfprojects.org>). For more

information, see the websites of the Open Source Security Foundation (OpenSSF)

(<https://openssf.org>) and The Linux Foundation (<https://www.linuxfoundation.org/>).

All Rights Reserved. Please see our privacy policy

(<https://www.linuxfoundation.org/privacy>).

(<https://openssf.org/>)



(<https://www.linuxfoundation.org/>)

(<https://www.fastly.com/>)