SYNTHETIC VALIDATION | SuSiE versus EM SuSiE−mix | iteration 18

P < 1e−08 | mean reads >= 100 | at least one CS in either model | 136 regions across 7 tissues

A CS−count agreement: four tissue extremes

Rows: SuSiE CSs | Columns: EM CSs | Cells: region counts

Tissue1

Most disagreement | n = 25

Same: 5 (20.0%) | Different: 20

	0	1	2
0	–	0	0
1	0	5	20
2	0	0	0

Tissue2

Most disagreement | n = 25

Same: 10 (40.0%) | Different: 15

	0	1	2
0	–	0	0
1	0	10	15
2	0	0	0

Tissue5

Most agreement | n = 25

Same: 25 (100.0%) | Different: 0

	0	1
0	–	0
1	0	25

Tissue4

Most agreement | n = 25

Same: 20 (80.0%) | Different: 5

	0	1	2
0	–	0	0
1	0	20	5
2	0	0	0

B How far do leads differ? All tissues



Excluded here: 130 identical pairs; 2 extra CSs without a counterpart model CS

C Lead retention across CS−count groups



D Coding and support of extra EM CSs



Extra = unpaired after identical−lead and distance matching; includes EM−only regions.

Tissue ranking: equal−count rate, minimum n = 15. CS leads compare exact SNP IDs, ignoring coding.

Positional matches do not establish shared signals or LD. Audited exclusions: 1 lead comparisons; 2 distance comparisons.