Winston-Lutz Analysis

Metadata:
Autor: William A. P. dos Santos
Função: Físico
Acelerador Linear: Synergy Full
Modelo MLC: Agility

Winston-Lutz Analysis
==========
Number of images: 8
Maximum 2D CAX->BB distance: 1.31mm
Median 2D CAX->BB distance: 1.03mm
Shift to iso: facing gantry, move BB: RIGHT 0.05mm; IN 0.57mm; DOWN 0.49mm
Gantry 3D isocenter diameter: 1.36mm (4/8 images considered)
Maximum Gantry RMS deviation (mm): 1.08mm
Maximum EPID RMS deviation (mm): 2.64mm
Gantry+Collimator 3D isocenter diameter: 1.36mm (6/8 images considered)
Collimator 2D isocenter diameter: 0.19mm (3/8 images considered)
Maximum Collimator RMS deviation (mm): 1.31
Couch 2D isocenter diameter: 0.89mm (3/8 images considered)
Maximum Couch RMS deviation (mm): 0.99



Notes:

Análise de Winston-Lutz com pylinac
Campo 2 cm X 2 cm
Tolerância: 1 mm
Limite de ação: 0.8 mm
Local das imagens: ./WL\WL_2020-06-11_analisado

Winston-Lutz Analysis

Metadata:
Autor: William A. P. dos Santos
Função: Físico
Acelerador Linear: Synergy Full
Modelo MLC: Agility

Gantry images



Winston-Lutz Analysis

Metadata:
Autor: William A. P. dos Santos
Função: Físico
Acelerador Linear: Synergy Full
Modelo MLC: Agility

Collimator images



Winston-Lutz Analysis

Metadata:
Autor: William A. P. dos Santos
Função: Físico
Acelerador Linear: Synergy Full
Modelo MLC: Agility

Couch images