Winston-Lutz Analysis

Metadata:
Autor: William A. P. dos Santos
Função: Físico
Acelerador Linear: Synergy Full
Modelo MLC: Agility

Winston-Lutz Analysis
==========
Number of images: 8
Maximum 2D CAX->BB distance: 1.24mm
Median 2D CAX->BB distance: 0.77mm
Shift to iso: facing gantry, move BB: RIGHT 0.24mm; OUT 0.18mm; DOWN 0.23mm
Gantry 3D isocenter diameter: 1.40mm (4/8 images considered)
Maximum Gantry RMS deviation (mm): 1.12mm
Maximum EPID RMS deviation (mm): 3.01mm
Gantry+Collimator 3D isocenter diameter: 1.68mm (6/8 images considered)
Collimator 2D isocenter diameter: 0.34mm (3/8 images considered)
Maximum Collimator RMS deviation (mm): 0.70
Couch 2D isocenter diameter: 0.72mm (3/8 images considered)
Maximum Couch RMS deviation (mm): 1.24















Notes:

Análise de Winston-Lutz com pylinac
Campo 2 cm X 2 cm
Tolerância: 1 mm
Limite de ação: 0.8 mm
Local das imagens: ./WL_IOSP_20201216\WL_2020-10-27

Winston-Lutz Analysis

Metadata:
Autor: William A. P. dos Santos
Função: Físico
Acelerador Linear: Synergy Full
Modelo MLC: Agility

Gantry images



Winston-Lutz Analysis

Metadata:
Autor: William A. P. dos Santos
Função: Físico
Acelerador Linear: Synergy Full
Modelo MLC: Agility

Collimator images



Winston-Lutz Analysis

Metadata:
Autor: William A. P. dos Santos
Função: Físico
Acelerador Linear: Synergy Full
Modelo MLC: Agility

Couch images