Contents

1 Basic

1.1 Dinic [437335]

Max flow. $O(V^2E)$; unit caps $O(E\sqrt{E})$; bipartite $O(E\sqrt{V})$. cap is int. 0-base.

```
struct MaxFlow { // 0-base
  struct edge { int to, cap, flow, rev; };
  vector<edge> G[MAXN];
  int s, t, dis[MAXN], cur[MAXN], n;
  int dfs(int u, int cap) {
    if (u == t || !cap) return cap;
    for (int &i = cur[u]; i < (int)G[u].size(); ++i) {
      edge &e = G[u][i];
      if (dis[e.to] == dis[u] + 1 && e.flow != e.cap) {
        int df = dfs(e.to, min(e.cap - e.flow, cap));
        if (df) {
          e.flow += df;
          G[e.to][e.rev].flow -= df;
          return df;
        }
      }
    }
    dis[u] = -1;
    return 0;
  }
  bool bfs() {
    fill_n(dis, n, -1);
    queue<int> q; q.push(s); dis[s] = 0;
    while (!q.empty()) {
      int tmp = q.front(); q.pop();
      for (auto &u : G[tmp])
        if (!~dis[u.to] && u.flow != u.cap) {
          q.push(u.to);
          dis[u.to] = dis[tmp] + 1;
        }
    }
    return dis[t] != -1;
  }
  int maxflow(int _s, int _t) {
    // Avoid DFS when s == t: its base case would
    // otherwise return INF forever.
    if (_s == _t) return 0;
    s = _s; t = _t;
    int flow = 0, df;
    while (bfs()) {
      fill_n(cur, n, 0);
      while ((df = dfs(s, INF))) flow += df;
    }
    return flow;
  }
  void init(int _n) {
    n = _n;
    for (int i = 0; i < n; ++i) G[i].clear();
  }
  void reset() {
    for (int i = 0; i < n; ++i)
      for (auto &j : G[i]) j.flow = 0;
  }
  void add_edge(int u, int v, int cap) {
    G[u].pb({v, cap, 0, (int)G[v].size()});
    G[v].pb({u, 0, 0, (int)G[u].size() - 1});
  }
};
MaxFlow mf; mf.init(n); // nodes 0..n-1
mf.add_edge(u, v, c); // directed
int f = mf.maxflow(s, t);
// dis[i]!=-1 => i on s-side of min cut
```

1.2 vimrc

Editor config. The :Hash commands md5 a visual selection so you can check a typed template against the printed hash.

```
setxkbmap -option ctrl:nocaps
"This file should be placed at ~/.vimrc"
se nu ai hls et ru ic is sc cul re=
  1 ts=4 sts=4 sw=4 ls=2 mouse=a
syntax on|hi cursorline cterm=
  none ctermbg=89|set bg=dark
inoremap {<CR> {<CR>}<Esc>ko<tab>
"Select region and then type :Hash to hash your selection
    ; useful for verifying that there aren't mistypes."
ca Hash w !cpp -dD -P -fpreprocessed \|
  tr -d '[:space:]' \| md5sum \| cut -c-6
ca Hash w !cpp -dD -P \| sed "/^\#.*$/d" \|
  tr -d '[:space:]' \| md5sum \| cut -c-6
ca Hash w !g++ -E - \| sed "/^\#.*$/d" \|
  tr -d '[:space:]' \| md5sum \| cut -c-6
```

1.3 readchar [5f169e]

Buffered getchar via fread_unlocked, amortised $O(1)$. Returns stale data at EOF, so guard the loop.

```
inline char readchar() {
  static char buf[65536], *p = buf, *end = buf;
  if (p == end) end = buf + fread_unlocked(buf,
    1, sizeof buf, stdin), p = buf;
  return *p++;
}
int x = 0; char c = readchar();
while (c < '0' || c > '9') c = readchar();
while (c >= '0' && c <= '9')
  x = x * 10 + c - '0', c = readchar();
```

1.4 BigIntIO [516dcd]

Read/print __int128 (no cin/cout support). Handles sign.

```
bool read(__int128 &value) {
  int ch = getchar(); bool neg;
  while (true) {
    while (ch != EOF && ch != '-' &&
      ch != '+' && !isdigit(ch)) ch = getchar();
    if (ch == EOF) return false;
    neg = ch == '-';
    if (isdigit(ch) || isdigit(ch = getchar())) break;
  }
  __uint128_t x = 0,
    lim = ((__uint128_t)1 << 127) - !neg;
    bool overflow = false;
  do {
    unsigned d = ch - '0';
    if (x > (lim - d) / 10) overflow = true;
    else x = x * 10 + d;
  } while (isdigit(ch = getchar()));
  if (overflow) return false;
  value = !neg ? (__int128)x : x >> 127 ?
    -(__int128)(x - 1) - 1 : -(__int128)x;
  return true;
}
__int128 read() { __int128 value = 0;
  read(value); return value; }
void print_unsigned(__uint128_t x) {
  if (x > 9) print_unsigned(x / 10);
  putchar(x % 10 + '0');
}
void print(__int128 x) {
  if (x < 0) putchar('-');
  print_unsigned(x < 0 ?
    (__uint128_t)(-(x + 1)) + 1 : x);
}
bool cmp(__int128 x, __int128 y) { return x > y; }
__int128 a = read(), b = read();
print(a * b); putchar('\n');
```

1.5 Black Magic [e66272]

GNU extensions: mt19937; pb_ds red-black tree with find_by_order/order_of_key $O(\log n)$; mergeable heap join; persistent rope. Snippet, not compilable as-is.

```
#include <bits/stdc++.h>
#include <bits/extc++.h>
#include <ext/rope>
using namespace __gnu_pbds; using namespace __gnu_cxx;
typedef tree<int, null_type, std::less<int>,
  rb_tree_tag,
  tree_order_statistics_node_update> tree_set;
typedef cc_hash_table<int, int> umap;
typedef priority_queue<int> heap;
#ifndef BLACK_MAGIC_NO_MAIN
int main() {
  // random
  mt19937 rng(chrono::steady_clock::
    now().time_since_epoch().count());
  auto get_rand = [&](int l, int r) {
    return uniform_int_distribution<int>(l, r)(rng);
  };
  vector<int> v = {1, 2, 3};
  (void)get_rand(0, 10);
  shuffle(v.begin(), v.end(), rng);
  // rb tree
  tree_set s;
  s.insert(71); s.insert(22);
  assert(*s.find_by_order(0) == 22);
  assert(*s.find_by_order(1) == 71);
```

```
  assert(s.order_of_key(22) == 0);
  assert(s.order_of_key(71) == 1);
  s.erase(22);
  assert(*s.find_by_order(0) == 71);
  assert(s.order_of_key(71) == 0);
  // mergable heap
  __gnu_pbds::priority_queue<int> a, b;
  a.push(1), b.push(2), a.join(b);
  // persistant
  rope<char> r[2];
  r[1] = r[0];
  r[1].insert(0, "abc");
  r[1].erase(1, 1);
  std::cout << r[1].substr(0, 2) << std::endl;
}
#endif
```

1.6 Pragma Optimization [a37289]

Aggressive optimisation and SIMD targets; last line flushes denormals to zero. SIGILL on judges lacking these instruction sets.

```
#pragma GCC optimize(
    "Ofast,no-stack-protector,no-math-errno,unroll-loops")
#if defined(__x86_64__) || defined(__i386__)
#pragma GCC target("sse,sse2,sse3,ssse3,sse4")
#pragma GCC target("popcnt,abm,mmx,avx,arch=skylake")
inline void apply_pragmas() {
  __builtin_ia32_ldmxcsr(__builtin_ia32_stmxcsr() |
  0x8040); }
#else
inline void apply_pragmas() {}
#endif
```

1.7 Bitset [e9cd42]

std::bitset API reference. Note: reset() clears to 0 and set() fills with 1 — the comments in the listing are swapped.

```
#include<bits/stdc++.h>
using namespace std;
#ifndef BITSET_NO_MAIN
int main () {
    bitset<4> bit;
    bit.all(); // all bit is true, ret tru;
    bit.any();  // any bit is true, ret true
    bit.none(); // all bit is false, ret true
    bit.count();
    bit.to_string('0', '1');//with parmeter
    bit.reset(); // set all to false
    bit.set(); // set all to true
    std::bitset<8> b3{0}, b4{42};
    std::hash<std::bitset<8>> hash_fn8;
    hash_fn8(b3); hash_fn8(b4);
}
#endif
```

2 Graph

2.1 BCC Vertex* [f003fe]

Vertex biconnected components and articulation points, $O(V+E)$. Block-cut tree has **up to** $2n-2$ **nodes** — size arrays accordingly. 0-base.

```
struct BCC { // 0-base
  int n, dft, ecnt, nbcc;
  vector<int> low, dfn, bln, stk, is_ap, cir;
  vector<vector<pair<int, int>>> G;
  vector<vector<int>> bcc, nG;
  void make_bcc(int u) { bcc.emplace_back(1, u);
    for (; stk.back() != u; stk.pop_back())
      bln[stk.back()] = nbcc, bcc[nbcc].pb(stk.back());
    stk.pop_back(), bln[u] = nbcc++;
  }
  void dfs(int u, int pe) {
    int child = 0; low[u] = dfn[u] = ++dft, stk.pb(u);
    for (auto [v, e] : G[u])
      if (!dfn[v]) {
        dfs(v, e), ++child;
        low[u] = min(low[u], low[v]);
        if (dfn[u] <= low[v]) {
          is_ap[u] = 1, bln[u] = nbcc;
          make_bcc(v), bcc.back().pb(u);
        }
      } else if (e != pe && dfn[v] < dfn[u])
        low[u] = min(low[u], dfn[v]);
    if (pe == -1 && child < 2) is_ap[u] = 0;
    if (pe == -1 && child == 0) make_bcc(u);
  }
  BCC(int _n): n(_n), dft(), ecnt(), nbcc(),
    low(n), dfn(n), bln(n), is_ap(n), G(n) {}
  void add_edge(int u, int v) { G[u].pb({
    v, ecnt}), G[v].pb({u, ecnt++}); }
  void solve() { for (int i = 0; i < n;
    ++i) if (!dfn[i]) dfs(i, -1); }
  void block_cut_tree() {
    int base = nbcc;
    cir.assign(base, 1);
    for (int i = 0; i < n;
      ++i) if (is_ap[i]) bln[i] = nbcc++;
    nG.assign(nbcc, {});
    for (int i = 0; i < base; ++i) for (int j : bcc[i])
      if (is_ap[j]) nG[i].pb(bln[j]), nG[bln[j]].pb(i);
  } // up to 2 * n - 2 nodes!! bln[i] for id
};
BCC b(n); b.add_edge(u, v); b.solve();
b.bcc[i]; // vertices of i-th block
b.is_ap[u]; b.bln[u];
b.block_cut_tree(); // nG, up to 2n-2 nodes
```

2.2 Bridge* [e040b0]

Bridges and 2-edge-connected components, $O(V+E)$. Uses edge ids rather than the parent vertex, so **multi-edges are handled correctly**. 0-base.

```
struct ECC { // 0-base
  int n, dft, ecnt, necc;
  vector<int> low, dfn, bln, is_bridge, stk;
  vector<vector<pii>> G;
  void dfs(int u, int f) {
    dfn[u] = low[u] = ++dft, stk.pb(u);
    for (auto [v, e] : G[u])
      if (!dfn[v])
        dfs(v, e), low[u] = min(low[u], low[v]);
      else if (e != f)
        low[u] = min(low[u], dfn[v]);
    if (low[u] == dfn[u]) {
      if (f != -1) is_bridge[f] = 1;
      for (; stk.back() != u; stk.pop_back())
        bln[stk.back()] = necc;
      bln[u] = necc++, stk.pop_back();
    }
  }
  ECC(int _n): n(_n), dft(), ecnt(),
    necc(), low(n), dfn(n), bln(n), G(n) {}
  void add_edge(int u, int v) {
    G[u].pb({v, ecnt}), G[v].pb({u, ecnt++});
  }
  void solve() { is_bridge.resize(ecnt);
    for (int i = 0; i < n; ++i) if (!dfn[i]) dfs(i,
      -1);
    }
}; // ecc_id(i): bln[i]
ECC e(n); e.add_edge(u, v); e.solve();
e.is_bridge[edge_id];
e.bln[u]; // 2-edge-connected comp id
// edge ids -> multi-edges handled right
```

2.3 SCC* [3e1afd]

Tarjan SCC, $O(V+E)$. bln ids come out in **reverse topological order** — 2SAT relies on this. 0-base.

```
struct SCC { // 0-base
  int n, dft, nscc;
  vector<int> low, dfn, bln, instack, stk;
  vector<vector<int>> G;
  void dfs(int u) {
    low[u] = dfn[u] = ++dft, instack[u] = 1, stk.pb(u);
    for (int v : G[u])
      if (!dfn[v])
        dfs(v), low[u] = min(low[u], low[v]);
      else if (instack[v])
        low[u] = min(low[u], dfn[v]);
    if (low[u] == dfn[u]) {
      for (; stk.back() != u; stk.pop_back())
        bln[stk.back()] = nscc,
          instack[stk.back()] = 0;
      instack[u] = 0, bln[u] = nscc++, stk.pop_back();
    }
  }
  SCC(int _n): n(_n), dft(), nscc(), low(n),
    dfn(n), bln(n), instack(n), G(n) {}
  void add_edge(int u, int v) { G[u].pb(v); }
  void solve() {
    for (int i = 0; i < n; ++i) if (!dfn[i]) dfs(i); }
}; // scc_id(i): bln[i]
SCC s(n); s.add_edge(u, v); s.solve();
s.bln[u]; // component id
// ids are in REVERSE topological order
```

2.4 2SAT* [3eaa42]

$O(V+E)$ via implication graph + SCC. Variable i is node i (true) / $i+n$ (false). Requires SCC.cpp. 0-base.

```
struct SAT { // 0-base
  int n;
  vector<bool> istrue;
  SCC scc;
  SAT(int _n): n(_n), istrue(n + n), scc(n + n) {}
  int rv(int a) { return a >= n ? a - n : a + n; }
  void add_clause(int a, int b) {
    scc.add_edge(rv(a), b), scc.add_edge(rv(b), a); }
```

```
  bool solve() {
    scc.solve(); for (int i = 0; i < n; ++i)
      if (scc.bln[i] == scc.bln[i + n]) return false;
      else istrue[i] = scc.bln[i] < scc.bln[i + n],
        istrue[i + n] = !istrue[i];
    return true;
  }
};
SAT sat(n); // var i true=i, false=i+n
sat.add_clause(a, b); // (a or b)
if (sat.solve()) use sat.istrue[i];
```

2.5 MinimumMeanCycle* [b9cc0e]

Karp's minimum mean cycle, $O(V^3)$ on an adjacency matrix. Returns the mean as a reduced fraction, $(-1,-1)$ if acyclic.

```
ll road[N][N]; // input here
struct MinimumMeanCycle {
  ll dp[N + 1][N]; int n;
  static bool less_frac(pll a, pll b) {
    return (__int128)a.first *
      b.second < (__int128)b.first * a.second;
  }
  pll solve() {
    fill_n(dp[0], n, 0);
    // every vertex may be the start
    for (int k = 1; k <= n; ++k) {
      fill_n(dp[k], n, INF);
      for (int v = 0; v < n;
        ++v) for (int u = 0; u < n; ++u)
        if (dp[k - 1][u] < INF && road[u][v] < INF)
          dp[k][v] = min(dp[k][v],
            dp[k - 1][u] + road[u][v]);
    }
    bool found = false; pll ans;
    for (int v = 0; v < n; ++v) if (dp[n][v] < INF) {
      bool have = false; pll high;
      for (int k = 0; k < n; ++k) if (dp[k][v] < INF) {
        pll cur = {dp[n][v] - dp[k][v], n - k};
        if (!have || less_frac(high,
          cur)) high = cur, have = true;
      }
      if (have && (!found || less_frac(high,
        ans))) ans = high, found = true;
    }
    if (!found) return {-1, -1};
    ll g = gcd(ans.first, ans.second);
    return {ans.first / g, ans.second / g};
  }
  void init(int _n) { n = _n; }
};
// fill road[i][j], INF if absent
static MinimumMeanCycle mmc; mmc.init(n);
auto [p, q] = mmc.solve(); // p/q reduced
// (-1,-1) if no cycle
```

2.6 Virtual Tree* [d80ceb]

Compresses k key vertices into an $O(k)$ auxiliary tree in $O(k \log k)$. Needs external LCA(), dfn, dep.

```
vector<int> vG[N];
int top, st[N];
void insert(int u) {
  if (top == -1) return st[++top] = u, void();
  int p = LCA(st[top], u);
  if (p == st[top]) return st[++top] = u, void();
  while (top >= 1 && dep[st[top - 1]] >= dep[p])
    vG[st[top - 1]].pb(st[top]), --top;
  if (st[top] != p)
    vG[p].pb(st[top]), --top, st[++top] = p;
  st[++top] = u;
}

void reset(int u) {
  for (int i : vG[u]) reset(i); vG[u].clear();
}
int build(vector<int> &v) {
  if (v.empty()) return -1;
  top = -1;
  sort(ALL(v), [&](int a, int b) {
    return dfn[a] < dfn[b]; });
  v.erase(unique(ALL(v)), v.end());
  for (int i : v) insert(i);
  while (top > 0) vG[st[top - 1]].pb(st[top]), --top;
  return st[0];
}
void solve(vector<int> &v) {
  int root = build(v);
  if (root == -1) return;
  // do something
  reset(root);
}
Usage:
// needs LCA(), dfn[], dep[] prepared
solve(keys); // builds vG, then resets
// do the DP where marked in the file
```

2.7 Maximum Clique Dyn* [d50aa9]

Max clique by branch and bound with dynamic colouring. Exponential, but fast for $n \leq 100$.

```
struct MaxClique { // fast when N <= 100
  bitset<N> G[N], cs[N];
  int ans, sol[N], q, cur[N], d[N], n;
  void init(int _n) {
    n = _n; for (int i = 0; i < n; ++i) G[i].reset();
  }
  void add_edge(int u, int v) { G[u][v] = G[v][u] = 1;
    }
  void pre_dfs(vector<int> &r, int l, bitset<N> mask) {
    if (l < 4) {
      for (int i : r) d[i] = (G[i] & mask).count();
      sort(ALL(r), [&](int x, int y) {
        return d[x] > d[y]; });
    } vector<int> c(SZ(r));
    int lft = max(ans - q + 1, 1), rgt = 1, tp = 0;
    cs[1].reset(), cs[2].reset();
    for (int p : r) {
      int k = 1;
      while ((cs[k] & G[p]).any()) ++k;
      if (k > rgt) cs[++rgt + 1].reset();
      cs[k][p] = 1;
      if (k < lft) r[tp++] = p;
    } for (int k = lft; k <= rgt; ++k)
      for (int p = cs[k]._Find_first(); p < N;
          p = cs[k]._Find_next(p))
        r[tp] = p, c[tp] = k, ++tp;
    dfs(r, c, l + 1, mask);
  }
  void dfs(vector<int> &r, vector<int> &c,
    int l, bitset<N> mask) {
    while (!r.empty()) {
      int p = r.back();
      r.pop_back(), mask[p] = 0;
      if (q + c.back() <= ans) return;
      cur[q++] = p;
      vector<int> nr;
      for (int i : r) if (G[p][i]) nr.pb(i);
      if (!nr.empty()) pre_dfs(nr, l, mask & G[p]);
      else if (q > ans) ans = q, copy_n(cur, q, sol);
      c.pop_back(), --q;
    }
  }
  int solve() {
    vector<int> r(n); ans = q = 0, iota(ALL(r), 0);
    pre_dfs(r, 0, bitset<N>(string(n, '1')));
    return ans;
  }
};
static MaxClique mc; mc.init(n); mc.add_edge(u, v);
int k = mc.solve(); // sol[0..k) = clique
// fast for n <= 100
```

2.8 Minimum Steiner Tree* [8f55a0]

$O(V3^T + V^2 2^T)$ for T terminals. Supports **vertex costs** via vcst; add_edge is directed. 0-base.

```
struct SteinerTree { // 0-base
  int n, dst[N][N], dp[1 << T][N], tdst[N];
  int vcst[N]; // the cost of vertexs
  void init(int _n) {
    n = _n;
    for (int i = 0; i < n; ++i)
      fill_n(dst[i], n, INF), dst[i][i] = vcst[i] = 0;
  }
  void chmin(int &x, int val) { x = min(x, val); }
  void add_edge(int ui, int vi, int wi) {
    chmin(dst[ui][vi], wi); }
  void shortest_path() {
    // Convert edge-only distances into path costs that
    // include every
    // entered vertex. The source vertex is charged by
    // the singleton state.
    for (int i = 0; i < n; ++i)
      for (int j = 0; j < n; ++j)
        if (i != j &&
          dst[i][j] < INF) dst[i][j] += vcst[j];
    for (int k = 0; k < n; ++k)
      for (int i = 0; i < n; ++i)
        for (int j = 0; j < n; ++j)
          chmin(dst[i][j], dst[i][k] + dst[k][j]);
  }
  int solve(const vector<int>& ter) {
    vector<int> terminals = ter;
    sort(terminals.begin(), terminals.end());
    terminals.erase(unique(terminals.begin(),
```

```
      terminals.end()), terminals.end());
    if (terminals.empty()) return 0;
    shortest_path();
    int t = SZ(terminals), full = (1 << t) - 1;
    for (int i = 0; i <= full; ++i) fill_n(dp[i],
      n, INF);
    copy_n(vcst, n, dp[0]);
    for (int msk = 1; msk <= full; ++msk) {
      if (!(msk & (msk - 1))) {
        int who = __lg(msk);
        for (int i = 0; i < n; ++i)
          dp[msk][i] = vcst[terminals[who]] +
            dst[terminals[who]][i];
      } for (int i = 0; i < n; ++i)
        for (int sub = (msk - 1) & msk;
          sub; sub = (sub - 1) & msk)
          chmin(dp[msk][i],
            dp[sub][i] + dp[msk ^ sub][i] - vcst[i]);
      for (int i = 0; i < n; ++i) {
        tdst[i] = INF;
        for (int j = 0; j < n; ++j)
          chmin(tdst[i], dp[msk][j] + dst[j][i]);
      } copy_n(tdst, n, dp[msk]);
    } return *min_element(dp[full], dp[full] + n);
  }
}; // O(V 3^T + V^2 2^T)
static SteinerTree st; st.init(n); st.vcst[i] = nodeCost;
st.add_edge(u, v, w); // DIRECTED
int c = st.solve(terminals);
```

2.9 Dominator Tree* [68e814]

Lengauer-Tarjan, $O((V+E)\log V)$. Only vertices reachable from root are meaningful. **1-base.**

```
struct dominator_tree { // 1-base
  vector<int> G[N], rG[N];
  int n, pa[N], dfn[N], id[N], Time;
  int semi[N], idom[N], best[N];
  vector<int> tree[N]; // dominator_tree
  void init(int _n) {
    n = _n;
    for (int i = 1; i <= n; ++i)
      G[i].clear(), rG[i].clear();
  }
  void add_edge(int u, int v) {
    G[u].pb(v), rG[v].pb(u); }
  void dfs(int u) {
    id[dfn[u] = ++Time] = u;
    for (auto v : G[u])
      if (!dfn[v]) dfs(v), pa[dfn[v]] = dfn[u];
  }
  int find(int y, int x) {
    if (y <= x) return y;
    int tmp = find(pa[y], x);
    if (semi[best[y]] > semi[best[pa[y]]]) best[y] =
      best[pa[y]];
    return pa[y] = tmp;
  }
  void tarjan(int root) {
    Time = 0; for (int i = 1; i <= n; ++i)
      dfn[i] = idom[i] = 0, tree[i].clear(),
        best[i] = semi[i] = i;
    dfs(root);
    for (int i = Time; i > 1; --i) {
      int u = id[i];
      for (auto v : rG[u])
        if (v = dfn[v]) {
          find(v, i);
          semi[i] = min(semi[i], semi[best[v]]);
        } tree[semi[i]].pb(i);
      for (auto v : tree[pa[i]]) {
        find(v, pa[i]);
        idom[v] = semi[best[v]] == pa[i] ?
          pa[i] : best[v];
      } tree[pa[i]].clear();
    } for (int i = 2; i <= Time; ++i) {
      if (idom[i] != semi[i]) idom[i] = idom[idom[i]];
      tree[id[idom[i]]].pb(id[i]);
    }
  }
};
static dominator_tree
    dt; dt.init(n); dt.add_edge(u, v); // 1-base
dt.tarjan(root);
dt.tree[u]; // children in dominator tree
```

2.10 Minimum Clique Cover* [b8def4]

$O(n2^n)$ **probabilistic** cover count via subset-sum transform. Needs fwt(); n limited by the 2^n arrays.

```
struct Clique_Cover { // 0-base, O(n2^n)
  int co[1 << N], n, E[N];
  int dp[1 << N];
  void init(int _n) {
    n = _n, fill_n(dp, 1 << n, 0), fill_n(E,
      n, 0), fill_n(co, 1 << n, 0);
  }
  void add_edge(int u, int v) {
    E[u] |= 1 << v, E[v] |= 1 << u; }
  int solve() {
    for (int i = 0; i < n;
      ++i) co[1 << i] = E[i] | (1 << i);
    co[0] = (1 << n) - 1, dp[0] = (n & 1) * 2 - 1;
    for (int i = 1; i < (1 << n); ++i) {
      int t = i & -i;
      dp[i] = -dp[i ^ t], co[i] = co[i ^ t] & co[t];
    } for (int i = 0; i < (1 << n); ++i)
      co[i] = (co[i] & i) == i;
    fwt(co, 1 << n, 1);
    for (int ans = 1; ans < n; ++ans) {
      int sum = 0; // probabilistic
      for (int i = 0; i < (1 << n); ++i)
        sum += (dp[i] *= co[i]);
      if (sum) return ans;
    } return n;
  }
};
static Clique_Cover cc; cc.init(n); cc.add_edge(u, v);
int k = cc.solve(); // O(n 2^n)
// probabilistic; needs fwt()
```

2.11 NumberofMaximalClique* [25f6de]

Bron-Kerbosch with pivot, $O(3^{n/3})$. Returns the full count. 1-base.

```
struct BronKerbosch { // 1-base
  int n, S, g[N][N];
  void init(int _n) {
    n = _n;
    for (int i = 1; i <= n; ++i) fill_n(g[i],
      n + 1, 0);
  }
  void add_edge(int u, int v) { g[u][v] = g[v][u] = 1;
    }
  void dfs_vec(vector<int> P, vector<int> X) {
    if (P.empty() && X.empty()) { ++S; return; }
    int pivot = -1, best = -1;
    vector<int> both = P;
    both.insert(both.end(), X.begin(), X.end());
    for (int u : both) {
      int score = 0;
      for (int v : P) score += g[u][v];
      if (score > best) best = score, pivot = u;
    }
    vector<int> cand;
    for (int v : P) if (pivot == -1 ||
      !g[pivot][v]) cand.push_back(v);
    for (int v : cand) {
      vector<int> nP, nX;
      for (int u : P) if (g[v][u]) nP.push_back(u);
      for (int u : X) if (g[v][u]) nX.push_back(u);
      dfs_vec(nP, nX);
      P.erase(find(P.begin(), P.end(), v));
      X.push_back(v);
    }
  }
  int solve() {
    vector<int> P(n), X; iota(P.begin(), P.end(), 1);
    S = 0, dfs_vec(P, X);
    return S;
  }
};
static BronKerbosch
     bk; bk.init(n); bk.add_edge(u, v); // 1-base
int c = bk.solve();
// full number of maximal cliques
```

3 Data Structure

3.1 BIT kth* [0002d9]

k-th smallest from a value-domain BIT in $O(\log N)$ by descending the tree. N **must be a power of two.**

```
int bit[N + 1]; // N = 2 ^ k
int query_kth(int k) {
    int res = 0;
    for (int i = N; i >>= 1;)
        if (bit[res + i] < k)
            k -= bit[res += i];
    return res + 1;
}
// bit[] is a value-domain BIT, N = 2^k
int v = query_kth(k); // k-th smallest
// O(log N), walks the tree directly
```

3.2 Interval Container* [7916fc]

Maintains disjoint half-open $[L, R)$ intervals with auto-merge; amortised $O(\log n)$.

```
set<pii>::iterator addInterval(set<pii>& is,
  int L, int R) {
  if (L == R) return is.end();
  auto it = is.lower_bound({L, R}), before = it;
  while (it != is.end() && it->X <= R) {
    R = max(R, it->Y);
    before = it = is.erase(it);
  } if (it != is.begin() && (--it)->Y >= L) {
    L = min(L, it->X);
    R = max(R, it->Y);
    is.erase(it);
  } return is.insert(before, {L, R});
}
void removeInterval(set<pii>& is, int L, int R) {
  if (L == R) return;
  auto it = addInterval(is, L, R);
  auto [l2, r2] = *it; is.erase(it);
  if (l2 != L) is.emplace(l2, L);
  if (R != r2) is.emplace(R, r2);
}
set<pii> s; // disjoint [L, R)
addInterval(s, 3, 7); // merges overlaps
removeInterval(s, 4, 5); // punches a hole
```

3.3 Leftist Tree [14c121]

Mergeable *max*-heap, merge/pop $O(\log n)$, keeps subtree size and sum. No lazy tags.

```
struct node {
  ll v, data, sz, sum;
  node *l, *r;
  node(ll k) : v(0), data(k),
    sz(1), l(0), r(0), sum(k) {}
};
ll sz(node *p) { return p ? p->sz : 0; }
ll V(node *p) { return p ? p->v : -1; }
ll sum(node *p) { return p ? p->sum : 0; }
node *merge(node *a, node *b) {
  if (!a || !b) return a ? a : b;
  if (a->data < b->data) swap(a, b);
  a->r = merge(a->r, b);
  if (V(a->r) > V(a->l)) swap(a->r, a->l);
  a->v = V(a->r) + 1, a->sz = sz(a->l) + sz(a->r) + 1;
  a->sum = sum(a->l) + sum(a->r) + a->data;
  return a;
}
void pop(node *&o) {
  delete exchange(o, merge(o->l, o->r));
}
node *a = new node(x), *b = new node(y); // MAX-heap
a = merge(a, b); // O(log n)
ll top = a->data; pop(a);
// a->sz, a->sum kept per subtree
```

3.4 Dynamic 2D Segment Tree [d930a3]

Rectangle add and rectangle-sum query on half-open coordinates, $O(\log n \log m)$ per operation. Both dimensions allocate nodes dynamically; queries may push lazy tags. **Uses int, so large sums overflow.**

```
// ---------- 1D ----------
struct Seg {
    struct Node {
        int sum = 0, lazy = 0;
        Node *l = nullptr, *r = nullptr;
    };
    int n;
    Node *root = nullptr;
    Seg(int n = 0) : n(n) {}
    void apply(Node *&idx, int l, int r, int v) {
        if (!idx) idx = new Node();
        idx->sum += v * (r - l);
        idx->lazy += v;
    }
    void push(Node *idx, int l, int r) {
        if (!idx || !idx->lazy || r - l == 1) return;
        int m = (l + r) / 2;
        apply(idx->l, l, m, idx->lazy);
        apply(idx->r, m, r, idx->lazy);
        idx->lazy = 0;
    }
    void update(
        Node *&idx, int l, int r, int ql, int qr, int v) {
        if (qr <= l || r <= ql) return;
        if (!idx) idx = new Node();
        if (ql <= l && r <= qr) {
            apply(idx, l, r, v);
            return;
        }
        push(idx, l, r);
        int m = (l + r) / 2;
        update(idx->l, l, m, ql, qr, v);
        update(idx->r, m, r, ql, qr, v);
        idx->sum =
            (idx->l ? idx->l->sum : 0) +
            (idx->r ? idx->r->sum : 0);
    }
    int query(Node *idx, int l, int r, int ql, int qr) {
        if (!idx || qr <= l || r <= ql) return 0;
        if (ql <= l && r <= qr) return idx->sum;
        push(idx, l, r);
        int m = (l + r) / 2;
        return query(idx->l, l, m, ql, qr)
             + query(idx->r, m, r, ql, qr);
    }
    void update(int l, int r, int v) {
        update(root, 0, n, l, r, v);
    }
    int query(int l, int r) {
        return query(root, 0, n, l, r);
    }
};
// ---------- 2D ----------
struct Seg2D {
    struct Node {
        Seg sum, lazy;
        Node *l = nullptr, *r = nullptr;
        Node(int m) : sum(m), lazy(m) {}
    };
    int n, m;
    Node *root = nullptr;
    Seg2D(int n, int m) : n(n), m(m) {}
    void update(Node *&idx, int l, int r,
                int xl, int xr, int yl, int yr, int v) {
        if (xr <= l || r <= xl) return;
        if (!idx) idx = new Node(m);
        int rows = min(r, xr) - max(l, xl);
        idx->sum.update(yl, yr, v * rows);
        if (xl <= l && r <= xr) {
            idx->lazy.update(yl, yr, v);
            return;
        }
        int md = (l + r) / 2;
        update(idx->l, l, md, xl, xr, yl, yr, v);
        update(idx->r, md, r, xl, xr, yl, yr, v);
    }
    int query(Node *idx, int l, int r,
              int xl, int xr, int yl, int yr) {
        if (!idx || xr <= l || r <= xl) return 0;
        if (xl <= l && r <= xr)
            return idx->sum.query(yl, yr);
        int rows = min(r, xr) - max(l, xl);
        int md = (l + r) / 2;
        return idx->lazy.query(yl, yr) * rows
             + query(idx->l, l, md, xl, xr, yl, yr)
             + query(idx->r, md, r, xl, xr, yl, yr);
    }
    void update(int xl, int xr, int yl, int yr, int v) {
        update(root, 0, n, xl, xr, yl, yr, v);
    }
    int query(int xl, int xr, int yl, int yr) {
        return query(root, 0, n, xl, xr, yl, yr);
    }
};
Seg2D st(n, m); // coordinates are half-open
st.update(xl, xr, yl, yr, v); // rectangle add
int sum = st.query(xl, xr, yl, yr); // rectangle sum
```

3.5 Heavy light Decomposition* [2e43dc]

Vertex path sums in $O(\log^2 n)$ using Seg from the preceding template. Tree vertices are 1-base, root 1; flattened positions are half-open and 0-base.

```
struct Heavy_light_Decomposition { // 1-base; needs Seg
  int n, ulink[N], deep[N], mxson[N], w[N], pa[N];
  int t, pl[N], val[N]; // val: vertex data
  Seg seg;
  vector<int> G[N];
  void init(int _n) {
    n = _n;
    w[0] = 0;
    for (int i = 1; i <= n; ++i)
      G[i].clear(), mxson[i] = 0;
  }
  void add_edge(int a, int b) { G[a].pb(b), G[b].pb(a);
    }
  void dfs(int u, int f, int d) {
    w[u] = 1, pa[u] = f, deep[u] = d++;
    for (int &i : G[u])
      if (i != f)
        dfs(i, u, d), w[u] += w[i],
          mxson[u] = w[mxson[u]] < w[i] ? i : mxson[u];
  }
```

```
  void cut(int u, int link) {
    pl[u] = t++, ulink[u] = link;
    seg.update(pl[u], pl[u] + 1, val[u]);
    if (!mxson[u]) return;
    cut(mxson[u], link);
    for (int i : G[u])
      if (i != pa[u] && i != mxson[u]) cut(i, i);
  }
  void build() { t = 0, seg = Seg(n), dfs(1, 1, 1),
    cut(1, 1); }
  int query(int a, int b) {
    int ta = ulink[a], tb = ulink[b], res = 0;
    while (ta != tb) {
      if (deep[ta] > deep[tb]) swap(ta,
        tb), swap(a, b);
      res += seg.query(pl[tb], pl[b] + 1);
      tb = ulink[b = pa[tb]];
    } if (pl[a] > pl[b]) swap(a, b);
    return res + seg.query(pl[a], pl[b] + 1);
  }
};
static Heavy_light_Decomposition
    hld; hld.init(n); hld.add_edge(a, b);
hld.val[u] = w; hld.build(); // 1-base
hld.query(a, b); // O(log^2 n)
// skeleton: wire a segtree into build/query
```

3.6 Centroid Decomposition* [555d05]

Builds a centroid tree in $O(n \log n)$; modify/query are $O(\log n)$. upinfo removes same-branch overcount. 1-base.

```
struct Cent_Dec { // 1-base
  vector<pll> G[N];
  pll info[N]; // store info. of itself
  pll upinfo[N]; // store info. of climbing up
  int n, pa[N], layer[N], sz[N], done[N];
  ll dis[__lg(N) + 1][N];
  void init(int _n) {
    n = _n, layer[0] = -1;
    fill_n(pa + 1, n, 0), fill_n(done + 1, n, 0);
    fill_n(info, n + 1, pll());
    fill_n(upinfo, n + 1, pll());
    for (int i = 1; i <= n; ++i) G[i].clear();
  }
  void add_edge(int a, int b, int w) {
    G[a].pb(pll(b, w)), G[b].pb(pll(a, w)); }
  void get_cent(int u, int f,
    int &mx, int &c, int num) {
    int mxsz = 0; sz[u] = 1;
    for (pll e : G[u])
      if (!done[e.X] && e.X != f) {
        get_cent(e.X, u, mx, c, num);
        sz[u] += sz[e.X], mxsz = max(mxsz, sz[e.X]);
      } if (mx > (mxsz = max(mxsz, num - sz[u])))
      mx = mxsz, c = u;
  }
  void dfs(int u, int f, ll d, int org) {
    // if required, add self info or climbing info
    dis[layer[org]][u] = d;
    for (pll e : G[u])
      if (!done[e.X] && e.X != f)
        dfs(e.X, u, d + e.Y, org);
  }
  int cut(int u, int f, int num) {
    int mx = 1e9, c = 0, lc;
    get_cent(u, f, mx, c, num);
    done[c] = 1, pa[c] = f, layer[c] = layer[f] + 1;
    dis[layer[c]][c] = 0;
    for (pll e : G[c])
      if (!done[e.X]) {
        lc = sz[e.X] > sz[c] ? cut(e.X, c,
          num - sz[c]) : cut(e.X, c, sz[e.X]);
        upinfo[lc] = pll(), dfs(e.X, c, e.Y, c);
      } return done[c] = 0, c;
  }
  void build() { cut(1, 0, n); }
  void modify(int u) {
    for (int a = u,
      ly = layer[a]; a; a = pa[a], --ly) {
      info[a].X += dis[ly][u], ++info[a].Y;
      if (pa[a])
        upinfo[a].X += dis[ly - 1][u], ++upinfo[a].Y;
    }
  }
  ll query(int u) {
    ll rt = 0;
    for (int a = u,
      ly = layer[a]; a; a = pa[a], --ly) {
      rt += info[a].X + info[a].Y * dis[ly][u];
      if (pa[a])
        rt -= upinfo[a].X +
          upinfo[a].Y * dis[ly - 1][u];
    } return rt;
  }
};
static Cent_Dec cd; cd.init(n); cd.add_edge(a, b, w);
cd.build(); // 1-base
cd.modify(u); // mark u
ll s = cd.query(u); // sum dist to marked
```

3.7 LiChaoST* [61fa87]

Line container over an integer x domain, $O(\log n)$. Keeps the **maximum**; negate for minimum. For $n=0$, insertion is a no-op and query returns -INF.

```
struct L {
  ll m, k, id;
  L() : id(-1) {}
  L(ll a, ll b, ll c) : m(a), k(b), id(c) {}
  ll at(ll x) { return m * x + k; }
};
class LiChao { // maintain max
  int n; vector<L> nodes;
  void insert(int l, int r, int rt, L ln) {
    int m = (l + r) >> 1;
    L &o = nodes[rt];
    if (o.id == -1) return o = ln, void();
    bool a = o.at(l) < ln.at(l);
    if (o.at(m) < ln.at(m)) a ^= 1, swap(o, ln);
    if (r - l == 1) return;
    if (a) insert(l, m, rt << 1, ln);
    else insert(m, r, rt << 1 | 1, ln);
  }
  ll query(int l, int r, int rt, ll x) {
    int m = (l + r) >> 1; ll ret = -INF;
    if (nodes[rt].id != -1) ret = nodes[rt].at(x);
    if (r - l == 1) return ret;
    if (x < m) return max(ret,
      query(l, m, rt << 1, x));
    return max(ret, query(m, r, rt << 1 | 1, x));
  } public:
  LiChao(int n_) : n(n_ > 0 ? n_ : 0), nodes(n * 4) {}
  // An empty x-domain
      is a valid empty container: inserts are ignored and
  // queries
      return the same sentinel as an otherwise empty tree.
  void insert(L ln) { if (n > 0) insert(0, n, 1, ln); }
  ll query
      (ll x) { return n > 0 ? query(0, n, 1, x) : -INF; }
};
LiChao lc(n); // x domain [0, n)
lc.insert(L(m, k, id)); // y = m*x + k
ll best = lc.query(x); // MAXIMUM
// for min: insert negated, negate result
```

3.8 XOR Basis [5e9147]

Inserts a 64-bit unsigned integer into a linear basis in $O(64)$. basis[i] has highest set bit i; a dependent value is discarded.

```
ull basis[64];

void ins(ull x) {
    for (int i = 63; i >= 0; i--)
        if (x >> i & 1) {
            if (!basis[i]) return void(basis[i] = x);
            x ^= basis[i];
        }
}
ins(x); // add x to the XOR basis
```

3.9 KDTree [9d1a2e]

Nearest neighbour, build $O(n \log n)$, query $O(\log n)$ average. Returns **squared** distance (saturating at LLONG_MAX) and skips distance-0 points; empty data, or a query equal to every stored point, returns that sentinel.

```
namespace kdt {
int root, lc[maxn], rc[maxn], xl[maxn], xr[maxn],
  yl[maxn], yr[maxn];
point p[maxn];
int build(int l, int r, int dep = 0) {
  if (l == r) return -1;
  function<bool(const point &, const point &)> f =
    [dep](const point &a, const point &b) {
      return dep & 1 ? a.x < b.x : a.y < b.y;
    };
  int m = (l + r) >> 1;
  nth_element(p + l, p + m, p + r, f);
  xl[m] = xr[m] = p[m].x;
  yl[m] = yr[m] = p[m].y;
  lc[m] = build(l, m, dep + 1);
  if (~lc[m])
    xl[m] = min(xl[m], xl[lc[m]]),
      xr[m] = max(xr[m], xr[lc[m]]),
    yl[m] = min(yl[m], yl[lc[m]]),
      yr[m] = max(yr[m], yr[lc[m]]);
  rc[m] = build(m + 1, r, dep + 1);
  if (~rc[m])
```

```
    xl[m] = min(xl[m], xl[rc[m]]),
      xr[m] = max(xr[m], xr[rc[m]]),
    yl[m] = min(yl[m], yl[rc[m]]),
      yr[m] = max(yr[m], yr[rc[m]]);
  return m;
}
bool bound(const point &q, int o, long long d) {
  // Keep the pruning
       test exact. In particular, converting d to a
  // floating
      -point radius can round down near a perfect square.
  __int128 dx = 0, dy = 0;
  if (q.x < xl[o]) dx = (__int128)xl[o] - q.x;
  else if (q.x > xr[o]) dx = (__int128)q.x - xr[o];
  if (q.y < yl[o]) dy = (__int128)yl[o] - q.y;
  else if (q.y > yr[o]) dy = (__int128)q.y - yr[o];
  return dx * dx + dy * dy <= (__int128)d;
}
long long dist(const point &a, const point &b) {
  __int128 dx = (__int128)a.x - b.x;
  __int128 dy = (__int128)a.y - b.y;
  __int128 d = dx * dx + dy * dy;
  // The public return type
       is long long; saturate distances that do not fit.
  return d > LLONG_MAX ? LLONG_MAX : (long long)d;
}
void dfs(
  const point &q, long long &d, int o, int dep = 0) {
  if (!bound(q, o, d)) return;
  long long cd = dist(p[o], q);
  if (cd) d = min(d, cd);
  int a = lc[o], b = rc[o];
  if (!(dep & 1 ? q.x < p[o].x : q.y < p[o].y)) swap(a,
    b);
  if (~a) dfs(q, d, a, dep + 1);
  if (~b) dfs(q, d, b, dep + 1);
}
void init(const vector<point> &v) {
  copy(v.begin(), v.end(), p);
  root = build(0, v.size());
}
long long nearest(const point &q) {
  long long res = LLONG_MAX;
  if (~root) dfs(q, res, root);
  return res;
}
} // namespace kdt
kdt::init(pts);
long long d2 = kdt::nearest(q);
// squared distance; SKIPS points at
// distance 0 (i.e. excludes q itself)
```

3.10 Treap [e99c54]

Rotation-free treap, expected $O(\log n)$; split by key, split2 by size. down() is empty—add lazy tags there.

```
struct node {
  int data, sz; node *l, *r;
  node(int k) : data(k), sz(1), l(0), r(0) {}
  void up() {
    sz = 1 + (l ? l->sz : 0) + (r ? r->sz : 0);
  }
  void down() {}
};
int sz(node *a) { return a ? a->sz : 0; }
node *merge(node *a, node *b) {
  if (!a || !b) return a ? a : b;
  if (rand() % (sz(a) + sz(b)) < sz(a))
    return a->down(),
      a->r = merge(a->r, b), a->up(), a;
  return b->down(), b->l = merge(a, b->l), b->up(), b;
}
void split(node *o, node *&a, node *&b, int k) {
  if (!o) return a = b = 0, void();
  o->down();
  if (o->data <= k)
    a = o, split(o->r, a->r, b, k), a->up();
  else b = o, split(o->l, a, b->l, k), b->up();
}
void split2(node *o, node *&a, node *&b, int k) {
  if (sz(o) <= k) return a = o, b = 0, void();
  o->down();
  if (sz(o->l) < k)
    a = o, split2(o->r, a->r, b, k - sz(o->l) - 1);
  else b = o, split2(o->l, a, b->l, k);
  o->up();
}
node *kth(node *o, int k) {
  int s = sz(o->l);
  if (k <= s) return kth(o->l, k);
  if (k == ++s) return o;
  return kth(o->r, k - s);
}
int Rank(node *o, int key) {
  if (!o) return 0;
  if (o->data < key)
    return sz(o->l) + 1 + Rank(o->r, key);
  return Rank(o->l, key);
}
bool erase(node *&o, int k) {
  if (!o) return 0;
  if (o->data == k) {
    node *t = o;
    o->down(), o = merge(o->l, o->r);
    delete t;
    return 1;
  } node *&t = k < o->data ? o->l : o->r;
  return erase(t, k) ? o->up(), 1 : 0;
}
void insert(node *&o, int k) {
  node *a, *b;
  split(o, a, b, k), o = merge(a,
    merge(new node(k), b));
}
void interval(node *&o, int l, int r) {
  node *a, *b, *c;
  split2(o, a, b, l - 1), split2(b, b, c, r);
  o = merge(a, merge(b, c));
}
node *root = nullptr; insert(root, k); erase(root, k);
node *t = kth(root, i); // i-th, 1-base
int r = Rank(root, key); // # less than key
interval(root, l, r); // split2 by size
```

4 Flow/Matching

4.1 Bipartite Matching* [784535]

Max bipartite matching, Hopcroft-Karp. $O(E\sqrt{V})$. 0-base.

```
struct Bipartite_Matching { // 0-base
  int mp[N], mq[N], dis[N + 1], cur[N], l, r;
  vector<int> G[N + 1];
  bool dfs(int u) {
    for (int &i = cur[u]; i < SZ(G[u]); ++i) {
      int e = G[u][i];
      if (mq[e] == l ||
        (dis[mq[e]] == dis[u] + 1 && dfs(mq[e])))
        return mp[mq[e] = u] = e, 1;
    } return dis[u] = -1, 0;
  }
  bool bfs() {
    queue<int> q; fill_n(dis, l + 1, -1);
    for (int i = 0; i < l; ++i)
      if (~mp[i]) q.push(i), dis[i] = 0;
    while (!q.empty()) {
      int u = q.front(); q.pop();
      for (int e : G[u])
        if (~dis[mq[e]])
          q.push(mq[e]), dis[mq[e]] = dis[u] + 1;
    } return dis[l] != -1;
  }
  int matching() {
    int res = 0; fill_n(mp, l, -1), fill_n(mq, r, l);
    while (bfs()) {
      fill_n(cur, l, 0);
      for (int i = 0; i < l; ++i)
        res += (~mp[i] && dfs(i));
    } return res;
  }
  void add_edge(int s, int t) { G[s].pb(t); }
  void init(int _l, int _r) {
    l = _l, r = _r;
    for (int i = 0; i <= l; ++i) G[i].clear();
  }
};
static Bipartite_Matching
    bm; bm.init(nl, nr); // left 0..nl-1
bm.add_edge(l, r);
int m = bm.matching();
// pair (i, bm.mp[i]) when bm.mp[i] != -1
```

4.2 Kuhn Munkres* [4b3863]

Max weight *perfect* matching on a square bipartite graph. $O(V^3)$. 0-base.

```
struct KM { // 0-base, maximum matching
  ll w[N][N], hl[N], hr[N], slk[N];
  int fl[N], fr[N], pre[N], qu[N], ql, qr, n;
  bool vl[N], vr[N];
  void init(int _n) {
    n = _n;
    for (int i = 0; i < n; ++i) fill_n(w[i], n, -INF);
  }
  void add_edge(int a, int b, ll wei) { w[a][b] = wei;
    }
```

```
  bool Check(int x) {
    if (vl[x] = 1, ~fl[x])
      return vr[qu[qr++] = fl[x]] = 1;
    while (~x) swap(x, fr[fl[x] = pre[x]]);
    return 0;
  }
  void bfs(int s) {
    fill_n(slk, n, INF), fill_n(vl,
      n, 0), fill_n(vr, n, 0);
    ql = qr = 0, qu[qr++] = s, vr[s] = 1;
    for (ll d;;) {
      while (ql < qr)
        for (int x = 0, y = qu[ql++]; x < n; ++x)
          if (!vl[x] &&
              slk[x] >=
                (d = hl[x] + hr[y] - w[x][y])) {
            if (pre[x] = y, d) slk[x] = d;
            else if (!Check(x)) return;
          } d = INF;
      for (int x = 0; x < n; ++x)
        if (!vl[x] && d > slk[x]) d = slk[x];
      for (int x = 0; x < n; ++x) {
        if (vl[x]) hl[x] += d;
        else slk[x] -= d;
        if (vr[x]) hr[x] -= d;
      } for (int x = 0; x < n; ++x)
        if (!vl[x] && !slk[x] && !Check(x)) return;
    }
  }
  ll solve() {
    fill_n(fl, n, -1), fill_n(fr,
      n, -1), fill_n(hr, n, 0);
    for (int i = 0; i < n; ++i)
      hl[i] = *max_element(w[i], w[i] + n);
    for (int i = 0; i < n; ++i) bfs(i);
    ll res = 0;
    for (int i = 0; i < n; ++i) res += w[i][fl[i]];
    return res;
  }
};
static KM km; km.init(n); // square; missing edge = -INF
km.add_edge(i, j, w); // min: use -w
ll best = km.solve();
// km.fl[j] = left node matched to right j
```

4.3 MincostMaxflow* [fb5bdb]

Min cost max flow, SPFA + Johnson potentials (handles negative-cost edges). The residual graph must have no negative-cost cycle reachable from s; call solve with s!=t for ordinary flow (the degenerate s==t query returns flow=cost=0). 0-base.

```
struct MinCostMaxFlow { // 0-base
  struct Edge
  { ll from, to, cap, flow, cost, rev; } *past[N];
  vector<Edge> G[N];
  int inq[N], n, s, t;
  ll dis[N], up[N], pot[N];
  bool BellmanFord() {
    fill_n(dis, n, INF), fill_n(inq, n, 0);
    queue<int> q;
    auto relax = [&](int u, ll d, ll cap, Edge *e) {
      if (cap > 0 && dis[u] > d) {
        dis[u] = d, up[u] = cap, past[u] = e;
        if (!inq[u]) inq[u] = 1, q.push(u);
      }
    }; relax(s, 0, INF, 0);
    while (!q.empty()) {
      int u = q.front(); q.pop(), inq[u] = 0;
      for (auto &e : G[u])
        relax(e.to,
          dis[u] + e.cost + pot[u] - pot[e.to],
          min(up[u], e.cap - e.flow), &e);
    } return dis[t] != INF;
  }
  void solve(int _s, int _t, ll &flow, ll &cost,
      bool neg = true) {
    s = _s, t = _t, flow = 0, cost = 0;
    // A zero-length s-t
        flow has zero cost.  Besides defining the API for
    // this degenerate
        query, this avoids Bellman-Ford on a self-terminal
    // residual graph (which
        can contain a source-reachable negative cycle).
    if (_s == _t) return;
    if (neg) BellmanFord(), copy_n(dis, n, pot);
    for (; BellmanFord(); copy_n(dis, n, pot)) {
      for (int i = 0; i < n; ++i)
        dis[i] += pot[i] - pot[s];
      flow += up[t], cost += up[t] * dis[t];
      for (int i = t; past[i]; i = past[i]->from) {
        auto &e = *past[i];
        e.flow += up[t], G[e.to][e.rev].flow -= up[t];
      }
    }
  }
  void init(int _n) {
    n = _n, fill_n(pot, n, 0);
    for (int i = 0; i < n; ++i) G[i].clear();
  }
  void add_edge(ll a, ll b, ll cap, ll cost) {
    G[a].pb({a, b, cap, 0, cost, SZ(G[b])}
      ), G[b].pb({b, a, 0, 0, -cost, SZ(G[a]) - 1});
  }
};
static MinCostMaxFlow mcmf; mcmf.init(n);
mcmf.add_edge(u, v, cap, cost);
ll flow, cost;
mcmf.solve
    (s, t, flow, cost); // neg=true handles negative edges
```

4.4 Maximum Simple Graph Matching* [c16056]

Max matching on a general graph (blossom). $O(V^3)$. 0-base.

```
struct Matching { // 0-base
  queue<int> q; int n;
  vector<int> fa, s, vis, pre, match;
  vector<vector<int>> G;
  int Find(int u)
  { return u == fa[u] ? u : fa[u] = Find(fa[u]); }
  int LCA(int x, int y) {
    static int tk = 0; tk++; x = Find(x); y = Find(y);
    for (;; swap(x, y)) if (x != n) {
      if (vis[x] == tk) return x;
      vis[x] = tk;
      x = Find(pre[match[x]]);
    }
  }
  void Blossom(int x, int y, int l) {
    for (; Find(x) != l; x = pre[y]) {
      pre[x] = y, y = match[x];
      if (s[y] == 1) q.push(y), s[y] = 0;
      for (int z: {x, y}) if (fa[z] == z) fa[z] = l;
    }
  }
  bool Bfs(int r) {
    iota(ALL(fa), 0); fill(ALL(s), -1);
    q = queue<int>(); q.push(r); s[r] = 0;
    for (; !q.empty(); q.pop()) {
      int x = q.front(); for (int u : G[x])
        if (s[u] == -1) {
          if (pre[u] = x, s[u] = 1, match[u] == n) {
            for (int a = u, b = x, last;
                 b != n; a = last, b = pre[a])
              last = match[b],
                match[b] = a, match[a] = b;
            return true;
          } q.push(match[u]); s[match[u]] = 0;
        } else if (!s[u] && Find(u) != Find(x)) {
          int l = LCA(u, x);
          Blossom(x, u, l); Blossom(u, x, l);
        }
    } return false;
  }
  Matching(int _n) : n(_n), fa(n + 1), s(n + 1),
    vis(n + 1), pre(n + 1, n), match(n + 1, n), G(n) {}
  void add_edge(int u, int v) { G[u].pb(v), G[v].pb(u);
    }
  int solve() {
    int ans = 0;
    for (int x = 0; x < n; ++x)
      if (match[x] == n) ans += Bfs(x);
    return ans;
  }
};
Matching M(n); // general graph
M.add_edge(u, v);
int sz = M.solve();
// M.match[x] == n  =>  x is unmatched
```

4.5 Maximum Weight Matching* [dd4d97]

Max weight matching on a general graph (weighted blossom). $O(V^3)$. 1-base.

```
#define REP(i, l, r) for (int i=(l); i<=(r); ++i)
struct WeightGraph { // 1-based
  struct edge { int u, v, w; }; int n, nx;
  vector<int> lab; vector<vector<edge>> g;
  vector<int> slk, match, st, pa, S, vis;
  vector<vector<int>> flo, flo_from; queue<int> q;
  WeightGraph(int n_) : n(n_), nx(n * 2), lab(nx + 1),
    g(nx + 1, vector<edge>(nx + 1)), slk(nx + 1),
    flo(nx + 1), flo_from(nx + 1, vector(n + 1, 0)) {
    match = st = pa = S = vis = slk;
    REP(u, 1, n) REP(v, 1, n) g[u][v] = {u, v, 0};
  }
  int E(edge e)
```

```
{ return lab[e.u] + lab[e.v] - g[e.u][e.v].w * 2; }
void update_slk(int u, int x, int &s)
{ if (!s || E(g[u][x]) < E(g[s][x])) s = u; }
void set_slk(int x) {
  slk[x] = 0; REP(u, 1, n)
    if (g[u][x].w > 0 && st[u] != x && S[st[u]] == 0)
      update_slk(u, x, slk[x]);
}
void q_push(int x) {
  if (x <= n) q.push(x);
  else for (int y : flo[x]) q_push(y);
}
void set_st(int x, int b) {
  st[x] = b;
  if (x > n) for (int y : flo[x]) set_st(y, b);
}
vector<int> split_flo(vector<int> &f, int xr) {
  auto it = find(ALL(f), xr);
  if (auto pr = it - f.begin(); pr % 2 == 1)
    reverse(1 + ALL(f)), it = f.end() - pr;
  auto res = vector(f.begin(), it);
  return f.erase(f.begin(), it), res;
}
void set_match(int u, int v) {
  match[u] = g[u][v].v;
  if (u <= n) return;
  int xr = flo_from[u][g[u][v].u];
  auto &f = flo[u], z = split_flo(f, xr);
  REP(i, 0, SZ(z) - 1) set_match(z[i], z[i ^ 1]);
  set_match(xr, v); f.insert(f.end(), ALL(z));
}
void augment(int u, int v) {
  for (;;) {
    int xnv = st[match[u]]; set_match(u, v);
    if (!xnv) return;
    set_match(v = xnv, u = st[pa[xnv]]);
  }
}
int lca(int u, int v) {
  static int t = 0;
  for (++t; u || v; swap(u, v)) if (u) {
    if (vis[u] == t) return u;
    vis[u] = t, u = st[match[u]];
    if (u) u = st[pa[u]];
  } return 0;
}
void add_blossom(int u, int o, int v) {
  int b = find(n + 1 + ALL(st), 0) - begin(st);
  lab[b] = 0, S[b] = 0, match[b] = match[o];
  vector<int> f = {o};
  for (int t : {u, v}) {
    reverse(1 + ALL(f));
    for (int x = t, y; x != o; x = st[pa[y]])
      f.pb(x), f.pb(y = st[match[x]]), q_push(y);
  } flo[b] = f; set_st(b, b);
  REP(x, 1, nx) g[b][x].w = g[x][b].w = 0;
  fill(ALL(flo_from[b]), 0);
  for (int xs : flo[b]) {
    REP(x, 1, nx)
      if (g[b][x].w == 0 || E(g[xs][x]) < E(g[b][x]))
        g[b][x] = g[xs][x], g[x][b] = g[x][xs];
    REP(x, 1, n)
      if (flo_from[xs][x]) flo_from[b][x] = xs;
  } set_slk(b);
}
void expand_blossom(int b) {
  for (int x : flo[b]) set_st(x, x);
  int xr = flo_from[b][g[b][pa[b]].u], xs = -1;
  for (int x : split_flo(flo[b], xr)) {
    if (xs == -1) { xs = x; continue; }
    pa[xs] = g[x][xs].u, S[xs] = 1, S[x] = 0;
    slk[xs] = 0, set_slk(x), q_push(x), xs = -1;
  } for (int x : flo[b])
    if (x == xr) S[x] = 1, pa[x] = pa[b];
    else S[x] = -1, set_slk(x);
  st[b] = 0;
}
bool on_found_edge(const edge &e) {
  if (int u = st[e.u], v = st[e.v]; S[v] == -1) {
    int nu = st[match[v]]; pa[v] = e.u; S[v] = 1;
    slk[v] = slk[nu] = S[nu] = 0; q_push(nu);
  } else if (S[v] == 0) {
    if (int o = lca(u, v)) add_blossom(u, o, v);
    else return augment(u, v), augment(v, u), true;
  } return false;
}
bool matching() {
  fill(ALL(S), -1), fill(ALL(slk), 0);
  q = queue<int>();
  REP(x, 1, nx) if (st[x] == x && !match[x])
    pa[x] = S[x] = 0, q_push(x);
  if (q.empty()) return false;
  for (;;) {
    while (SZ(q)) {
      int u = q.front(); q.pop();
      if (S[st[u]] == 1) continue;
      REP(v, 1, n)
        if (g[u][v].w > 0 && st[u] != st[v]) {
          if (E(g[u][v]) != 0)
            update_slk(u, st[v], slk[st[v]]);
          else if (on_found_edge(g[u][v]))
            return true;
        }
    } int d = INF;
    REP(b, n + 1, nx) if (st[b] == b && S[b] == 1)
      d = min(d, lab[b] / 2);
    REP(x, 1, nx)
      if (int s = slk[x]; st[x] == x &&
        s && S[x] <= 0)
        d = min(d, E(g[s][x]) / (S[x] + 2));
    REP(u, 1, n)
      if (S[st[u]] == 1) lab[u] += d;
      else if (S[st[u]] == 0) {
        if (lab[u] <= d) return false;
        lab[u] -= d;
      } REP(b, n + 1,
        nx) if (st[b] == b && S[b] >= 0)
      lab[b] += d * (2 - 4 * S[b]);
    REP(x, 1, nx)
      if (int s = slk[x]; st[x] == x &&
          s && st[s] != x && E(g[s][x]) == 0)
        if (on_found_edge(g[s][x])) return true;
    REP(b, n + 1, nx)
      if (st[b] == b && S[b] == 1 && lab[b] == 0)
        expand_blossom(b);
  }
}
pair<ll, int> solve() {
  fill(ALL(match), 0);
  REP(u, 0, n) st[u] = u, flo[u].clear();
  int w_max = 0;
  REP(u, 1, n) REP(v, 1, n) {
    flo_from[u][v] = (u == v ? u : 0);
    w_max = max(w_max, g[u][v].w);
  } fill(ALL(lab), w_max);
  int n_matches = 0; ll tot_weight = 0;
  while (matching()) ++n_matches;
  REP(u, 1, n) if (match[u] && match[u] < u)
    tot_weight += g[u][match[u]].w;
  return {tot_weight, n_matches};
}
void add_edge(int u, int v, int w) {
  g[u][v].w = g[v][u].w = w; }
};
WeightGraph g(n); // 1-based
g.add_edge(u, v, w);
auto [sum, cnt] = g.solve();
// total weight, number of matched pairs
```

4.6 SW-mincut [34607e]

Global min cut, Stoer-Wagner. $O(V^3)$, adjacency matrix, undirected. 0-base.

```
struct SW{ // global min cut, O(V^3)
  #define REP for (int i = 0; i < n; ++i)
  static const int MXN = 514, INF = 2147483647;
  int vst[MXN], edge[MXN][MXN], wei[MXN];
  void init(int n) { REP fill_n(edge[i], n, 0); }
  void addEdge(int u, int v, int w){
    edge[u][v] += w; edge[v][u] += w;
  }
  int search(int &s, int &t, int n){
    fill_n(vst, n, 0), fill_n(wei, n, 0);
    s = t = -1;
    int mx, cur;
    for (int j = 0; j < n; ++j) {
      mx = -1, cur = 0;
      REP if (wei[i] > mx) cur = i, mx = wei[i];
      vst[cur] = 1, wei[cur] = -1;
      s = t; t = cur;
      REP if (!vst[i]) wei[i] += edge[cur][i];
    } return mx;
  }
  int solve(int n) {
    // The only partition
          of a graph with at most one vertex is empty.
    if (n <= 1) return 0;
    int res = INF;
    for (int x, y; n > 1; n--){
      res = min(res, search(x, y, n));
      REP edge[i][x] = (edge[x][i] += edge[y][i]);
```

```
      REP {
        edge[y][i] = edge[n - 1][i];
        edge[i][y] = edge[i][n - 1];
      }
    } return res;
  }
} sw;
sw.init(n); // undirected, adj matrix
sw.addEdge(u, v, w); // weights accumulate
int cut = sw.solve(n); // global min cut
```

4.7 BoundedFlow*(Dinic*) [c02595]

Flow with lower bounds; feasible circulation or bounded max flow. Size arrays $n+3$. 0-base.

```
struct BoundedFlow { // 0-base
  struct edge { int to, cap, flow, rev; };
  vector<edge> G[N];
  int n, s, t, dis[N], cur[N], cnt[N];
  void init(int _n) {
    n = _n;
    for (int i = 0; i < n + 2; ++i) G[i].clear(),
      cnt[i] = 0;
  }
  void add_edge(int u, int v, int lcap, int rcap) {
    cnt[u] -= lcap, cnt[v] += lcap;
    G[u].pb({v, rcap, lcap, SZ(G[v])}
      ), G[v].pb({u, 0, 0, SZ(G[u]) - 1});
  }
  void add_edge(int u, int v, int cap) {
    G[u].pb({v, cap, 0, SZ(G[v])}
      ), G[v].pb({u, 0, 0, SZ(G[u]) - 1});
  }
  int dfs(int u, int cap) {
    if (u == t || !cap) return cap;
    for (int &i = cur[u]; i < SZ(G[u]); ++i) {
      edge &e = G[u][i];
      if (dis[e.to] == dis[u] + 1 && e.cap != e.flow) {
        int df = dfs(e.to, min(e.cap - e.flow, cap));
        if (df) {
          e.flow += df, G[e.to][e.rev].flow -= df;
          return df;
        }
      }
    } dis[u] = -1;
    return 0;
  }
  bool bfs() {
    fill_n(dis, n + 3, -1);
    queue<int> q; q.push(s), dis[s] = 0;
    while (!q.empty()) {
      int u = q.front(); q.pop();
      for (edge &e : G[u])
        if (!~dis[e.to] && e.flow != e.cap)
          q.push(e.to), dis[e.to] = dis[u] + 1;
    } return dis[t] != -1;
  }
  int maxflow(int _s, int _t) {
    // Self s-t queries have
        zero value.  This guard also avoids constructing
    // the t -> s balancing
        edge as a self-loop, whose reverse index is not
    // meaningful in this compact representation.
    if (_s == _t) return 0;
    s = _s, t = _t;
    int flow = 0, df;
    while (bfs()) {
      fill_n(cur, n + 3, 0);
      while ((df = dfs(s, INF))) flow += df;
    } return flow;
  }
  bool solve() {
    int sum = 0;
    for (int i = 0; i < n; ++i)
      if (cnt[i] > 0)
        add_edge(n + 1, i, cnt[i]), sum += cnt[i];
      else if (cnt[i] < 0) add_edge(i, n + 2, -cnt[i]);
    if (sum != maxflow(n + 1, n + 2)) sum = -1;
    for (int i = 0; i < n; ++i)
      if (cnt[i] > 0)
        G[n + 1].pop_back(), G[i].pop_back();
      else if (cnt[i] < 0)
        G[i].pop_back(), G[n + 2].pop_back();
    return sum != -1;
  }
  int solve(int _s, int _t) {
    // With identical
        terminals this is a circulation-feasibility query.
    if (_s == _t) return solve() ? 0 : -1;
    add_edge(_t, _s, INF);
    if (!solve()) return -1;
    int fake = SZ(G[_t]) - 1, rev = G[_t][fake].rev;
    int x = G[_t][fake].flow;
    G[_t][fake].cap = G[_t][fake].flow;
    G[_s][rev].cap = G[_s][rev].flow;
    x += maxflow(_s, _t);
    return G[_t].pop_back(), G[_s].pop_back(), x;
  }
};
static BoundedFlow bf; bf.init(n);
bf.add_edge(u, v, lo, hi); // lower bound lo
bool feasible = bf.solve(); // circulation
// or: int f = bf.solve(s, t); // bounded max flow
```

4.8 Gomory Hu tree* [e7e1ce]

All-pairs min cut as a tree ($n-1$ max-flow runs, Gusfield). Needs a MaxFlow named Dinic. 0-base.

```
MaxFlow Dinic;
int g[MAXN], gh_w[MAXN];
void GomoryHu(int n) { // 0-base
  fill_n(g, n, 0), fill_n(gh_w, n, 0);
  for (int i = 1; i < n; ++i) {
    Dinic.reset();
    int p = g[i], cut = Dinic.maxflow(i, p);
    gh_w[i] = cut;
    for (int j = i + 1; j < n; ++j)
      if (g[j] == p && ~Dinic.dis[j])
        g[j] = i;
    if (p && ~Dinic.dis[g[p]])
      g[i] = g[p], g[p] = i,
        gh_w[i] = gh_w[p], gh_w[p] = cut;
  }
}
Dinic.init(n); // build graph in Dinic first
GomoryHu
    (n); // g[i] = parent, gh_w[i] = edge weight to g[i]
// mincut(u,v) = min gh_w[x] on the tree path u-v
```

4.9 Minimum Cost Circulation* [2cc37c]

Min cost circulation via capacity scaling; cancels negative cycles. $O(VE \cdot E \log C)$. 0-base.

```
struct MinCostCirculation { // 0-base
  struct Edge
  { ll from, to, cap, fcap, flow, cost, rev;
    } *past[N];
  vector<Edge> G[N];
  ll dis[N], inq[N], n;
  void BellmanFord(int s) {
    fill_n(dis, n, INF), fill_n(inq, n, 0);
    queue<int> q;
    auto relax = [&](int u, ll d, Edge *e) {
      if (dis[u] > d) {
        dis[u] = d, past[u] = e;
        if (!inq[u]) inq[u] = 1, q.push(u);
      }
    }; relax(s, 0, 0);
    while (!q.empty()) {
      int u = q.front(); q.pop(), inq[u] = 0;
      for (auto &e : G[u])
        if (e.cap > e.flow)
          relax(e.to, dis[u] + e.cost, &e);
    }
  }
  void try_edge(Edge &cur) {
    if (cur.cap > cur.flow) return ++cur.cap, void();
    BellmanFord(cur.to);
    if (dis[cur.from] + cur.cost < 0) {
      ++cur.flow, --G[cur.to][cur.rev].flow;
      for (int i = cur.from;
        past[i]; i = past[i]->from) {
        auto &e = *past[i];
        ++e.flow, --G[e.to][e.rev].flow;
      }
    } ++cur.cap;
  }
  void solve(int mxlg) {
    for (int b = mxlg; b >= 0; --b) {
      for (int i = 0; i < n; ++i)
        for (auto &e : G[i])
          e.cap *= 2, e.flow *= 2;
      for (int i = 0; i < n; ++i)
        for (auto &e : G[i])
          if (e.fcap >> b & 1) try_edge(e);
    }
  }
  void init(int _n)
  { n = _n; for (int i = 0; i < n; ++i) G[i].clear(); }
  void add_edge(ll a, ll b, ll cap, ll cost) {
    G[a].pb({
      a, b, 0, cap, 0, cost, SZ(G[b]) + (a == b)}
      ), G[b].pb({b, a, 0, 0, 0, -cost, SZ(G[a]) - 1});
  }
} mcmf; // O(VE * ElogC)
```

```
mcmf.init(n); // negative costs allowed
mcmf.add_edge(u, v, cap, cost);
mcmf.solve(mxlg);
// mxlg = highest set bit of max capacity
```

4.10 Flow Models

- Maximum/Minimum flow with lower bound / Circulation problem
  1. For $e=(x,y)$ with $l_e \le f_e \le u_e$, keep baseline l_e and give the residual edge $x \to y$ capacity $u_e - l_e$.
  2. Let $b(v)$ be the incoming lower bounds minus the outgoing ones. Add $S \to v$ with capacity $b(v)$ if $b(v) > 0$, and $v \to T$ with capacity $-b(v)$ if $b(v) < 0$.
  3. For an s-t flow, first add $t \to s$ with capacity ∞; omit it for a circulation. A feasible solution exists iff maxflow $S \to T$ saturates every edge out of S (value $\sum_{b(v)>0} b(v)$).
  4. Record F, the flow on $t \to s$, then remove S, T and that auxiliary edge. From separate copies of this residual state, maxflow $s \to t$ by Δ_+ gives maximum value $F + \Delta_+$. For the minimum *nonnegative* value, augment $t \to s$ by at most F; if that amount is Δ_-, the answer is $F - \Delta_-$. (Without this cap, the usual signed flow value may become negative.)
  5. The final flow on each original edge is the lower-bound baseline plus its net residual flow: $f_e = l_e + x_e$.
- Construct minimum vertex cover from maximum matching M on bipartite graph (X, Y)
  1. Redirect: $y \to x$ if $(x,y) \in M$, else $x \to y$.
  2. DFS from unmatched vertices in X.
  3. Choose $x \in X$ iff unvisited; $y \in Y$ iff visited.
- Minimum cost cyclic flow
  1. Construct super source S, sink T.
  2. Edge (x,y,c): if $c > 0$ connect $x \to y$ with $(cost, cap) = (c, 1)$, else $y \to x$ with $(-c, 1)$.
  3. For $c < 0$ edges, sum cost as K, then $d(y)++$, $d(x)--$.
  4. $d(v) > 0$: connect $S \to v$ with $(0, d(v))$; $d(v) < 0$: $v \to T$ with $(0, -d(v))$.
  5. Flow $S \to T$; answer is the flow cost $C + K$.
- Maximum density induced subgraph
  1. Binary search the answer T; let K be the sum of all weights.
  2. Connect $s \to v, v \in G$, with cap K.
  3. Edge (u,v,w): connect both ways with cap w.
  4. Connect $v \to t$ with cap $K + 2T - (\sum_{e \in E(v)} w(e)) - 2w(v)$.
  5. T is valid if maxflow $f < K|V|$.
- Minimum weight edge cover
  1. For a graph without isolated vertices and nonnegative edge weights, let $\mu(v) = \min_{e \ni v} w(e)$. Then
$$\mathrm{mwec}(G) = \min_{M \text{ matching}} \left(w(M) + \sum_{v \text{ unmatched by } M} \mu(v) \right).$$
  2. For the perfect-matching reduction, add a dummy copy v' for each v. Keep each original edge $\{u,v\}$ with weight $w(u,v)$, add v–v' with weight $\mu(v)$, and add zero-weight edges u'–v' for $u \neq v$.
  3. A minimum-weight perfect matching in this graph has weight $\mathrm{mwec}(G)$: original–original edges form M, original–dummy edges pay $\mu(v)$ for unmatched vertices, and the remaining dummies pair at zero cost.
- Project selection problem
  1. $p_v > 0$: edge (s,v) cap p_v; else (v,t) cap $-p_v$. Let $P_+ = \sum_{p_v > 0} p_v$.
  2. Add (u,v) with capacity w for the penalty/cost of choosing u without v (use ∞ for a hard prerequisite).
  3. The maximum profit is $P_+ -$ mincut (equivalently, the mincut is the lost profit).
- Dual of minimum cost maximum flow
  1. Cap c_{uv}, flow f_{uv}, cost w_{uv}, required flow difference b_u.
  2. If all w_{uv} are integers, an optimum with all p_u integral exists.
$$\min \sum_{uv} w_{uv} f_{uv}$$
$$0 \le f_{uv} \le c_{uv}, \qquad \sum_v f_{vu} - \sum_v f_{uv} = -b_u$$
$$\Updownarrow$$
$$\max_{p \in \mathbb{R}^V} \sum_u b_u p_u - \sum_{uv} c_{uv} \max(0, p_u - p_v - w_{uv})$$

4.11 matching

- 若圖無孤立點，最大匹配數＋最小邊覆蓋數$=|V|$。
- 任意有限圖皆有最大獨立集大小＋最小點覆蓋大小$=|V|$。
- 在二分圖中，最大匹配數＝最小點覆蓋大小（Kőnig 定理）。
- 對 DAG 的最小頂點不交路徑覆蓋，建二分圖；每條 $u \to v$ 加邊 $u_L \to v_R$，數量$=|V|-$最大匹配數。

4.12 ISAP* [3f9cf8]

Maxflow with the improved shortest-augmenting-path method. The template uses vertices $0 \ldots n-1$ and reserves $n+1, n+2$ as source/sink.

```
struct Maxflow {
  static const int MAXV = 20010;
  static const int INF = 1000000;
  struct Edge { int v, c, r; };
  int s, t;
  vector<Edge> G[MAXV * 2];
  int iter[MAXV * 2], d[MAXV * 2], gap[MAXV * 2], tot;
  void init(int x) {
    tot = x + 2;
    s = x + 1, t = x + 2;
    for (int i = 0; i <= tot; i++)
      G[i].clear(), iter[i] = d[i] = gap[i] = 0;
  }
  void addEdge(int u, int v, int c) {
    G[u].push_back({v, c, SZ(G[v])});
    G[v].push_back({u, 0, SZ(G[u]) - 1});
  }
  void bfs() {
    fill(d, d + tot + 1, tot);
    queue<int> q;
    d[t] = 0, q.push(t);
    while (!q.empty()) {
      int u = q.front(); q.pop();
      for (auto &e : G[u])
        if (G[e.v][e.r].c > 0 && d[e.v] == tot)
          d[e.v] = d[u] + 1, q.push(e.v);
    }
    fill(gap, gap + tot + 1, 0);
    for (int i = 0; i <= tot; ++i) ++gap[d[i]];
  }
  int dfs(int p, int flow) {
    if (p == t) return flow;
    for (int &i = iter[p]; i < SZ(G[p]); i++) {
      Edge &e = G[p][i];
      if (e.c && d[p] == d[e.v] + 1) {
        int f = dfs(e.v, min(flow, e.c));
        if (f) {
          e.c -= f;
          G[e.v][e.r].c += f;
          return f;
        }
      }
    }
    if (!--gap[d[p]]) d[s] = tot;
    else {
      d[p]++, iter[p] = 0, ++gap[d[p]];
    }
    return 0;
  }
  int solve() {
    int res = 0;
    fill(iter, iter + tot + 1, 0);
    bfs();
    for (; d[s] < tot; res += dfs(s, INF));
    return res;
  }
} flow;
flow.init(n); // vertices
    are 0..n-1; the template uses flow.s=n+1, flow.t=n+2
flow.addEdge(u, v, c);
int max_flow = flow.solve();
```

5 String

5.1 KMP [8309a4]

Pattern search, $O(|A| + |B|)$. Prints every 1-based occurrence; an empty pattern matches all $|A|+1$ boundaries. nxt is the prefix-function table.

```
int n = s.size(), m = t.size(); vector<int> nxt(m);
if (!m) for (int i = 0; i <=
  n; ++i) cout << i + 1 << endl;
else {
  for (int i = 1, j = 0; i < m; i++) {
    while (j && t[i] != t[j]) j = nxt[j - 1];
    if (t[i] == t[j]) j++; nxt[i] = j;
  } for (int i = 0, j = 0; i < n; i++) {
    while (j && s[i] != t[j]) j = nxt[j - 1];
  if (s[i] == t[j]) j++;
  if (j == m) cout << i - m + 2 << endl,
    j = nxt[j - 1];
  }
}
string s = "ababa", t = "aba";
// run the listing: prints 1 and 3
// nxt[] is the prefix-function table
```

5.2 Z-value* [9d8afc]

$z[i] = \mathrm{lcp}(s, s[i..])$ in $O(n)$. $z[0]$ **is left unset.**

```
int z[MAXn];
void make_z(const string &s) {
  for (int i = 1, l = 0, r = 0; i < SZ(s); ++i) {
  z[i] = max(0, min(r - i + 1, z[i - l]));
  while (i + z[i] < SZ(s) &&
    s[i + z[i]] == s[z[i]]) ++z[i];
  if (i + z[i] - 1 > r) l = i, r = i + z[i] - 1; } }
make_z(s); // z[i] = lcp(s, s[i..])
// z[0] is NOT set; assign SZ(s) if needed
```

5.3 Manacher* [1ad8ef]

All palindromic radii in $O(n)$ by interleaving %. 0-base.

```
int z[MAXN]; // 0-base
/* center i: radius z[i * 2 + 1] / 2
   center i, i + 1: radius z[i * 2 + 2] / 2
   both aba, abba have radius 2 */
void Manacher(string tmp) {
  string s = "%"; int l = 0, r = 0;
```

```
  for (char c : tmp) s.pb(c), s.pb('%');
  for (int i = 0; i < SZ(s); ++i) {
    z[i] = r > i ? min(z[2 * l - i], r - i) : 1;
  while (i - z[i] >= 0 && i + z[i] < SZ(s) &&
    s[i + z[i]] == s[i - z[i]]) ++z[i];
  if (z[i] + i > r) r = z[i] + i, l = i; }
};
Manacher(s);
// centre i        -> radius z[i*2+1]/2
// centre i,i+1    -> radius z[i*2+2]/2
```

5.4 SAIS* [6f26bc]

Suffix array in $O(n)$ plus Kasai height. **Needs C++20**; input must not contain a 0 byte.

```
auto sais(const auto &s) {
  const int n = SZ(s), z = ranges::max(s) + 1;
  if (n == 1) return vector{0};
  vector<int> c(z); for (int x : s) ++c[x];
  partial_sum(ALL(c), begin(c));
  vector<int> sa(n); auto I = views::iota(0, n);
  vector<bool> t(n, true);
  for (int i = n - 2; i >= 0; --i) t[i] = (s[i] ==
    s[i + 1] ? t[i + 1] : s[i] < s[i + 1]);
  auto is_lms = views::filter([&t](int x) {
    return x && t[x] && !t[x - 1]; });
  auto induce = [&] { for (auto x = c; int y :
    sa) if (y--) if (!t[y]) sa[x[s[y] - 1]++] = y;
    for (auto x = c; int y : sa | views::
      reverse) if (y--) if (t[y]) sa[--x[s[y]]] = y;
    };
  vector<int> lms, q(n); lms.reserve(n);
  for (auto x = c; int i : I | is_lms) q[i] = SZ(lms),
    lms.pb(sa[--x[s[i]]] = i);
  induce(); vector<int> ns(SZ(lms));
  for (int j = -1, nz = 0; int i : sa | is_lms) {
    if (j >= 0) {
      int len = min({n - i, n - j, lms[q[i] + 1] - i});
        ns[q[i]] =
          nz += lexicographical_compare(begin(s) + j,
          begin(s) +
              j + len, begin(s) + i, begin(s) + i + len);
    } j = i;
  } fill(ALL(sa), 0); auto nsa = sais(ns);
  for (auto x = c; int y : nsa | views::
    reverse) y = lms[y], sa[--x[s[y]]] = y;
  return induce(), sa;
}
// sa[i]: sa[i]-th suffix is the i-th lexicographically
// smallest suffix.
// hi[i]: LCP of suffix sa[i] and suffix sa[i - 1].
struct Suffix {
  int n; vector<int> sa, hi, ra;
  Suffix(const auto &_s,
    int _n) : n(_n), hi(n), ra(n) {
    vector<int> s(n + 1);
    copy_n(_s, n, begin(s));
    // s[n] = 0; _s shouldn't contain 0
    sa = sais(s); sa.erase(sa.begin());
    for (int i = 0; i < n; ++i) ra[sa[i]] = i;
  for (int i = 0, h = 0; i < n; ++i) {
    if (!ra[i]) { h = 0;
    continue;
    } for (int j = sa[ra[i] - 1]; max(i,
      j) + h < n && s[i + h] == s[j + h];) ++h;
    hi[ra[i]] = h ? h-- : 0; }
  }
};
Suffix sf(s.c_str(), s.size()); // no 0 bytes
sf.sa[i]; // i-th smallest suffix
sf.ra[i]; // rank of suffix i
sf.hi[i]; // lcp(sa[i], sa[i-1]); needs C++20
```

5.5 Aho-Corasick Automatan* [36cbe5]

Multi-pattern matching. Build $O(\sum |s_i|\sigma)$, scan $O(|T|)$. Use rnx for $O(1)$ transitions; root is node 1, chars are c-'A'.

```
struct AC_Automatan {
  int nx[len][sigma], fl[len], cnt[len], ord[len], top;
  int rnx[len][sigma]; // node actually be reached
  int newnode() {
    fill_n(nx[top], sigma, -1), fill_n(rnx[top],
      sigma, 0), fl[top] = cnt[top] = ord[top] = 0;
    return top++;
  }
  void init() { top = 1, newnode(); }
  int input(string &s) {
    int X = 1; for (char c : s) {
    if (!~nx[X][c - 'A']) nx[X][c - 'A'] = newnode();
    X = nx[X][c - 'A'];
    } return X; // return the end node of string
  }
  void make_fl() {
    queue<int> q; q.push(1);
  for (int t = 0; !q.empty(); ) { int R = q.front();
    q.pop(), ord[t++] = R;
    for (int i = 0; i < sigma; ++i) if (~nx[R][i]) {
      int X = rnx[R][i] = nx[R][i], Z = fl[R];
      for (; Z && !~nx[Z][i]; ) Z = fl[Z];
            fl[X] = Z ? nx[Z][i] : 1, q.push(X);
            } else rnx[R][i] = R > 1 ?
              rnx[fl[R]][i] : 1;
    }
  }
  void solve() {
    for (int i = top - 2; i > 0;
      --i) cnt[fl[ord[i]]] += cnt[ord[i]];
  }
} ac;
ac.init();
int end = ac.input(pat); ac.cnt[end]++;
ac.make_fl(); // build fail + rnx
for (char c : text) x = ac.rnx[x][c - 'A'];
ac.solve(); // push cnt up the fail tree
```

5.6 Smallest Rotation [3164ef]

Lexicographically smallest rotation (Booth/min-notation) in $O(n)$.

```
string mcp(string s) {
  int n = SZ(s); if (n < 2) return s;
  int i = 0, j = 1; s += s;
  while (i < n && j < n) { int k = 0;
    while (k < n && s[i + k] == s[j + k]) ++k;
    if (s[i + k] <= s[j + k]) j += k + 1;
    else i += k + 1; if (i == j) ++j;
    } return s.substr(i < n ? i : j, n);
}
string t = mcp(s);
// lexicographically smallest rotation
```

5.7 De Bruijn sequence* [a09470]

Sequence of length $N+K-1$ whose length-N windows are all distinct ($K \le C^N$).

```
constexpr int MAXC = 10, MAXN = 1e5 + 10;
struct DBSeq {
  int C, N, K, L, buf[MAXC * MAXN]; // K <= C^N
  void dfs(int *out, int t, int p, int &ptr) {
  if (ptr >= L) return; if (t > N) {
      if (N % p) return;
      for (int i = 1; i <= p &&
        ptr < L; ++i) out[ptr++] = buf[i];
  } else { buf[t] = buf[t - p], dfs(out, t + 1, p,
    ptr); for (int j = buf[t - p] + 1; j < C; ++j)
    buf[t] = j, dfs(out, t + 1, t, ptr);
    }
  }
  void solve(int _c, int _n, int _k, int *out) {
  int p = 0; C = _c, N = _n, K = _k, L = N + K - 1;
    dfs(out, 1, 1, p);
    if (p < L) fill(out + p, out + L, 0);
  }
} dbs;
dbs.solve(C, N, K, out);
// out has length N+K-1; every length-N
// window over it is distinct (K <= C^N)
```

5.8 Extended SAM* [64c3b7]

Generalised suffix automaton over many strings; cnt gives occurrences per state. Chars are c-'a'.

```
struct exSAM {
  int len[N * 2], link[N * 2]; // maxlength, suflink
  int next[N * 2][CNUM], tot; // [0, tot), root = 0
  int lenSorted[N * 2]; // topo. order
  int cnt[N * 2]; // occurence
  int newnode() {
  fill_n(next[tot], CNUM, 0);
  len[tot] = cnt[tot] = link[tot] = 0; return tot++;
  }
  void init() { tot = 0, newnode(), link[0] = -1; }
  int insertSAM(int last, int c) {
  int cur = next[last][c]; len[cur] = len[last] + 1;
  int p = link[last];
  while (p != -1 &&
    !next[p][c]) next[p][c] = cur, p = link[p];
    if (p == -1) return link[cur] = 0, cur;
    int q = next[p][c];
    if (len[p] + 1 == len[q]) return link[cur] = q,
      cur;
  int clone = newnode();
  for (int i = 0; i < CNUM; ++i) next[clone][i] =
    len[next[q][i]] ? next[q][i] : 0;
    len[clone] = len[p] + 1;
  while (p != -1 &&
    next[p][c] == q) next[p][c] = clone, p = link[p];
  link[link[cur] = clone] = link[q]; link[q] = clone;
    return cur;
  }
```

```
  void insert(const string &s) {
  int cur = 0; for (auto ch : s) {
      int &nxt = next[cur][int(ch - 'a')];
    if (!nxt) nxt = newnode(); cnt[cur = nxt] += 1;
    }
  }
  void build() {
  queue<int> q; q.push(0); while (!q.empty()) {
    int cur = q.front(); q.pop();
    for (int i = 0; i < CNUM;
      ++i) if (next[cur][i]) q.push(insertSAM(cur, i));
    } vector<int> lc(tot);
  for (int i = 1; i < tot; ++i) ++lc[len[i]];
  partial_sum(ALL(lc), lc.begin());
  for (int i = 1; i < tot;
    ++i) lenSorted[--lc[len[i]]] = i;
  }
  void solve() {
    for (int i = tot - 2; i >= 0; --
      i) cnt[link[lenSorted[i]]] += cnt[lenSorted[i]];
  }
};
static exSAM ex; ex.init();
for (auto &s : strs) ex.insert(s); // trie
ex.build(); // trie -> generalised SAM
ex.solve(); // cnt = occurrences per state
```

5.9 PalTree* [529d56]

Eertree: counts distinct palindromic substrings and their occurrences in $O(n\sigma)$.

```
struct palindromic_tree {
  struct node {
    int next[26], fail, len;
    int cnt, num; // cnt: appear times, num: number of
                  // pal. suf.
  node(int l = 0) : fail(0), len(l), cnt(0), num(0) {
    fill(next, next + 26, 0); }
  };
  vector<node> St;
  vector<char> s;
  int last, n;
  palindromic_tree() : St(2), last(1), n(0) {
    St[0].fail = 1, St[1].len = -1, s.pb(-1); }
  inline void clear() {
  St.clear(), s.clear(), last = 1, n = 0,
    St.pb(0), St.pb(-1), St[0].fail = 1, s.pb(-1);
  }
  inline int get_fail(int x) {
  while (s[n - St[x].len - 1] != s[n]) x = St[x].fail;
  return x;
  }
  inline void add(int c) {
    s.push_back(c -= 'a'), ++n;
    int cur = get_fail(last);
    if (!St[cur].next[c]) { int now = SZ(St);
      St.pb(St[cur].len + 2);
      St[now].fail =
        St[get_fail(St[cur].fail)].next[c],
        St[cur].next[c] = now,
        St[now].num = St[St[now].fail].num + 1;
      } last = St[cur].next[c], ++St[last].cnt;
  }
  inline void count() { // counting cnt
  for (auto i = St.rbegin(); i !=
    St.rend(); ++i) St[i->fail].cnt += i->cnt;
  }
  inline int size() { // The number of diff. pal.
    return SZ(St) - 2;
  }
};
palindromic_tree pt;
for (char c : s) pt.add(c);
pt.count(); // fill cnt (occurrences)
pt.size(); // # distinct palindromes
```

5.10 Main Lorentz [40266e]

All tandem repeats in $O(n \log n)$, stored as start-ranges per length. Handles every byte value by encoding an out-of-alphabet separator internally.

```
vector<pair<int, int>> rep[kN]; // 0-base [l, r]
void main_lorentz_impl(const string &s, int sft) {
  const int n = s.size(); if (n <= 1) return;
  const int nu = n / 2, nv = n - nu;
  const string u = s.substr(0, nu), v = s.substr(nu),
    ru(u.rbegin(), u.rend()), rv(v.rbegin(), v.rend());
  main_lorentz_impl
      (u, sft), main_lorentz_impl(v, sft + nu);
  auto join = [](const string &a, const string &b) {
    vector<int> x; x.reserve(a.size() + b.size() + 1);
    for (unsigned char c : a) x.push_back(c);
    x.push_back(256);
    for (unsigned char c : b) x.push_back(c); return x;
  };
  auto zalgo = [](const vector<int> &a) {
    vector<int> z(a.size());
    for (int i = 1, l = 0,
      r = 0; i < (int)a.size(); ++i) {
      if (i <= r) z[i] = min(r - i + 1, z[i - l]);
      while (i + z[i] < (int)a.size() &&
        a[z[i]] == a[i + z[i]]) ++z[i];
      if (i + z[i] - 1 > r) l = i, r = i + z[i] - 1;
    } return z;
  };
  const auto z1 = zalgo(join(ru, "")),
    z2 = zalgo(join(v, u)), z3 = zalgo(join(ru,
    rv)), z4 = zalgo(join(v, ""));
  auto get_z = [](const vector<int> &z, int i) {
    return (0 <= i and i < (int)z.size()) ? z[i] : 0;
    };
  auto add_rep = [&](bool left,
    int c, int l, int k1, int k2) {
    const int L = max(1, l - k2),
      R = min(l - left, k1);
    if (L > R) return; int d = !left * (l - 1);
    rep[l].emplace_back(sft + c - R - d,
      sft + c - L - d);
  };
  for (int cntr = 0; cntr < n; cntr++) {
    int l, k1, k2;
    if (cntr < nu) {
    l = nu - cntr, k1 = get_z(z1, nu - cntr),
      k2 = get_z(z2, nv + 1 + cntr);
    } else {
        l = cntr - nu + 1, k1 = get_z(z3, n + nu -
          cntr), k2 = get_z(z4, cntr - nu + 1);
    } if (k1 + k2 >= l) add_rep(cntr < nu,
      cntr, l, k1, k2);
  }
}

// Each public call starts
    a fresh report; recursive work uses the helper so
// that ranges found in earlier subproblems are retained.
void main_lorentz(const string &s, int sft = 0) {
  for (auto &v : rep) v.clear();
  main_lorentz_impl(s, sft);
}
// p \in [l, r] => s[p, p + i) = s[p + i, p + 2i)
main_lorentz(s); // resets and fills rep[length]
// [L,R] in rep[l]: every p has s[p,p+l)==s[p+l,p+2l)
```

6 Math

6.1 ax+by=gcd(only exgcd *) [5bc171]

Extended Euclid, $O(\log\min(a,b))$. The trailing comment shows how to shift to the smallest non-negative solution.

```
pll exgcd(ll a, ll b) {
  if (b == 0) return pll(1, 0); pll q = exgcd
      (b, a % b); return pll(q.Y, q.X - q.Y * (a / b));
}
/* ax+by=res, let x be minimum non-negative
g, p = gcd(a, b), exgcd(a, b) * res / g
if p.X < 0: t = (abs(p.X) + b / g - 1) / (b / g)
else: t = -(p.X / (b / g))
p += (b / g, -a / g) * t */
```

6.2 Floor and Ceil [692c04]

Floor/ceil division that is correct for **negative** operands ($C++$ truncates toward zero).

```
int floor(int a, int b) {
  return a / b - (a % b && (a < 0) ^ (b < 0));
  } int ceil(int a, int b) {
    return a / b + (a % b && (a < 0) ^ (b > 0));
  }
```

6.3 Floor Enumeration [7cbcdf]

Enumerates the $O(\sqrt{n})$ distinct values of $\lfloor n/i \rfloor$ with their index ranges.

```
// enumerating x = floor(n / i), [l, r]
for (int l = 1, r; l <= n; l = r + 1) { int x = n / l;
  r = n / x; }
```

6.4 Mod Min [899d01]

Smallest k with $l \le ak \bmod m \le r$, $O(\log m)$ by a Euclid-like recursion; -1 if none.

```
// min{k | l <= ((ak) mod m) <= r}, no solution -> -1
ll mod_min(ll a, ll m, ll l, ll r) {
  if (a == 0) return l ? -1 : 0;
  if (ll k = (l + a - 1) / a; k * a <= r) return k;
  ll b = m / a, c = m % a;
  if (ll y = mod_min(c, a, a - r % a, a - l % a); y !=
    -1) return (l + y * c + a - 1) / a + y * b;
  return -1;
}
```

6.5 Linear Mod Inverse [232adb]

All inverses $1..N$ in $O(N)$. **Requires a prime modulus and** $N <$ mod.

```
inv[1] = 1;
for( int i = 2; i <= N; ++i ) inv[i] = 1LL *
  (mod - mod / i) * inv[mod % i] % mod;
```

6.6 Linear Filter Mu [ac2ac3]

Mobius function by linear sieve, $O(n)$; also leaves the prime list in p.

```
void getMu() {
  mu[1] = 1; for (int i = 2; i <= n; ++i) {
    if (!flg[i]) p[++tot] = i, mu[i] = -1;
  for (int j = 1; j <= tot && i * p[j] <= n; ++j) {
    flg[i * p[j]] = 1;
    if (i % p[j] == 0) { mu[i * p[j]] = 0;
    break; } mu[i * p[j]] = -mu[i];
    }
  }
}
```

6.7 Gaussian integer gcd [abafd0]

GCD over $\mathbb{Z}[i]$; the rndmacro rounds the quotient to the nearest Gaussian integer.

```
cpx gaussian_gcd(cpx a, cpx b) {
#define
    rnd(a, b) ((a >= 0 ? a * 2 + b : a * 2 - b) / (b * 2))
  ll c = a.real() * b.real() + a.imag() * b.imag(),
    d = a.imag() * b.real() - a.real() * b.imag(),
    r = b.real() * b.real() + b.imag() * b.imag();
  if (c % r == 0 && d % r == 0) return b;
  return gaussian_gcd(b,
    a - cpx(rnd(c, r), rnd(d, r)) * b);
}
```

6.8 GaussElimination [87881e]

Gauss-Jordan on doubles, $O(n^3)$. Uses a small pivot epsilon and leaves free variables at zero; use the fraction version when exactness matters.

```
void GAS(V<V<double>>&vc) {
  int len = vc.size(), row = 0;
    for (int col = 0; col < len && row < len; ++col) {
    int idx = row;
    while (idx < len &&
      fabs(vc[idx][col]) < 1e-12) ++idx;
    if (idx == len) continue;
    swap(vc[idx], vc[row]);
    double pivot = vc[row][col];
    for (double &x : vc[row]) x /= pivot;
    for (int j = 0; j < len; ++j) { if (j == row ||
      fabs(vc[j][col]) < 1e-12) continue;
      double mul = vc[j][col];
      for (int k = 0; k < (int)vc[j].size();
        ++k) vc[j][k] -= mul * vc[row][k];
      }
    ++row; }
};
```

6.9 floor sum* [dc29f6]

$\sum_{i=0}^{n-1} \lfloor (ai+b)/m \rfloor$ in $O(\log)$ by a Euclid-like recursion.

```
ll floor_sum(ll n, ll m, ll a, ll b) {
  ll ans = 0;
  if (a >= m) ans += (n - 1) * n * (a / m) / 2, a %= m;
  if (b >= m) ans += n * (b / m), b %= m;
  ll y_max = (a * n + b) / m, x_max = (y_max * m - b);
  if (y_max == 0) return ans;
  ans += (n - (x_max + a - 1) / a) * y_max;
  return ans + floor_sum(y_max,
    a, m, (a - x_max % a) % a);
}
// sum^{n-1}_0 floor((a * i + b) / m) in log(n + m + a
// + b)
```

6.10 Miller Rabin* [9f7dec]

Deterministic primality with the witness sets listed in the file (7 bases below 2^{64}). Needs a 128-bit mul().

```
// n < 4,759,123,141       3 : 2, 7, 61
// n < 1,122,004,669,633   4 : 2, 13, 23, 1662803
// n < 3,474,749,660,383   6 : primes <= 13
// n < 2^64                7 :
// 2, 325, 9375, 28178, 450775, 9780504, 1795265022
bool Miller_Rabin(ll a, ll n) {
  if ((a = a % n) == 0) return 1;
  if (n % 2 == 0) return n == 2;
  ll tmp = n - 1,
    t = countr_zero((unsigned long long)tmp), x = 1;
  tmp >>= t;
    for (; tmp; tmp >>= 1, a = mul(a, a,
      n)) if (tmp & 1) x = mul(x, a, n);
    if (x == 1 || x == n - 1) return 1;
    while (--t) if ((x = mul(x,
      x, n)) == n - 1) return 1;
  return 0;
}
/*Usage:
bool prime(ll n) {
  if (n < 2) return false;
  for (
      ll a : {2,325,9375,28178,450775,9780504,1795265022})
    if (!Miller_Rabin(a, n)) return false;
  return true;
}
```

6.11 Fraction [4ab37a]

Exact rational with auto-reduction. ll **numerator/denominator overflow easily** after a few operations; no divide-by-zero check.

```
struct fraction {
  ll n, d;
  fraction(const ll &_n=0, const ll &_d=1): n(_n),
    d(_d) { ll t = gcd(n, d);
  n /= t, d /= t; if (d < 0) n = -n, d = -d; }
  fraction operator-() const { return fraction(-n, d);
    }
  fraction operator+(const fraction &b) const {
    return fraction(n * b.d + b.n * d, d * b.d); }
  fraction operator-(const fraction &b) const {
    return fraction(n * b.d - b.n * d, d * b.d); }
  fraction operator*(const fraction &b) const {
    return fraction(n * b.n, d * b.d); }
  fraction operator/(const fraction &b) const {
    return fraction(n * b.d, d * b.n); }
  void print() { cout << n;
    if (d != 1) cout << "/" << d; }
};
```

6.12 Simultaneous Equations [c999bb]

Exact Gauss-Jordan over fraction; returns -1 if inconsistent, else the rank. Requires Fraction.cpp.

```
struct matrix { //m variables, n equations
  int n, m;
  fraction M[MAXN][MAXN + 1], sol[MAXN];
  int solve() { // -1: inconsistent, >= 0: rank
    int rank = 0;
      for (int col = 0; col < m && rank < n; ++col) {
        int row = rank;
        while (row < n && !M[row][col].n) ++row;
      if (row == n) continue;
      for (int k = 0; k <= m; ++k) swap(M[rank][k],
        M[row][k]);
    for (int j = 0; j < n; ++j) {
      if (rank == j) continue;
      fraction tmp = -M[j][col] / M[rank][col];
      for (int k = 0; k <=
        m; ++k) M[j][k] = tmp * M[rank][k] + M[j][k];
      }
    ++rank; }
  for (int i = 0; i < n; ++i) { int piv = 0;
    while (piv < m && !M[i][piv].n) ++piv;
    if (piv == m && M[i][m].n) return -1; }
  fill_n(sol, m, fraction());
  for (int i = 0; i < n; ++i) { int piv = 0;
  while (piv < m && !M[i][piv].n) ++piv;
  if (piv < m) sol[piv] = M[i][m] / M[i][piv]; }
  return rank; }
};
matrix eq{}; eq.n = eq.m = 2;
eq.M[0][0]=1; eq.M[0][1]=1;  eq.M[0][2]=3;
eq.M[1][0]=2; eq.M[1][1]=-1; eq.M[1][2]=0;
int rank=eq.solve(); // sol={1,2}; -1: inconsistent
```

6.13 Pollard Rho* [fdef9b]

Factorises in about $O(n^{1/4})$; results accumulate in cnt. Needs prime() and a 128-bit mul().

```
map<ll, int> cnt;
void PollardRho(ll n) {
  if (n == 1) return;
  if (prime(n)) return ++cnt[n], void();
  if (n % 2 == 0) return PollardRho(n / 2),
    ++cnt[2], void();
  ll x = 2, y = 2, d = 1, p = 1;
  #define f(x, n, p) ((mul(x, x, n) + p) % n)
  while (true) {
    if (d != n && d != 1) { PollardRho(n / d);
      PollardRho(d); return;
    } if (d == n) ++p;
    x = f(x, n, p), y = f(f(y, n, p), n, p);
    d = gcd(abs(x - y), n);
  }
}
cnt.clear();
PollardRho(n);
for (auto [p, e] : cnt) // n = product(p^e)
  use_factor(p, e);
```

6.14 Simplex Algorithm [1d0b36]

max cx s.t. $Ax \le b, x \ge 0$; -1 means unbounded or infeasible. **n is the constraint count, m the variable count, and all arrays are 0-indexed.**

```
const int MAXN = 11000, MAXM = 405;
const double eps = 1E-10;
double a[MAXN][MAXM], b[MAXN], c[MAXM];
double d[MAXN][MAXM], x[MAXM];
int ix[MAXN + MAXM]; // !!! array all indexed from 0
// max{cx} s.t. {Ax<=b,x>=0}; n: constraints, m: vars
// !!!
// x[] is the optimal solution vector
// usage: value = simplex(n, m);
double simplex(int n, int m){
  ++m; fill_n(d[n], m + 1, 0);
  fill_n(d[n + 1], m + 1, 0);
  iota(ix, ix + n + m, 0); int r = n, s = m - 1;
  for (int i = 0; i < n; ++i) {
    for (int j = 0; j < m - 1; ++j) d[i][j] = -a[i][j];
    d[i][m - 1] = 1; d[i][m] = b[i];
    if (d[r][m] > d[i][m]) r = i;
    } copy_n(c, m - 1, d[n]);
  d[n + 1][m - 1] = -1;
  for (double dd;; ) {
    if (r < n) {
      swap(ix[s], ix[r + m]);
      d[r][s] = 1.0 / d[r][s];
    for (int j = 0; j <= m; ++j) if (j !=
      s) d[r][j] *= -d[r][s];
    for (int i = 0; i <= n + 1; ++i) if (i != r) {
      for (int j = 0; j <= m; ++j) if (j !=
      s) d[i][j] += d[r][j] * d[i][s];
      d[i][s] *= d[r][s]; }
    } r = s = -1;
  for (int j = 0; j < m; ++j) if (s < 0 ||
    ix[s] > ix[j]) if (d[n + 1][j] > eps ||
    (d[n + 1][j] > -eps && d[n][j] > eps)) s = j;
  if (s < 0) break;
  for (int i = 0; i < n; ++i) if (d[i][s] < -eps) if (r
    < 0 ||
    (dd = d[r][m] / d[r][s] - d[i][m] / d[i][s]) < -
    eps || (dd < eps && ix[r + m] > ix[i + m])) r = i;
  if (r < 0) return -1; // not bounded
  } if (d[n + 1][m] < -eps) return -1;
  // not executable
  double ans = 0;
  fill_n(x, m, 0);
  // the missing enumerated x[i] = 0
  for (int i = m; i < n + m;
    ++i) if (ix[i] < m - 1) ans += d[i -
    m][m] * c[ix[i]], x[ix[i]] = d[i-m][m];
  return ans;
}
int n=3, m=2; // max 3x+2y: x+y<=4, x<=2, y<=3
a[0][0]=1; a[0][1]=1; b[0]=4;
a[1][0]=1; b[1]=2; a[2][1]=1; b[2]=3;
c[0]=3; c[1]=2;
double value=simplex(n,m); // value=10, x={2,2}
```

6.15 chineseRemainder [0e3286]

CRT for **non-coprime** moduli; -1 if no solution. **Overflows** ll **easily**—use __int128 for large moduli. Iterate for more than two congruences.

```
ll solve(ll x1, ll m1, ll x2, ll m2) {
  ll g = gcd(m1, m2); __int128 d = (__int128)x2 - x1;
  if (d % g) return -1; // no sol
  m1 /= g, m2 /= g; pll p = exgcd(m1, m2);
  __int128 t = (__int128)p.first * (d / g) % m2;
  if (t < 0) t += m2;
  __int128 lcm = (__int128)m1 * m2 * g;
  __int128 res = (__int128)x1 + (__int128)m1 * g * t;
  return (ll)((res % lcm + lcm) % lcm);
}
ll x = solve(2, 6, 5, 9); // x=14 (mod lcm=18)
```

6.16 Factorial without prime factor* [995ea7]

$n!$ with all factors p removed, mod p^k, in $O(p^k + \log^2 n)$. Core of Lucas for prime-power moduli.

```
// O(p^k + log^2 n), pk = p^k
ll prod[MAXP];
ll fac_no_p(ll n, ll p, ll pk) {
  prod[0] = 1; for (int i = 1; i <= pk; ++i)
    if (i % p) prod[i] = prod[i - 1] * i % pk;
    else prod[i] = prod[i - 1];
  ll rt = 1; for (; n; n /= p) {
    rt = rt * mpow(prod[pk], n / pk,
      pk) % pk, rt = rt * prod[n % pk] % pk;
    } return rt;
} // (n! without factor p) % p^k
ll value=fac_no_p(10,3,27);
// value=7: remove every factor 3 from 10!, then mod 27
```

6.17 PiCount* [cad6d4]

$\pi(n)$ in about $O(n^{2/3})$; handles $n \sim 10^{13}$ in under 2s.

```
ll PrimeCount(ll n) { // n ~ 10^13 => < 2s
  if (n <= 1) return 0;
  int v = sqrt(n), s = (v + 1) / 2, pc = 0;
  vector<int> smalls(v + 1), skip(v + 1), roughs(s);
  vector<ll> larges(s);
  for (int i = 2; i <= v; ++i) smalls[i] = (i + 1) / 2;
  for (int i = 0; i < s; ++i) { roughs[i] = 2 * i + 1;
  larges[i] = (n / (2 * i + 1) + 1) / 2;
  } for (int p = 3; p <= v; ++p) {
    if (smalls[p] > smalls[p - 1]) {
        int q = p * p; ++pc;
        if (1LL * q * q > n) break;
    skip[p] = 1;
    for (int i = q; i <= v; i += 2 * p) skip[i] = 1;
    int ns = 0; for (int k = 0; k < s; ++k) {
          int i = roughs[k]; if (skip[i]) continue;
    ll d = 1LL * i * p;
    larges[ns] = larges[k] - (d <= v ?
      larges[smalls[d] - pc] : smalls[n / d]) + pc;
    roughs[ns++] = i;
      } s = ns;
      for (int j = v / p; j >= p; --j) {
    int c = smalls[j] - pc, e = min(j * p + p, v + 1);
    for (int i = j * p; i < e; ++i) smalls[i] -= c;
      }
    }
  } for (int k = 1; k < s; ++k) {
      const ll m = n / roughs[k];
      ll t = larges[k] - (pc + k - 1);
    for (int l = 1; l < k; ++l) {
        int p = roughs[l]; if (1LL * p * p > m) break;
      t -= smalls[m / p] - (pc + l - 1);
    } larges[0] -= t;
  } return larges[0];
}
```

6.18 Discrete Log* [7a4e6c]

Smallest k with $x^k \equiv y \pmod m$ in $O(\sqrt{m})$. **Does not require** $\gcd(x,m)=1$; verifies the answer before returning.

```
int DiscreteLog(int s, int x, int y, int m) {
  constexpr int kStep = 32000;
  unordered_map<int, int> p;
  int b = 1; for (int i = 0; i < kStep; ++i) {
    p[y] = i, y = 1LL * y * x % m, b = 1LL * b * x % m;
  } for (int i = 0; i < m + 10; i += kStep) {
    s = 1LL * s * b % m;
    if (p.find(s) != p.end()) return i + kStep - p[s];
  } return -1;
}
int DiscreteLog(int x, int y, int m) {
  if (m == 1) return 0; int s = 1;
  for (int i = 0; i < 100; ++i) { if (s == y) return i;
    s = 1LL * s * x % m; } if (s == y) return 100;
  int p = 100 + DiscreteLog(s, x, y, m);
  if (fpow(x, p, m) != y) return -1;
  return p;
}
int k = DiscreteLog(2, 8, 13); // k=3; -1 if none
```

6.19 Berlekamp Massey [3eb6fa]

Shortest linear recurrence of a sequence in $O(n^2)$; feed the result to Linear-Recursion for the n-th term.

```
template <typename T>
vector<T> BerlekampMassey(const vector<T> &output) {
  vector<T> d(SZ(output) + 1), me, he;
    for (int f = 0, i = 1; i <= SZ(output); ++i) {
  for (int j = 0; j < SZ(me);
    ++j) d[i] += output[i - j - 2] * me[j];
    if ((d[i] -= output[i - 1]) == 0) continue;
  if (me.empty()) { me.resize(f = i);
    continue; } vector<T> o(i - f - 1);
  T k = -d[i] / d[f]; o.pb(-k);
    for (T x : he) o.pb(x * k);
  o.resize(max(SZ(o), SZ(me)));
  for (int j = 0; j < SZ(me); ++j) o[j] += me[j];
  if (i - f + SZ(he) >= SZ(me)) he = me, f = i;
    me = o;
  } return me;
}
vector<mint> seq = {0,1,1,2,3,5,8};
auto coef = BerlekampMassey(seq); // {1,1}
```

6.20 Primes

Handy primes for hashing and NTT moduli, from small values up to $2^{61}-1$ and near 2^{64}.

```
/* 12721 13331 14341 75577 123457 222557 556679 999983
   98789101 100102021 987654361 987777733 999888733
   999991231 999991921 999997771 1000512343 1001010013
```

```
1010101333 1010102101 1076767633 1097774749
1000000000039 1000000000000037 2305843009213693951
4611686018427387847 9223372036854775783
18446744073709551557 */
```

6.21 Theorem

$\sum_{d=1}^{n}\mu(d)\lfloor n/d\rfloor = 1 = \sum_{k=1}^{n}\sum_{d|k}\mu(d)$. $n = \sum_{d|n}\mu(d)\,\sigma(n/d) = \sum_{d|n}\mu(n/d)\sigma(d)$. $\sum_{k=1}^{n}\sigma(k)=\sum_{d=1}^{n}d\lfloor n/d\rfloor$. $\varphi(n)=\sum_{d|n}\mu(d)n/d$.

Lucas's Theorem
For non-negative integers m,n with n<=m and prime P,
C(m,n) mod P = C(floor(m/P),floor(n/P))*C(m%P,n%P) mod P
=product_i(C(m_i,n_i)) mod P,
where m_i,n_i are the base-P digits (C(a,b)=0 if b>a).
Kirchhoff's theorem
A_{ii}=deg(i), A_{ij}=(i,j)\in E ? -1 : 0
Deleting any one row, one column, and cal the det(A)
Nth Catalan recursive function:
C_0=1, C_{n+1}=C_n*2(2n+1)/(n+2)
Mobius Formula
mu(n)=1 , if n=1
(-1)^r , if n is square-free with r distinct prime factors
0 , otherwise
- Property
1. (multiplicative) mu(a)mu(b)=mu(ab) if gcd(a,b)=1
2. sum_{d|n} mu(d)=[n==1]
Mobius Inversion Formula
if f(n)=sum_{d|n} g(d)
then g(n)=sum_{d|n} mu(n/d)f(d)
=sum_{d|n} mu(d)f(n/d)
- Application
For 1<=i,j<=n, the number of pairs with gcd(i,j)=k is
sum_{d=1}^{floor(n/k)} mu(d)*floor(n/(kd))^2.
- Trick
分塊, O(sqrt(n))
Chinese Remainder Theorem (m_i 兩兩互質)
x=a_1 (mod m_1)
x=a_2 (mod m_2)
....
x=a_i (mod m_i)
construct a solution:
Let M=m_1*m_2*m_3*...*m_n
Let M_i=M/m_i
t_i=M_i^{-1} (mod m_i), so t_i*M_i=1 (mod m_i)
solution x=a_1*t_1*M_1+a_2*t_2*M_2+...+a_n*t_n*M_n+k*M
=k*M+sum a_i*t_i*M_i, k is any integer.
under mod M, there is one solution x=sum a_i*t_i*M_i
Burnside's lemma
|G|*|X/G|=sum(|X^g|) where g in G
總方法數:每一種旋轉下不動點的個數總和除以旋轉的方法數
```

## 6.22 Estimation

| $n$ | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 20 | 30 | 40 | 50 | 100 | $n$ | 100 | 1e3 | 1e6 | 1e9 | 1e12 | 1e15 | 1e18 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| $p(n)$ | 2 | 3 | 5 | 7 | 11 | 15 | 22 | 30 | 627 | 5604 | 4e4 | 2e5 | 2e8 | $d(i)$ | 12 | 32 | 240 | 1344 | 6720 | 26880 | 103680 |

| $n$ | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| $\binom{2n}{n}$ | 2 | 6 | 20 | 70 | 252 | 924 | 3432 | 12870 | 48620 | 184756 | 7e5 | 2e6 | 1e7 | 4e7 | 1.5e8 |

| $n$ | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| $B_n$ | 2 | 5 | 15 | 52 | 203 | 877 | 4140 | 21147 | 115975 | 7e5 | 4e6 | 3e7 |

## 6.23 General Purpose Numbers

- Bernoulli numbers
  $B_0=1,\quad B_1^-=-\frac{1}{2},\quad B_1^+=\frac{1}{2},\quad B_2=\frac{1}{6},\quad B_3=0$
  $\sum_{j=0}^{m}\binom{m+1}{j}B_j=0\,(m\geq 1)$ uses $B_1=B_1^-$; EGF is $B(x)=\frac{x}{e^x-1}=\sum_{n=0}^{\infty}B_n\frac{x^n}{n!}$.
  $S_m(n)=\sum_{k=1}^{n}k^m=\frac{1}{m+1}\sum_{k=0}^{m}\binom{m+1}{k}B_k^+n^{m+1-k}$
- Stirling numbers of the second kind
  Partitions of $n$ distinct elements into exactly $k$ groups.
  $S(n,k)=S(n-1,k-1)+kS(n-1,k), S(n,1)=S(n,n)=1$
  $S(n,k)=\frac{1}{k!}\sum_{i=0}^{k}(-1)^{k-i}\binom{k}{i}i^n$
  $x^n=\sum_{i=0}^{n}S(n,i)(x)_i$
- Pentagonal number theorem
  $\prod_{n=1}^{\infty}(1-x^n)=1+\sum_{k=1}^{\infty}(-1)^k\left(x^{k(3k+1)/2}+x^{k(3k-1)/2}\right)$
- Catalan numbers
  $C_n^{(k)}=\frac{1}{(k-1)n+1}\binom{kn}{n}, C^{(k)}(x)=1+x[C^{(k)}(x)]^k$
- Eulerian numbers
  Number of permutations $\pi\in S_n$ with exactly $k$ descents ($\pi(j)>\pi(j+1)$).
  $E(n,k)=(n-k)E(n-1,k-1)+(k+1)E(n-1,k)$
  $E(n,0)=E(n,n-1)=1$
  $E(n,k)=\sum_{j=0}^{k}(-1)^j\binom{n+1}{j}(k+1-j)^n$

## 6.24 Tips for Generating Functions

- Ordinary Generating Function $A(x)=\sum_{i\geq 0}a_ix^i$
  - $A(rx)\Rightarrow r^na_n$
  - $A(x)+B(x)\Rightarrow a_n+b_n$
  - $A(x)B(x)\Rightarrow\sum_{i=0}^{n}a_ib_{n-i}$
  - $A(x)^k\Rightarrow\sum_{i_1+i_2+\cdots+i_k=n}a_{i_1}a_{i_2}\ldots a_{i_k}$
  - $xA(x)'\Rightarrow na_n$
  - $\frac{A(x)}{1-x}\Rightarrow\sum_{i=0}^{n}a_i$
- Exponential Generating Function $A(x)=\sum_{i\geq 0}\frac{a_i}{i!}x^i$
  - $A(x)+B(x)\Rightarrow a_n+b_n$
  - $A^{(k)}(x)=\sum_{n\geq 0}a_{n+k}\frac{x^n}{n!}$
  - $A(x)B(x)\Rightarrow\sum_{i=0}^{n}\binom{n}{i}a_ib_{n-i}$
  - $A(x)^k\Rightarrow\sum_{i_1+i_2+\cdots+i_k=n}\binom{n}{i_1,i_2,\ldots,i_k}a_{i_1}a_{i_2}\ldots a_{i_k}$
  - $xA(x)\Rightarrow b_0=0, b_n=na_{n-1}\,(n\geq 1)$
- Special Generating Function
  - $(1+x)^n=\sum_{i\geq 0}\binom{n}{i}x^i$
  - $\frac{1}{(1-x)^n}=\sum_{i\geq 0}\binom{i+n-1}{n-1}x^i\quad(n\geq 1)$

# 7 Polynomial

## 7.1 Fast Fourier Transform [2bea3f]

Iterative complex FFT and integer convolution via mult, $O(n\log n)$. fft requires a positive power-of-two length; mult returns empty if either coefficient vector is empty, otherwise exactly $|a|+|b|-1$ rounded coefficients. Double precision limits coefficient size.

```
using cd = complex<double>;
const double pi = acos(-1);

void fft(vector<cd> &vec, bool inv=false) {
  // The input length must be a positive power of two.
  int n = vec.size();
  for(int i=0, j=0; i<n; ++i) { // j = 反過來模擬加法
    if(i<j) swap(vec[i],vec[j]);
    for(int bit=n>>1; (j^=bit)<bit; bit>>=1);
  }
  for(int len=2; len<=n; len<<=1) { // 循環長度 = 2pi
    double ang = 2*pi/len*(inv?-1:1);
    cd wlen(cos(ang), sin(ang));
    for(int i=0; i<n; i+=len) {
      cd w=1;
      for(int j=0; j<len/2; ++j) {
      // i = 定範圍, j = 去跑 merge
        cd a = vec[i+j], b = w*vec[i+len/2+j];
        vec[i+j]       = a+b;
        vec[i+len/2+j] = a-b;
        w *= wlen;
      }
    }
  }
  if(inv) for(auto &i : vec) i/=n;
}
#define ifft(vec) fft(vec,true)

vector<int> mult(const vector<int>& a,
  const vector<int>& b) {
  if (a.empty() || b.empty()) return {};
  int sz = a.size()+b.size()-1, n=1; while(n<sz) n<<=1;
  vector<cd> ca(a.begin(),
    a.end()), cb(b.begin(),b.end());
  ca.resize(n), cb.resize(n), fft(ca), fft(cb);
  for(int i=0; i<n; ++i) ca[i] *= cb[i];
  ifft(ca);
  vector<int> res(sz);
  for(int i=0; i<sz; ++i) res[i] = round(ca[i].real());
  return res;
}
vector<int> c = mult(a, b); // exact output length
// rounded from double; keep coefficients moderate
```

Prime	Root	Prime	Root
7681	17	167772161	3
12289	11	104857601	3
40961	3	985661441	3
65537	3	998244353	3
786433	10	1107296257	10
5767169	3	2013265921	31
7340033	3	2810183681	11
23068673	3	2885681153	3
469762049	3	605028353	3

7.2 Number Theory Transform* [5c4186]

Iterative NTT and convolution via mult, $O(n\log n)$ modulo 998244353. Direct ntt input lengths must be positive powers of two up to 2^{23}; coefficients are residues modulo 998244353. mult returns empty if either vector is empty. The listing defines int as long long; contain or undefine the macro after use.

```
#define int long long
const int mod=998244353, g=3;

int pwr(int a, int b, int ret=1) {
  do ret = b&1?ret*a%mod:ret, a=a*a%mod;
  while(b>>=1); return ret;
}

void ntt(vector<int> &vec, bool inv=false) {
  // The input length
       must be a positive power of two (at most 2^23).
```
```

```
  int n = vec.size();
  for(int i=0, j=0; i<n; ++i) { // j = 反過來模擬加法
    if(i<j) swap(vec[i],vec[j]);
    for(int bit=n>>1; (j^=bit)<bit; bit>>=1);
  }
  for(int len=2; len<=n; len<<=1) { // 循環長度 = mod-1
    int wlen = pwr(g,(mod-1)/len);
    if(inv) wlen = pwr(wlen,mod-2);
    for(int i=0; i<n; i+=len) {
      int w=1;
      for(int j=0; j<len/2; ++j) {
      // i = 定範圍, j = 去跑 merge
        int a = vec[i+j], b = w*vec[i+len/2+j]%mod;
        vec[i+j]       = a+b<mod ? a+b : a+b-mod;
        vec[i+len/2+j] = a-b>=0  ? a-b : a-b+mod;
        w = w*wlen%mod;
      }
    }
  }
  if(inv) {
    int invn = pwr(n,mod-2);
    for(auto &i : vec) i = i*invn%mod;
  }
}
#define intt(vec) ntt(vec,true)

vector<int> mult(vector<int> a, vector<int> b) {
  if (a.empty() || b.empty()) return {};
  int sz = a.size()+b.size()-1, n=1; while(n<sz) n<<=1;
  a.resize(n), b.resize(n), ntt(a), ntt(b);
  for(int i=0; i<n; ++i) a[i] = a[i]*b[i] % mod;
  intt(a), a.resize(sz); return a;
}
vector<int> c = mult(a, b); // modulo 998244353
#undef int // if the listing's macro must not leak
```

7.3 Fast Walsh Transform* [325770]

or/and/xorconvolution,$O(n\log n)$;fileimplementsor. Alsosubsetconvolution in$O(2^L L^2)$.

```
/* x: a[j], y: a[j + (L >> 1)]
or: (y += x * op), and: (x += y * op)
xor: (x, y = (x + y) * op, (x - y) * op)
invop: or, and, xor = -1, -1, 1/2 */
void fwt(int *a, int n, int op) { //or
  for (int L = 2; L <= n; L <<= 1)
    for (int i = 0; i < n; i += L)
      for (int j = i; j < i + (L >> 1); ++j)
        a[j + (L >> 1)] += a[j] * op;
}
const int N = 21;
int f[N + 1][1 << N],
  g[N + 1][1 << N], h[N + 1][1 << N];
void subset_convolution(int *a,
  int *b, int *c, int L) {
  // c_k = \sum_{i | j = k, i & j = 0} a_i * b_j
  int n = 1 << L;
  for (int i = 0; i <= L; ++i)
    fill(f[i], f[i] + n, 0), fill(g[i], g[i] + n, 0),
      fill(h[i], h[i] + n, 0);
  for (int i = 0; i < n; ++i)
    f[popcount((unsigned)i)][i] = a[i],
      g[popcount((unsigned)i)][i] = b[i];
  for (int i = 0; i <= L; ++i)
    fwt(f[i], n, 1), fwt(g[i], n, 1);
  for (int i = 0; i <= L; ++i)
    for (int j = 0; j <= i; ++j)
      for (int x = 0; x < n; ++x)
        h[i][x] += f[j][x] * g[i - j][x];
  for (int i = 0; i <= L; ++i)
    fwt(h[i], n, -1);
  for (int i = 0; i < n; ++i)
    c[i] = h[popcount((unsigned)i)][i];
}
fwt(a, n, 1); fwt(b, n, 1); // n = 2^k
for (int i = 0; i < n; ++i) a[i] *= b[i];
fwt(a, n, -1); // inv: or/and -1, xor 1/2
subset_convolution(a, b, c, L); // O(2^L L^2)
```

7.4 Polynomial Operation [22ca2b]

Mul/ Inv/ Sqrt/ DivMod/ Ln/ Exp/ Pow/ Eval/ Interpolate over mod998244353. Requires compatible NTT<MAXN,P,RT> and QuadraticResidue;mostly$O(n\log n)$,Eval$O(n\log^2 n)$. Interpolate(x,y) returnsemptyfor emptyx;otherwiselengthsmatchandxvaluesaredistinctmodulo$P$.

```
#define fi(s, n) for (int i = (int)(s); i < (int)(n); ++i)
template<int MAXN, ll P, ll RT> // MAXN = 2^k
struct Poly : vector<ll> { // coefficients in [0, P)
  using vector<ll>::vector;
  static NTT<MAXN, P, RT> ntt;
  int n() const { return (int)size(); } // n() >= 1
  Poly(const Poly &p, int m) : vector<ll>(m) {
    copy_n(p.data(), min(p.n(), m), data());
  }
  Poly& irev() {
    return reverse(data(), data() + n()), *this; }
  Poly& isz(int m) { return resize(m), *this; }
  Poly& iadd(const Poly &rhs) { // n() == rhs.n()
    fi(0, n()) if (((*this)[i] += rhs[i]) >=
      P) (*this)[i] -= P;
    return *this;
  }
  Poly& imul(ll k) {
    fi(0, n()) (*this)[i] = (*this)[i] * k % P;
    return *this;
  }
  Poly Mul(const Poly &rhs) const {
    int m = 1;
    while (m < n() + rhs.n() - 1) m<<= 1;
    Poly X(*this, m), Y(rhs, m);
    ntt(X.data(), m), ntt(Y.data(), m);
    fi(0, m) X[i] = X[i] * Y[i] % P;
    ntt(X.data(), m, true);
    return X.isz(n() + rhs.n() - 1);
  }
  Poly Inv() const { // (*this)[0] != 0, 1e5/95ms
    if (n() == 1) return {ntt.minv((*this)[0])};
    int m = 1;
    while (m < n() * 2) m<<= 1;
    Poly Xi = Poly(*this, (n() + 1) / 2).Inv().isz(m);
    Poly Y(*this, m);
    ntt(Xi.data(), m), ntt(Y.data(), m);
    fi(0, m) {
      Xi[i] *= (2 - Xi[i] * Y[i]) % P;
      if ((Xi[i] %= P) < 0) Xi[i] += P;
    } ntt(Xi.data(), m, true);
    return Xi.isz(n());
  }
  Poly Sqrt() const { // Jacobi(t[0],P) = 1, 1e5/235ms
    if (n() == 1) return {
      QuadraticResidue((*this)[0], P)};
    Poly X = Poly(*this,
      (n() + 1) / 2).Sqrt().isz(n());
    return X.iadd(Mul(X.Inv()).isz(n())).imul(P /
      2 + 1);
  }
  pair<Poly, Poly> DivMod(const Poly &rhs) const {
    if (n() < rhs.n()) return {{0}, *this};
    // back() != 0
    const int m = n() - rhs.n() + 1;
    Poly X(rhs); X.irev().isz(m);
    Poly Y(*this); Y.irev().isz(m);
    Poly Q = Y.Mul(X.Inv()).isz(m).irev();
    X = rhs.Mul(Q), Y = *this;
    fi(0, n()) if ((Y[i] -= X[i]) < 0) Y[i] += P;
    return {Q, Y.isz(max(1, rhs.n() - 1))};
  }
  Poly Dx() const {
    Poly ret(n() - 1);
    fi(0,
      ret.n()) ret[i] = (i + 1) * (*this)[i + 1] % P;
    return ret.isz(max(1, ret.n()));
  }
  Poly Sx() const {
    Poly ret(n() + 1);
    fi(0, n()) ret[i + 1] =
      ntt.minv(i + 1) * (*this)[i] % P;
    return ret;
  }
  Poly _tmul(int nn, const Poly &rhs) const {
    Poly Y = Mul(rhs).isz(n() + nn - 1);
    return Poly(Y.data() + n() - 1, Y.data() + Y.n());
  }
  vector<ll> _eval(const vector<ll> &x,
      const vector<Poly> &up) const {
    const int m = (int)x.size();
    if (!m) return {};
    vector<Poly> down(m * 2);
    down[1] =
      Poly(up[1]).irev().isz(n()).Inv().irev()._tmul(m,
      *this);
    fi(2, m * 2)
      down[i] = up[i ^ 1]._tmul(up[i].n() - 1,
        down[i / 2]);
    vector<ll> y(m);
    fi(0, m) y[i] = down[m + i][0];
    return y;
  }
  static vector<Poly> _tree1(const vector<ll> &x) {
    const int m = (int)x.size();
    vector<Poly> up(m * 2);
    fi(0, m) up[m + i] = {(x[i] ? P - x[i] : 0), 1};
```

```
    for (int i = m - 1; i > 0; --i)
      up[i] = up[i * 2].Mul(up[i * 2 + 1]);
    return up;
  }
  vector<ll> Eval(const vector<ll> &x) const {
  // 1e5, 1s
    return _eval(x, _tree1(x));
  }
  static Poly Interpolate(const vector<ll> &x,
      const vector<ll> &y) { // 1e5, 1.4s
    const int m = (int)x.size();
    if (!m) return {};
    assert((int)y.size() == m);
    vector<Poly> up = _tree1(x), down(m * 2);
    vector<ll> z = up[1].Dx()._eval(x, up);
    fi(0, m) z[i] = y[i] * ntt.minv(z[i]) % P;
    fi(0, m) down[m + i] = {z[i]};
    for (int i = m - 1; i > 0; --i)
      down[i] = down[i * 2].Mul(up[i * 2 + 1])
          .iadd(down[i * 2 + 1].Mul(up[i * 2]));
    return down[1];
  }
  Poly Ln() const // (*this)[0] == 1, 1e5/170ms
  { return Dx().Mul(Inv()).Sx().isz(n()); }
  Poly Exp() const { // (*this)[0] == 0, 1e5/360ms
    if (n() == 1) return {1};
    Poly X = Poly(*this, (n() + 1) / 2).Exp().isz(n());
    Poly Y = X.Ln(); Y[0] = P - 1;
    fi(0, n())
      if ((Y[i] = (*this)[i] - Y[i]) < 0) Y[i] += P;
    return X.Mul(Y).isz(n());
  } // M := P(P - 1). If k >= M, k := k % M + M.
  Poly Pow(ll k) const {
    int nz = 0;
    while (nz < n() && !(*this)[nz]) ++nz;
    if (nz * min(k, (ll)n()) >= n()) return Poly(n());
    if (!k) return Poly(Poly {1}, n());
    Poly X(data() + nz, data() + nz + n() - nz * k);
    const ll c = ntt.mpow(X[0], k % (P - 1));
    return X.Ln().imul(k % P).Exp().imul(c)
      .irev().isz(n()).irev();
  } // a_n = \sum c_j a_(n-j)
  static ll LinearRecursion(const vector<ll> &a,
      const vector<ll> &coef, ll n) {
    const int k = (int)a.size();
    assert((int)coef.size() == k + 1);
    Poly C(k + 1), W(Poly {1}, k), M = {0, 1};
    fi(1, k + 1) C[k - i] = coef[i] ? P - coef[i] : 0;
    C[k] = 1;
    while (n) {
      if (n % 2) W = W.Mul(M).DivMod(C).second;
      n /= 2, M = M.Mul(M).DivMod(C).second;
    } ll ret = 0;
    fi(0, k) ret = (ret + W[i] * a[i]) % P;
    return ret;
  }
};
#undef fi
using Poly_t = Poly<131072 * 2, 998244353, 3>;
template<> decltype(Poly_t::ntt) Poly_t::ntt = {};
Poly_t f{1, 2, 3}, g{4, 5};
auto h = f.Mul(g), fi = f.Inv(); // f[0]!=0
auto q = f.Ln(); // f[0]==1
auto e = g.Exp(); // g[0]==0
auto y = f.Eval({1, 2, 3}); // multipoint
```

7.5 Value Polynomial [6788b6]

Polynomial held as consecutive point values; Lagrange eval and prefix-sum lift in $O(n)$. Requires caller-provided mint, ifac, and inegfac precomputed through size$-1 < P$.

```
struct Poly {
  mint base; // f(x) = poly[x - base]
  vector<mint> poly;
  Poly(mint b = 0, mint x = 0): base(b), poly(1, x) {}
  mint get_val(const mint &x) {
    if (x >= base && x < base + SZ(poly))
      return poly[(x - base).v];
    mint rt = 0;
    vector<mint> lmul(SZ(poly), 1), rmul(SZ(poly), 1);
    for (int i = 1; i < SZ(poly); ++i) lmul[i] =
      lmul[i - 1] * (x - (base + i - 1));
    for (int i = SZ(poly) - 2; i >= 0; --
      i) rmul[i] = rmul[i + 1] * (x - (base + i + 1));
    for (int i = 0; i < SZ(poly); ++i)
      rt += poly[i] * ifac[i] * inegfac[SZ(poly) -
        1 - i] * lmul[i] * rmul[i];
    return rt;
  }
  void raise() { // g(x) = sigma{base:x} f(x)
    if (SZ(poly) == 1 && poly[0] == 0)
      return;
    mint nw = get_val(base + SZ(poly)); poly.pb(nw);
    for (int i = 1; i < SZ(poly);
      ++i) poly[i] += poly[i - 1];
  }
};
Poly f(base, y0); // f(base+i) = poly[i]
f.poly = {y0, y1, y2}; // consecutive values
mint v = f.get_val(x); // any x, O(n)
f.raise(); // f becomes prefix sum, deg+1
```

7.6 Newton's Method

Given a formal power series $F(x)$ where

$$F(x)=\sum_{i=0}^{\infty}\alpha_i(x-\beta)^i$$

for a constant β. Assume $F(\beta)=0$ and $\alpha_1=F'(\beta)$ is a unit, and set $Q_0=\beta$. A formal-series root can be found iteratively: if $F(Q_k)=0 \pmod{x^{2^k}}$, then since $F'(Q_k)$ remains a unit modulo x^{2^k},

$$Q_{k+1}=Q_k-\frac{F(Q_k)}{F'(Q_k)} \pmod{x^{2^{k+1}}}.$$

8 Geometry

8.1 Basic [be1f06]

Point/line primitives the rest of this section depends on: * is dot, ^ is cross; project, reflect, segmentinside, SegmentIntersect (endpointsincluded). Intersect **divides by zero on parallel lines.**

```
bool same(double a, double b) {
  return abs(a - b) < eps; }
struct P {
  double x, y;
  P() : x(0), y(0) {}
  P(double x, double y) : x(x), y(y) {}
  P operator + (P b) const { return {x + b.x, y + b.y};
    }
  P operator - (P b) const { return {x - b.x, y - b.y};
    }
  P operator * (double b) const {
    return {x * b, y * b}; }
  P operator / (double b) const {
    return {x / b, y / b}; }
  double operator * (P b) const {
    return x * b.x + y * b.y; }
  double operator ^ (P b) const {
    return x * b.y - y * b.x; }
  double abs() const { return hypot(x, y); }
  P unit() const { return *this / abs(); }
  P rot(double o) const {
    double c = cos(o), s = sin(o);
    return {c * x - s * y, s * x + c * y};
  }
  double angle() const { return atan2(y, x); }
};
struct L { // ax + by + c = 0
  double a, b, c, o; P pa, pb;
  L() : a(0), b(0), c(0), o(0), pa(), pb() {}
  L(P pa, P pb) : a(pa.y - pb.y),
    b(pb.x - pa.x), c(pa ^ pb),
    o(atan2(-a, b)), pa(pa), pb(pb) {}
  P project(P p) { P d = pb - pa;
    return pa + d * (d * (p - pa) / (d * d)); }
  P reflect(P p) { return p + (project(p) - p) * 2; }
  double get_ratio(P p) { P d = pb - pa;
    return (p - pa) * d / (d * d); }
  bool inside(P p) { return
    min(pa.x, pb.x) <= p.x && p.x <= max(pa.x, pb.x) &&
    min(pa.y, pb.y) <= p.y && p.y <= max(pa.y, pb.y) &&
    same(a * p.x + b * p.y, -c); }
};
bool SegmentIntersect(P p1, P p2, P p3, P p4) {
  if (max(p1.x, p2.x) < min(p3.x, p4.x) ||
      max(p3.x, p4.x) < min(p1.x, p2.x)) return false;
  if (max(p1.y, p2.y) < min(p3.y, p4.y) ||
      max(p3.y, p4.y) < min(p1.y, p2.y)) return false;
  return sign((p3 - p1) ^ (p4 - p1)) *
      sign((p3 - p2) ^ (p4 - p2)) <= 0 &&
    sign((p1 - p3) ^ (p2 - p3)) *
      sign((p1 - p4) ^ (p2 - p4)) <= 0;
}
bool parallel(L x, L y) {
  return same(x.a * y.b, x.b * y.a); }
P Intersect(L x, L y) {
  return P(-x.b * y.c + x.c * y.b,
    x.a * y.c - x.c * y.a)
    / (-x.a * y.b + x.b * y.a); }
```

8.2 Sector Area [6fba33]

Area of the sector between two vectors, $O(1)$. **Returns the minor arc** — subtract from the full disc for the major one.

```
// calc area of sector which include a, b
double SectorArea(P a, P b, double r) {
  double o = abs(remainder(a.angle() - b.angle(),
    2 * pi));
  return r * r * o / 2;
}
```

8.3 Half Plane Intersection [b25437]

Intersection polygon of half planes in $O(n \log n)$; the feasible side is to the *left* of each line. Empty result means degenerate or infeasible.

```
bool jizz(L l1,L l2,L l3){ P p=Intersect(l2,l3);
  return ((l1.pb-l1.pa)^(p-l1.pa))<-eps; }

bool cmp(const L &a,const L &b){ return same(a.o,
  b.o)?(((b.pb-b.pa)^(a.pb-b.pa))>eps):a.o<b.o; }

// availble area for L l is (l.pb-l.pa)^(p-l.pa)>0
vector<P> HPI(vector<L> &ls){
  sort(ls.begin(),ls.end(),cmp);
  vector<L> pls(1,ls[0]);
  for(int i=0;i<(int)ls.size();++i)if(!same(ls[i].o,
    pls.back().o))pls.push_back(ls[i]);
  deque<int> dq = {0, 1};
#define meow(a,
    b,c) while(dq.size()>1u && jizz(pls[a],pls[b],pls[c]))
  for(int i=2;i<(int)pls.size();++i){
    meow(i,dq.back(),dq[dq.size()-2])dq.pop_back();
    meow(i,dq[0],dq[1])dq.pop_front();
    dq.push_back(i);
  }
  meow(dq.front(),dq.back(),
    dq[dq.size()-2])dq.pop_back();
  meow(dq.back(),dq[0],dq[1])dq.pop_front();
  if(dq.size()<3u)return {};
  // no solution or solution is not a convex
  vector<P> rt; for(int i=0;i<(int)dq.size();++i)
    rt.push_back(Intersect(pls[dq[i]],
      pls[dq[(i+1)%dq.size()]]));
  return rt;
}
vector<L> hs = {L({0,0},{1,0}), L({1,0},{1,1}),
                L({1,1},{0,1}), L({0,1},{0,0})};
auto poly = HPI(hs); // unit square; left side is feasible
```

8.4 Rotating Sweep Line [7c6614]

Sweeps all $\binom{n}{2}$ directions in $O(n^2 \log n)$; points must be distinct with no three collinear. rotatingSweepLineOrder returns the final order, while the legacy void wrapper preserves the old call shape.

```
vector<int> rotatingSweepLineOrder(const
  vector<pair<int,int>> &ps){
  int n=int(ps.size()); if (!n) return {};
  vector<int> id(n),pos(n);
  vector<pair<int,int>> line(n*(n-1)/2);
  int m=0;
  for(int i=0;i<n;++i)for(int j=i+1;j<n;++j)line[m++]={
    i,j};
  sort(line.begin(),line.end(),[&](const pair<int,
    int> &a,const pair<int,int> &b){
    long long ax=1LL*ps[a.first].first-ps[a.second].first;
    long long ay=1LL*ps[a.first].second-
      ps[a.second].second;
    long long bx=1LL*ps[b.first].first-ps[b.second].first;
    long long by=1LL*ps[b.first].second-
      ps[b.second].second;
    // Pair directions
        are unoriented: canonicalize them before comparing
    // slopes.  Without this
        , a negative ax reverses the cross-multiplication
    // order
         and the comparator is not a strict weak ordering.
    if (ax < 0 || (ax == 0 && ay < 0)) ax = -ax, ay = -ay;
    if (bx < 0 || (bx == 0 && by < 0)) bx = -bx, by = -by;
    if (ax == 0 || bx == 0) return ax == 0 && bx != 0;
    return (__int128)ay * bx < (__int128)by * ax;
  });
  iota(id.begin(), id.end(), 0);
  sort(id.begin(),id.end(),[&](const int &a,
    const int &b){ return ps[a]<ps[b]; });
  for(int i=0;i<n;++i)pos[id[i]]=i;

  for(int i=0;i<m;++i){
    auto l=line[i];
    tie(pos[l.first],pos[l.second],id[pos[l.first]],
      id[pos[l.second]])=make_tuple(pos[l.second],
      pos[l.first],l.second,l.first);
  }
  return id;
}

void rotatingSweepLine(vector<pair<int,int>> &ps){
  (void)rotatingSweepLineOrder(ps);
}
vector<pair<int,int>> p={{0,0},{2,0},{1,1}};
vector<int> order=rotatingSweepLineOrder(p); // point ids
```

8.5 Triangle Center [fdd4fc]

Circumcentre, centroid, orthocentre (via the Euler line) and incentre, each $O(1)$. **Degenerate (collinear) input divides by zero.**

```
Point TriangleCircumCenter(Point a, Point b, Point c) {
  Point u = b - a, v = c - a;
  double x = u.x * u.x + u.y * u.y,
    y = v.x * v.x + v.y * v.y;
  double d = 2 * Cross(u, v);
  return a + Point((v.y * x - u.y * y) / d,
    (u.x * y - v.x * x) / d);
}

Point TriangleMassCenter(Point a, Point b, Point c) {
  return (a + b + c) / 3.0;
}

Point TriangleOrthoCenter(Point a, Point b, Point c) {
  return TriangleMassCenter(a, b,
    c) * 3.0 - TriangleCircumCenter(a, b, c) * 2.0;
}

Point TriangleInnerCenter(Point a, Point b, Point c) {
  double la = len(b - c);
  double lb = len(a - c);
  double lc = len(a - b);
  double s = la + lb + lc;
  return {(la * a.x + lb * b.x + lc * c.x) / s,
      (la * a.y + lb * b.y + lc * c.y) / s};
}
```

8.6 Polygon Center [7477e0]

Area centroid of a simple polygon in $O(n)$ by signed-area weighting, so concave shapes are fine.

```
Point BaryCenter(vector<Point> &p, int n) {
  Point res(0, 0);
  double s = 0, t;
  for (int i = 1; i < p.size() - 1; i++) {
    t = Cross(p[i] - p[0], p[i + 1] - p[0]) / 2;
    s += t;
    res.x += (p[0].x + p[i].x + p[i + 1].x) * t;
    res.y += (p[0].y + p[i].y + p[i + 1].y) * t;
  } res.x /= 3 * s, res.y /= 3 * s;
  return res;
}
```

8.7 Maximum Triangle [dc6c45]

Largest triangle inscribed in a convex polygon by exhaustive triples in $O(n^3)$.

```
double ConvexHullMaxTriangleArea(Point p[],
  int res[], int chnum) {
  double area = 0;
  for (int i = 0; i < chnum;
    ++i) for (int j = i + 1; j < chnum; ++j)
    for (int k = j + 1; k < chnum; ++k)
      area = max(area, fabs(Cross(p[res[j]] -
        p[res[i]], p[res[k]] - p[res[i]])));
  return area / 2;
}
```

8.8 Point in Polygon [0a9a66]

Ray casting for any simple polygon, $O(n)$. **Returns 1 on the boundary, 2 strictly inside**, 0 outside.

```
int pip(vector<P> ps, P p) {
  int c = 0;
  for (int i = 0; i < ps.size(); ++i) {
    int a = i, b = (i + 1) % ps.size();
    L l(ps[a], ps[b]);
    P q = l.project(p);
    if ((p - q).abs() < eps && l.inside(q)) return 1;
    if (same(ps[a].y, ps[b].y) &&
      same(ps[a].y, p.y)) continue;
    if (ps[a].y > ps[b].y) swap(a, b);
    if (ps[a].y <= p.y && p.y < ps[b].y &&
      p.x <= ps[a].x + (ps[b].x - ps[a].x) /
      (ps[b].y - ps[a].y) * (p.y - ps[a].y)) ++c;
  } return (c & 1) * 2;
}
vector<P> poly = {{0,0},{4,0},{4,4},{0,4}};
int where = pip(poly, q); // 0 out, 1 boundary, 2 in
```

8.9 Circle [8e6b29]

Circle intersection points and area, circle-segment crossing, and circle∩triangle area. All $O(1)$. Coincident circles return an empty finite-point list; a zero-length segment is treated as one point.

```
struct C {
  P c; double r;
  C(P c = P(0, 0), double r = 0) : c(c), r(r) {}
};
vector<P> Intersect(C a, C b) {
  if (a.r > b.r) swap(a, b);
  double d = (a.c - b.c).abs();
  vector<P> p;
  if (same(d, 0)) return
       p; // coincident circles: no finite point list
  if (same(a.r + b.r, d))
    p.push_back(a.c + (b.c - a.c).unit() * a.r);
  else if (same(d + a.r, b.r))
    p.push_back(a.c - (b.c - a.c).unit() * a.r);
  else if (a.r + b.r > d && d + a.r >= b.r) {
    double o = acos((sq(a.r) + sq(d) -
      sq(b.r)) / (2 * a.r * d));
    P i = (b.c - a.c).unit();
    p.push_back(a.c + i.rot(o) * a.r);
    p.push_back(a.c + i.rot(-o) * a.r);
  } return p;
}
double IntersectArea(C a, C b) {
  if (a.r > b.r) swap(a, b);
  double d = (a.c - b.c).abs();
  if (d >= a.r + b.r - eps) return 0;
  if (d + a.r <= b.r + eps) return sq(a.r) * acos(-1);
  double p = acos((sq(a.r) + sq(d) -
    sq(b.r)) / (2 * a.r * d));
  double q = acos((sq(b.r) + sq(d) -
    sq(a.r)) / (2 * b.r * d));
  return p * sq(a.r) + q * sq(b.r) - a.r * d * sin(p);
}
// drop 2nd level to get points for a line (default:
// segment)
vector<P> CircleCrossLine(P a, P b, P o, double r) {
  double x = b.x - a.x,
    y = b.y - a.y, A = sq(x) + sq(y);
  if (same(A, 0))
    return same
        ((a - o).abs(), r) ? vector<P>{a} : vector<P>{};
  double B = 2 * x * (a.x - o.x) + 2 * y * (a.y - o.y);
  double C = sq(a.x - o.x) + sq(a.y - o.y) - sq(r);
  double d = B * B - 4 * A * C;
  vector<P> t;
  if (d >= -eps) {
    d = max(0., d);
    double i = (-B - sqrt(d)) / (2 * A);
    double j = (-B + sqrt(d)) / (2 * A);
    if (i - 1.0 <= eps && i >= -eps)
      t.emplace_back(a.x + i * x, a.y + i * y);
    if (fabs(j - i) > eps && j - 1.0 <= eps && j >= -eps)
      t.emplace_back(a.x + j * x, a.y + j * y);
  } return t;
}
// area of circle(r) cap triangle OAB
double AreaOfCircleTriangle(P a, P b, double r) {
  bool ina = a.abs() < r, inb = b.abs() < r;
  auto p = CircleCrossLine(a, b, P(0, 0), r);
  if (ina) {
    if (inb) return abs(a ^ b) / 2;
    return SectorArea(b, p[0], r) + abs(a ^ p[0]) / 2;
  }
  if (inb) return SectorArea(p[0],
    a, r) + abs(p[0] ^ b) / 2;
  if (p.size() == 2u)
    return SectorArea(a, p[0], r) +
      SectorArea(p[1], b, r) + abs(p[0] ^ p[1]) / 2;
  return SectorArea(a, b, r);
}
// for any triangle
double AreaOfCircleTriangle(vector<P> ps, double r) {
  double ans = 0;
  for (int i = 0; i < 3; ++i) {
    int j = (i + 1) % 3;
    double o = atan2(ps[i].y,
      ps[i].x) - atan2(ps[j].y, ps[j].x);
    if (o >= pi) o = o - 2 * pi;
    if (o <= -pi) o = o + 2 * pi;
    ans += AreaOfCircleTriangle(ps[i],
      ps[j], r) * (o >= 0 ? 1 : -1);
  } return abs(ans);
}
```

8.10 Tangent of Circles and Points to Circle [c3609c]

Common tangents of two circles (0/1/2/3/4 by configuration) and tangents from a point, $O(1)$.

```
vector<L> tangent(C a, C b) {
#define Pij \
  P i = (b.c - a.c).unit() * a.r, j = P(i.y, -i.x);\
  z.emplace_back(a.c + i, a.c + i + j);
#define deo(I,J) \
  double e = a.r I b.r, o = acos(e / d);\
  P i = (b.c - a.c).unit(), j = i.rot(o), k = i.rot(-o);\
  z.emplace_back(a.c + j * a.r, b.c J j * b.r);\
  z.emplace_back(a.c + k * a.r, b.c J k * b.r);
  if (a.r < b.r) swap(a, b);
  vector<L> z;
  double d = (a.c - b.c).abs();
  if (d + b.r < a.r) return z;
  else if (same(d + b.r, a.r)) { Pij; }
  else {
    deo(-,+);
    if (same(d, a.r + b.r)) { Pij; }
    else if (d > a.r + b.r) { deo(+,-); }
  } return z;
}

vector<L> tangent(C c, P p) {
  vector<L> z;
  double d = (p - c.c).abs();
  if (same(d, c.r)) {
    P i = (p - c.c).rot(pi / 2);
    z.emplace_back(p, p + i);
  } else if (d > c.r) {
    double o = acos(c.r / d);
    P i = (p - c.c).unit(),
      j = i.rot(o) * c.r, k = i.rot(-o) * c.r;
    z.emplace_back(c.c + j, p);
    z.emplace_back(c.c + k, p);
  } return z;
}
```

8.11 Area of Union of Circles [490636]

Union area by integrating uncovered arcs with Green's theorem, $O(n^2 \log n)$. **Duplicate circles must be removed first** or the area is double counted.

```
vector<pair<double, double>> CoverSegment(C &a, C &b) {
  double d = (a.c - b.c).abs();
  vector<pair<double, double>> res;
  if (same(a.r + b.r, d)) ;
  else if (d <= abs(a.r - b.r) + eps) {
    if (a.r < b.r) res.emplace_back(0, 2 * pi);
  } else if (d < abs(a.r + b.r) - eps) {
    double o = acos((sq(a.r) + sq(d) -
      sq(b.r)) / (2 * a.r * d)),
      z = (b.c - a.c).angle();
    if (z < 0) z += 2 * pi;
    double l = z - o, r = z + o;
    if (l < 0) l += 2 * pi;
    if (r > 2 * pi) r -= 2 * pi;
    if (l > r) res.emplace_back(l,
      2 * pi), res.emplace_back(0, r);
    else res.emplace_back(l, r);
  } return res;
}
double CircleUnionArea(vector<C> c) {
// circle should be identical
  int n = c.size();
  double a = 0, w;
  for (int i = 0; w = 0, i < n; ++i) {
    vector<pair<double, double>> s = {{2 * pi, 9}}, z;
    for (int j = 0; j < n; ++j) if (i != j) {
      z = CoverSegment(c[i], c[j]);
      for (auto &e : z) s.push_back(e);
    } sort(s.begin(), s.end());
    auto F = [&] (double t) {
      return c[i].r * (c[i].r * t
      + c[i].c.x * sin(t) - c[i].c.y * cos(t)); };
    for (auto &e : s) {
      if (e.first > w) a += F(e.first) - F(w);
      w = max(w, e.second);
    }
  } return a * 0.5;
}
```

8.12 Minimun Distance of 2 Polygons [dbe093]

Minimum distance of two convex polygons. The self-contained implementation checks edge pairs and containment in $O(nm)$, avoiding hidden distance-helper contracts.

```
// Convex polygons in cyclic order; self-contained
// O(nm) implementation.
double _point_seg_dist(Point p, Point a, Point b) {
```

```
  double dx = b.x - a.x, dy = b.y - a.y,
    z = dx * dx + dy * dy;
  double t = z ? clamp(((p.x - a.x) * dx +
    (p.y - a.y) * dy) / z, 0., 1.) : 0;
  return hypot(p.x - (a.x + t * dx),
    p.y - (a.y + t * dy));
}

double _cross(Point a, Point b, Point c) {
  return (b.x - a.x) * (c.y - a.y) -
         (b.y - a.y) * (c.x - a.x);
}

bool _on_segment(Point a, Point b, Point p) {
  return fabs(_cross(a, b, p)) <= 1e-10 &&
    min(a.x, b.x) - 1e-10 <= p.x &&
      p.x <= max(a.x, b.x) + 1e-10 &&
    min(a.y, b.y) - 1e-10 <= p.y &&
      p.y <= max(a.y, b.y) + 1e-10;
}

bool _segments_intersect(Point a,
  Point b, Point c, Point d) {
  double x1 = _cross(a, b, c), x2 = _cross(a, b, d);
  double x3 = _cross(c, d, a), x4 = _cross(c, d, b);
  if (_on_segment(a, b, c) || _on_segment(a, b, d) ||
    _on_segment(c, d, a) ||
    _on_segment(c, d, b)) return true;
  return (x1 > 0) != (x2 > 0) && (x3 > 0) != (x4 > 0);
}

bool _inside_convex(Point p, Point poly[], int n) {
  int sign = 0;
  for (int i = 0; i < n; ++i) {
    double c = _cross(poly[i], poly[(i + 1) % n], p);
    if (fabs(c) <= 1e-10) continue;
    if (!sign) sign = c > 0 ? 1 : -1;
    else if ((c > 0 ? 1 : -1) != sign) return false;
  }
  return true;
}

double TwoConvexHullMinDist(Point P[],
  Point Q[], int n, int m) {
  double ans = 1e100;
  for (int i = 0; i < n; ++i) {
    Point a = P[i], b = P[(i + 1) % n];
    for (int j = 0; j < m; ++j) {
      Point c = Q[j], d = Q[(j + 1) % m];
      if (_segments_intersect(a, b, c, d)) return 0;
      ans = min(ans, _point_seg_dist(a, c, d));
      ans = min(ans, _point_seg_dist(c, a, b));
    }
  }
  if (_inside_convex(P[0], Q, m) ||
    _inside_convex(Q[0], P, n)) return 0;
  return ans;
}
```

8.13 2D Convex Hull [cedfb3]

Monotone chain in $O(n \log n)$ (collinear points dropped), plus CH for $O(\log n)$ extreme-point, line-intersection, containment and tangent queries.

```
bool operator<(const P &a, const P &b) {
  return same(a.x, b.x) ? a.y < b.y : a.x < b.x; }
bool operator>(const P &a, const P &b) {
  return same(a.x, b.x) ? a.y > b.y : a.x > b.x; }
#define crx(a, b, c) ((b - a) ^ (c - a))
vector<P> convex(vector<P> ps) {
  if (ps.empty()) return {};
  vector<P> p;
  sort(ps.begin(), ps.end());
  for (int i = 0; i < ps.size(); ++i) {
    while (p.size() >= 2 &&
        crx(p[p.size() - 2], ps[i],
          p[p.size() - 1]) >= 0)
      p.pop_back();
    p.push_back(ps[i]);
  } int t = p.size();
  for (int i = (int)ps.size() - 2; i >= 0; --i) {
    while (p.size() > t &&
        crx(p[p.size() - 2], ps[i],
          p[p.size() - 1]) >= 0)
      p.pop_back();
    p.push_back(ps[i]);
  } p.pop_back();
  return p;
}
int sgn(double x) {
  return same(x, 0) ? 0 : x > 0 ? 1 : -1; }
P isLL(P p1, P p2, P q1, P q2) {
  double a = crx(q1, q2, p1), b = -crx(q1, q2, p2);
  return (p1 * b + p2 * a) / (a + b);
}

struct CH {
  int n;
  vector<P> p, u, d;
  CH() {}
  CH(vector<P> ps) : n(ps.size()), p(ps) {
    rotate(p.begin(), min_element(p.begin(),
      p.end()), p.end());
    auto t = max_element(p.begin(), p.end());
    d = vector<P>(p.begin(), next(t));
    u = vector<P>(t, p.end()); u.push_back(p[0]);
  }
  int find(vector<P> &v, P d) {
    int l = 0, r = v.size();
    while (l + 5 < r) {
      int L = (l * 2 + r) / 3, R = (l + r * 2) / 3;
      if (v[L] * d > v[R] * d) r = R;
      else l = L;
    } int x = l;
    for (int i = l + 1; i < r;
      ++i) if (v[i] * d > v[x] * d) x = i;
    return x;
  }
  int findFarest(P v) {
    if (v.y > 0 || v.y == 0 && v.x > 0)
      return ((int)d.size() - 1 + find(u,
        v)) % p.size();
    return find(d, v);
  }
  P get(int l, int r, P a, P b) {
    int s = sgn(crx(a, b, p[l % n]));
    while (l + 1 < r) {
      int m = (l + r) >> 1;
      if (sgn(crx(a, b, p[m % n])) == s) l = m;
      else r = m;
    } return isLL(a, b, p[l % n], p[(l + 1) % n]);
  }
  vector<P> getLineIntersect(P a, P b) {
    int X = findFarest((b - a).rot(pi / 2));
    int Y = findFarest((a - b).rot(pi / 2));
    if (X > Y) swap(X, Y);
    if (sgn(crx(a, b,
      p[X])) * sgn(crx(a, b, p[Y])) < 0)
      return {get(X, Y, a, b), get(Y, X + n, a, b)};
    return {}; // tangent case falls here
  }
  void update_tangent(P q, int i, int &a, int &b) {
    if (sgn(crx(q, p[a], p[i])) > 0) a = i;
    if (sgn(crx(q, p[b], p[i])) < 0) b = i;
  }
  void bs(int l, int r, P q, int &a, int &b) {
    if (l == r) return;
    update_tangent(q, l % n, a, b);
    int s = sgn(crx(q, p[l % n], p[(l + 1) % n]));
    while (l + 1 < r) {
      int m = (l + r) >> 1;
      if (sgn(crx(q, p[m % n],
        p[(m + 1) % n])) == s) l = m;
      else r = m;
    } update_tangent(q, r % n, a, b);
  }
  bool contain(P p) {
    if (p.x < d[0].x || p.x > d.back().x) return 0;
    auto it = lower_bound(d.begin(),
      d.end(), P(p.x, -1e12));
    if (it->x == p.x) {
      if (it->y > p.y) return 0;
    } else if (crx(*prev(it), *it, p) < -eps) return 0;
    it = lower_bound(u.begin(), u.end(),
      P(p.x, 1e12), greater<P>());
    if (it->x == p.x) {
      if (it->y < p.y) return 0;
    } else if (crx(*prev(it), *it, p) < -eps) return 0;
    return 1;
  }
  bool get_tangent(P p, int &a, int &b) { // b -> a
    if (contain(p)) return 0;
    a = b = 0;
    int i = lower_bound(d.begin(),
      d.end(), p) - d.begin();
    bs(0, i, p, a, b);
    bs(i, d.size(), p, a, b);
    i = lower_bound(u.begin(), u.end(),
      p, greater<P>()) - u.begin();
    bs((int)d.size() - 1,
      (int)d.size() - 1 + i, p, a, b);
```

```
    bs((int)d.size() - 1 + i,
      (int)d.size() - 1 + u.size(), p, a, b);
    return 1;
  }
};
vector<P>
    hull = convex(points); // CCW; drops collinear points
CH ch(hull); bool inside = ch.contain(q);
```

8.14 3D Convex Hull [29e4a9]

Incremental 3D hull in $O(n^2)$; faces() merges coplanar triangles. **Input must not contain duplicate points.**

```
double absvol(const P a,const P b,const P c,const P d)
{ return abs(((b-a)^(c-a))*(d-a))/6; }
struct convex3D {
  static const int maxn=1010;
  struct T{
    int a,b,c; bool res; T(){}
    T(int a,int b,int c,bool res=1):a(a),
      b(b),c(c),res(res){}
  };
  int n,m;
  P p[maxn];
  T f[maxn*8];
  int id[maxn][maxn];
  bool on(T &t,P &q) { return ((p[t.c]-
    p[t.b])^(p[t.a]-p[t.b]))*(q-p[t.a])>eps; }
  void meow(int q,int a,int b){
    int g=id[a][b];
    if(f[g].res){
      if(on(f[g],p[q]))dfs(q,g);
      else{
        id[q][b]=id[a][q]=id[b][a]=m;
        f[m++]=T(b,a,q,1);
      }
    }
  }
  void dfs(int p,int i){ f[i].res=0;
    meow(p,f[i].b,f[i].a);
    meow(p,f[i].c,f[i].b); meow(p,f[i].a,f[i].c); }
  void operator()(){
    if(n<4)return;
    if([&](){
        for(int i=1;i<n;++i)if(abs(p[0]-p[i])>eps)
          return swap(p[1],p[i]),0;
        return 1;
        }() || [&](){
        for(int i=2;i<n;++i)
          if(abs((p[0]-p[i])^(p[1]-p[i]))>eps)
            return swap(p[2],p[i]),0;
        return 1;
        }() || [&](){
        for(int i=3;i<n;++i)
          if(abs(((p[1]-p[0])^(p[2]-
            p[0]))*(p[i]-p[0]))>eps)
            return swap(p[3],p[i]),0;
        return 1;
        }())return;
    for(int i=0;i<4;++i){
      T t((i+1)%4,(i+2)%4,(i+3)%4,1);
      if(on(t,p[i]))swap(t.b,t.c);
      id[t.a][t.b]=id[t.b][t.c]=id[t.c][t.a]=m;
      f[m++]=t;
    } for(int i=4;i<n;++i)for(int j=0;j<m;++j)
      if(f[j].res && on(f[j],p[i])){ dfs(i,j); break; }
    int mm=m; m=0;
    for(int i=0;i<mm;++i)if(f[i].res)f[m++]=f[i];
  }
  bool same(int i,int j){
    return !(absvol(p[f[i].a],
      p[f[i].b],p[f[i].c],p[f[j].a])>eps
      || absvol(p[f[i].a],p[f[i].b],
        p[f[i].c],p[f[j].b])>eps
      || absvol(p[f[i].a],p[f[i].b],
        p[f[i].c],p[f[j].c])>eps);
  }
  int faces(){
    int r=0;
    for(int i=0;i<m;++i){
      int iden=1;
      for(int j=0;j<i;++j)if(same(i,j))iden=0;
      r+=iden;
    } return r;
  }
} tb;
```

8.15 Minimum Enclosing Circle [0d85a1]

Welzl randomised incremental with shuffle, expected $O(n)$.

```
pt center(const pt &a, const pt &b, const pt &c) {
  pt p0 = b - a, p1 = c - a;
  double c1 = norm2(p0) * 0.5, c2 = norm2(p1) * 0.5;
  double d = p0 ^ p1;
  double x = a.x + (c1 * p1.y - c2 * p0.y) / d;
  double y = a.y + (c2 * p0.x - c1 * p1.x) / d;
  return pt(x, y);
}

circle min_enclosing(vector<pt> &p) {
  static mt19937 rng(712367821);
  shuffle(p.begin(), p.end(), rng);
  double r = 0.0;
  pt cent;
  for (int i = 0; i < p.size(); ++i) {
    if (norm2(cent - p[i]) <= r) continue;
    cent = p[i];
    r = 0.0;
    for (int j = 0; j < i; ++j) {
      if (norm2(cent - p[j]) <= r) continue;
      cent = (p[i] + p[j]) / 2;
      r = norm2(p[j] - cent);
      for (int k = 0; k < j; ++k) {
        if (norm2(cent - p[k]) <= r) continue;
        cent = center(p[i], p[j], p[k]);
        r = norm2(p[k] - cent);
      }
    }
  } return circle(cent, sqrt(r));
}
vector<pt> points = {{0,0},{2,0},{0,2}};
circle c = min_enclosing(points); // points are shuffled
```

8.16 Closest Pair [f6de57]

Divide and conquer in $O(n\log^2 n)$ (re-sorts the strip by y). p[] **must already be sorted by x.**

```
double closest_pair(int l, int r) {
  // p should be sorted increasingly according to the
  // x-coordinates.
  if (l == r) return 1e9;
  if (r - l == 1) return dist(p[l], p[r]);
  int m = (l + r) >> 1;
  double d = min(closest_pair(l,
    m), closest_pair(m + 1, r));
  vector<int> vec;
  for (int i = m; i >= l &&
    fabs(p[m].x - p[i].x) < d; --i) vec.push_back(i);
  for (int i = m + 1; i <= r &&
    fabs(p[m].x - p[i].x) < d; ++i) vec.push_back(i);
  sort(vec.begin(), vec.end(), [&](int a, int b) {
    return p[a].y < p[b].y; });
  for (int i = 0; i < vec.size(); ++i) {
    for (int j = i + 1; j < vec.size() &&
      fabs(p[vec[j]].y - p[vec[i]].y) < d; ++j) {
      d = min(d, dist(p[vec[i]], p[vec[j]]));
    }
  } return d;
}
sort(p, p+n, [](auto a, auto b) { return a.x < b.x; });
double d = closest_pair(0, n-1);
```

9 Else

9.1 Cyclic Ternary Search* [9017cc]

Minimum of a **cyclically shifted** unimodal array in $O(\log n)$; pred(a,b) compares two positions. The cyclic U-shape must have pairwise-distinct values (equivalently, strict comparisons); $n \geq 1$.

```
/* bool pred(int a, int b);
f(0) ~ f(n - 1) is a cyclic-shift U-function
return idx s.t. pred(x, idx) is false forall x*/
int cyc_tsearch(int n, auto pred) {
  if (n == 1) return 0;
  int l = 0, r = n; bool rv = pred(1, 0);
  while (r - l > 1) {
    int m = (l + r) / 2;
    if (pred(0, m) ? rv: pred(m, (m + 1) % n)) r = m;
    else l = m;
  } return pred(l, r % n) ? l : r % n;
}
vector<int> a={3,4,5,1,2};
int at=cyc_tsearch(a.size(),
  [&](int i,int j){return a[i]<a[j];}); // at=3
```

9.2 Mo's Algorithm(With modification) [f47cfd]

Mo's with point updates, block $N^{2/3}$, $O(N^{5/3})$. The callback-based solve applies/rolls back updates and reports each query.

```
/*
Mo's algorithm with point updates.
`add_time(t, L, R)` applies update t,
  `sub_time` rolls it back, and the other
callbacks maintain the current [L,
  R] answer.  Updates are numbered from 1.
*/
```

```
struct Query {
  int L, R, LBid, RBid, T, id;
  Query(int l, int r, int t,
    int block = 1, int query_id = -1)
      : L(l), R(r), LBid(l / block),
        RBid(r / block), T(t), id(query_id) {}
  bool operator<(const Query &q) const {
    return tie(LBid, RBid,
      T) < tie(q.LBid, q.RBid, q.T);
  }
};

template<class AddTime, class SubTime,
  class Add, class Sub, class Answer>
void solve(vector<Query> query,
  AddTime add_time, SubTime sub_time,
            Add add, Sub sub, Answer answer) {
  sort(query.begin(), query.end());
  int L = 0, R = -1, T = 0;
  for (const Query &q : query) {
    while (T < q.T) add_time(++T, L, R);
    while (T > q.T) sub_time(T--, L, R);
    while (R < q.R) add(++R);
    while (L > q.L) add(--L);
    while (R > q.R) sub(R--);
    while (L < q.L) sub(L++);
    answer(q);
  }
}
int B = max(1, (int)pow(n, 2.0/3));
qs.emplace_back(l, r, updates_seen, B, id);
solve(qs,
  [&](int t,int L,int R){ apply_update(t,L,R); },
  [&](int t,int L,int R){ rollback_update(t,L,R); },
  [&](int i){ add_pos(i); }, [&](int i){ remove_pos(i); },
  [&](const Query &q){ ans[q.id] = current_answer(); });
```

9.3 Mo's Algorithm On Tree [0c6c06]

Path queries via the Euler bracket sequence, $O(N\sqrt{N})$; the callback-based constructor takes the caller's LCA and solve handles the extra LCA vertex.

```
/*
Mo's algorithm on tree
    paths. `in`/`out` are the entry/exit positions in a
2n Euler tour and `ord` maps Euler
  positions back to vertices.
*/
struct Query {
  int L, R, LBid, lca, id;
  template<class LCA>
  Query(int u, int v, int block, const vector<int> &in,
        const vector<int> &out, LCA get_lca,
          int query_id = -1) : id(query_id) {
    if (in[u] > in[v]) swap(u, v);
    int c = get_lca(u, v);
    if (c == u) L = in[u], R = in[v], lca = -1;
    else L = out[u], R = in[v], lca = c;
    LBid = L / block;
  }
  bool operator<(const Query &q) const {
    return tie(LBid, R) < tie(q.LBid, q.R);
  }
};

template<class Flip, class Answer>
void solve(vector<Query> query,
  const vector<int> &ord, Flip flip,
            Answer answer) {
  sort(query.begin(), query.end());
  int L = 0, R = -1;
  for (const Query &q : query) {
    while (R < q.R) flip(ord[++R]);
    while (L > q.L) flip(ord[--L]);
    while (R > q.R) flip(ord[R--]);
    while (L < q.L) flip(ord[L++]);
    if (q.lca != -1) flip(q.lca);
    answer(q);
    if (q.lca != -1) flip(q.lca);
  }
}
int B = max(1, (int)sqrt(2*n));
qs.emplace_back(u, v, B, in, out, get_lca, id);
solve(qs, ord, [&](int v){ toggle(v); },
  [&](const Query &q){ ans[q.id] = current_answer(); });
```

9.4 Additional Mo's Algorithm Trick

- Mo's Algorithm With Addition Only
  - Sort queries same as the normal Mo's algorithm.
  - For each query $[l,r]$:
  - If $l/blk = r/blk$, brute-force.
  - If $l/blk \neq curL/blk$, initialize $curL := (l/blk+1)\cdot blk$, $curR := curL-1$
  - If $r > curR$, increase $curR$
  - decrease $curL$ to fit l, and then undo after answering
- Mo's Algorithm With Offline Second Time
  - Require: Changing answer $\equiv$ adding $f([l,r],r+1)$.
  - Require: $f([l,r],r+1) = f([1,r],r+1) - f([1,l),r+1)$.
  - Part1: Answer all $f([1,r],r+1)$ first.
  - Part2: Store $curR \to R$ for $curL$ (reduce the space to $O(N)$), and then answer them by the second offline algorithm.
  - Note: You must do the above symmetrically for the left boundaries.

9.5 Hilbert Curve [190152]

Hilbert index of (x,y) in $O(\log n)$, $n = 2^k$. Use it to order Mo's queries instead of block sorting.

```
ll hilbert(int n, int x, int y) {
  ll res = 0;
  for (int s = n / 2; s; s >>= 1) {
    int rx = (x & s) > 0, ry = (y & s) > 0;
    res += s * 1ll * s * ((3 * rx) ^ ry);
    if (!ry) {
      if (rx) x = s - 1 - x, y = s - 1 - y;
      swap(x, y);
    }
  } return res;
} // n = 2^k
```

9.6 DynamicConvexTrick* [673ffd]

Line container (CHT) with arbitrary insert order, amortised $O(\log n)$, keeps the **maximum**. **Integer coordinates only.**

```
// only works for integer coordinates!! maintain max
struct Line {
  mutable ll a, b, p;
  bool operator<(const Line &rhs) const {
    return a < rhs.a; }
  bool operator<(ll x) const { return p < x; }
};
struct DynamicHull : multiset<Line, less<>> {
  static const ll kInf = 1e18;
  ll Div(ll a, ll b) {
    return a / b - ((a ^ b) < 0 && a % b); }
  bool isect(iterator x, iterator y) {
    if (y == end()) { x->p = kInf; return 0; }
    if (x->a == y->a) x->p = x->b > y->b ?
      kInf : -kInf;
    else x->p = Div(y->b - x->b, x->a - y->a);
    return x->p >= y->p;
  }
  void addline(ll a, ll b) {
    auto z = insert({a, b, 0}), y = z++, x = y;
    while (isect(y, z)) z = erase(z);
    if (x != begin() && isect(--x,
      y)) isect(x, y = erase(y));
    while ((y = x) != begin() &&
      (--x)->p >= y->p) isect(x, erase(y));
  }
  ll query(ll x) {
    auto l = *lower_bound(x);
    return l.a * x + l.b;
  }
};
DynamicHull hull;
hull.addline(2, 3); hull.addline(-1, 10);
ll best = hull.query(x);
```

9.7 All LCS* [9542ce]

Returns every distinct longest common subsequence in lexicographic order. The result is directly testable and uses the standard $O(|s||t|)$ DP plus memoised reconstruction.

```
// Return every distinct longest common subsequence, in
// lexicographic order.
vector<string> all_lcs(const string &s,
  const string &t) {
  int n = (int)s.size(), m = (int)t.size();
  vector<vector<int>> dp(n + 1, vector<int>(m + 1));
  for (int i = n - 1; i >= 0; --i)
    for (int j = m - 1; j >= 0; --j)
      dp[i][j] = s[i] == t[j] ? 1 + dp[i + 1][j + 1]
        : max(dp[i + 1][j], dp[i][j + 1]);
  vector<vector<vector<string>>> memo(n + 1,
    vector<vector<string>>(m + 1));
  vector<vector<char>> seen(n + 1,
    vector<char>(m + 1));
  auto go = [&](auto &&self, int i,
    int j) -> vector<string> & {
    if (seen[i][j]) return memo[i][j];
    seen[i][j] = 1;
    auto &ret = memo[i][j];
    if (!dp[i][j]) return ret.push_back(""), ret;
    if (i < n && j < m && s[i] == t[j] &&
        dp[i][j] == 1 + dp[i + 1][j + 1]) {
      for (string x : self(self, i + 1,
        j + 1)) ret.push_back(s[i] + x);
    } else {
      if (i < n && dp[i + 1][j] == dp[i][j])
        for (string x : self(self,
```

```
          i + 1, j)) ret.push_back(x);
      if (j < m && dp[i][j + 1] == dp[i][j])
        for (string x : self(self, i,
          j + 1)) ret.push_back(x);
    }
    sort(ret.begin(), ret.end());
    ret.erase(unique(ret.begin(),
      ret.end()), ret.end());
    return ret;
  };
  return go(go, 0, 0);
}
```

9.8 AdaptiveSimpson* [95a73d]

Adaptive Simpson integration with Richardson extrapolation. Use eval2 to pre-split multi-peak integrands.

```
template<class Func, class d = double>
struct Simpson {
  using pdd = pair<d, d>;
  Func f;
  pdd mix(pdd l, pdd r, optional<d> fm = {}) {
    d h = (r.first - l.first) / 2,
      v = fm.value_or(f(l.first + h));
    return {v, h / 3 * (l.second + 4 * v + r.second)};
  } d eval(pdd l, pdd r, d fm, d eps) {
    pdd m((l.first + r.first) / 2, fm);
    d s = mix(l, r, fm).second;
    auto [flm, sl] = mix(l, m);
    auto [fmr, sr] = mix(m, r);
    d delta = sl + sr - s;
    if (abs(delta) <=
      15 * eps) return sl + sr + delta / 15;
    return eval(l, m, flm, eps / 2) +
      eval(m, r, fmr, eps / 2);
  } d eval(d l, d r, d eps) {
    return eval({l, f(l)}, {r, f(r)}
      , f((l + r) / 2), eps);
  } d eval2(d l, d r, d eps, int k = 997) {
    d h = (r - l) / k, s = 0;
    for (int i = 0; i < k; ++i, l += h)
      s += eval(l, l + h, eps / k);
    return s;
  }
};
template<class Func>
Simpson<Func> make_simpson(Func f) { return {f}; }
auto f=make_simpson([](double x){return sin(x);});
double area=f.eval(0,acos(-1.0),1e-10); // area ~= 2
```

9.9 Simulated Annealing [177cfb]

Generic minimising annealing routine: caller supplies a score and neighbour proposal, and receives the best state found.

```
// Generic minimising simulated annealing.
// `next_state(state, rng)` proposes
// a neighbour and `score(state)` is smaller for better
// states.
template<class State, class Score, class NextState>
State simulated_annealing(
  State current, Score score, NextState next_state,
  mt19937_64 &rng, int iterations = 100000,
  double temperature = 100000.0,
  double cooling = 0.99995) {
  State best = current;
  double cur = score(current), best_score = cur;
  uniform_real_distribution<double> unit(0.0, 1.0);
  for (int it = 0; it < iterations; ++it) {
    State candidate = next_state(current, rng);
    double cand = score(candidate);
    if (cand < cur || exp((cur - cand) /
      max(temperature, 1e-15)) >= unit(rng))
      current = candidate, cur = cand;
    if (cur < best_score) best = current,
      best_score = cur;
    temperature *= cooling;
  }
  return best;
}
mt19937_64 rng(7122);
int best
    =simulated_annealing(0,[](int x){return abs(x-3);},
  [](int x,auto&){return x<3?x+1:x-1;},rng); // best=3
```

9.10 Tree Hash* [f75ff7]

Order-independent rooted tree hash in $O(n)$ through rooted_tree_hash; for unrooted trees hash at each centroid and take the minimum.

```
using tree_hash_u64 = unsigned long long;
constexpr tree_hash_u64 tree_hash_default_seed =
  0x9e3779b97f4a7c15ULL;

tree_hash_u64 tree_hash_shift(tree_hash_u64 x) {
  x ^= x << 13, x ^= x >> 7, x ^= x << 17;
  return x;
}

tree_hash_u64 tree_hash_dfs(
  const vector<vector<int>> &g, int u, int parent,
  tree_hash_u64 seed) {
  if (!seed) seed = tree_hash_default_seed;
  tree_hash_u64 sum = seed;
  for (int v : g[u]) if (v != parent)
    sum += tree_hash_shift(tree_hash_dfs(g,
      v, u, seed));
  return sum;
}

tree_hash_u64 rooted_tree_hash(
  const vector<vector<int>> &g, int root = 0,
  tree_hash_u64 seed = tree_hash_default_seed) {
  return tree_hash_dfs(g, root, -1, seed);
}
```

9.11 Binary Search On Fraction [7e5f4f]

Smallest fraction satisfying a caller-supplied monotone predicate, via Stern-Brocot descent with doubling; call frac_bs(N, pred).

```
struct Q {
  ll p, q;
  Q go(Q b, ll d) { return {p + b.p*d, q + b.q*d}; }
};
// The predicate is supplied by the caller and must be
// monotone along the
// Stern--Brocot interval.
// returns smallest p/q in [lo, hi] such that
// pred(p/q) is true, and 0 <= p,q <= N
template<class Pred>
Q frac_bs(ll N, Pred pred) {
  Q lo{0, 1}, hi{1, 0};
  if (pred(lo)) return lo; assert(pred(hi));
  bool dir = 1, L = 1, H = 1;
  for (; L || H; dir = !dir) {
    ll len = 0, step = 1;
    for (int t = 0; t < 2 && (t ? step/=2 : step*=2);)
      if (Q mid = hi.go(lo, len + step);
          mid.p > N || mid.q > N || dir ^ pred(mid))
        t++;
      else len += step;
    swap(lo, hi = hi.go(lo, len));
    (dir ? L : H) = !!len;
  } return dir ? hi : lo;
}
Q x=frac_bs(100,[](Q v){
  return v.q==0 || 3*v.p>=2*v.q;
}); // x=2/3
```

9.12 Min Plus Convolution* [978ac7]

$c_k = \min_{i+j=k}(a_i + b_j)$ by divide and conquer on monotone decisions. **Requires** a **convex**, b arbitrary; supports empty inputs and any additive numeric type whose sums are representable.

```
// a is convex: a[i+1]-a[i] <= a[i+2]-a[i+1].
// Empty input has the usual empty-convolution result.
template<class T>
vector<T> min_plus_convolution(const vector<T> &a,
  const vector<T> &b) {
  int n = (int)a.size(), m = (int)b.size();
  if (!n || !m) return {};
  vector<T> c(n + m - 1);
  auto dc = [&](auto Y, int l, int r, int jl, int jr) {
    if (l > r) return;
    int mid = (l + r) / 2, from = -1;
    T best{};
    for (int j = jl; j <= jr; ++j)
      if (int i = mid - j; i >= 0 && i < n) {
        T value = a[i] + b[j];
        if (from == -1 || value < best)
          best = value, from = j;
      }
    // Every output index has
        at least one valid (i,j) pair.  Keep this guard
    // so
        a malformed recursive range cannot pass -1 onward.
    if (from == -1) return;
    c[mid] = best;
    Y(Y, l, mid - 1, jl, from),
      Y(Y, mid + 1, r, from, jr);
  };
  return dc(dc, 0, n - 1 + m - 1, 0, m - 1), c;
}
vector<int> a={0,1,4}, b={3,0}; // a must be convex
auto c=min_plus_convolution(a,b); // c={3,0,1,4}
```

9.13 Bitset LCS [41e379]

LCS in $O(nm/w)$ using subtract-and-borrow on 64-bit words; call bitset_lcs(a,b).

```cpp
int bitset_lcs(const vector<int> &a,
  const vector<int> &b) {
  int m = (int)b.size(), W = (m + 63) >> 6;
  unordered_map<int, vector<unsigned long long>> mask;
  for (int j = 0; j < m; ++j)
    mask[b[j]].resize(W),
      mask[b[j]][j >> 6] |= 1ULL << (j & 63);
  vector<unsigned long long> f(W), x(W), y(W);
  for (int value : a) {
    auto it = mask.find(value);
    if (it == mask.end()) continue;
    unsigned long long carry = 1;
    for (int i = 0; i < W; ++i) {
      y[i] = (f[i] << 1) | carry;
      carry = f[i] >> 63, x[i] = f[i] | it->second[i];
    }
    unsigned long long borrow = 0;
    for (int i = 0; i < W; ++i) {
      unsigned long long rhs = y[i] + borrow;
      borrow = (rhs < y[i]) || (x[i] < rhs);
      f[i] = x[i] & ~(x[i] - rhs);
    }
    if (m & 63) f.back() &= (1ULL << (m & 63)) - 1;
  }
  int ans = 0;
  for (auto word : f) ans += popcount(word);
  return ans;
}
```

9.14 N Queens Problem [df7da7]

Constructs one solution in $O(n)$ by cases on n mod 6—no search. **No solution exists for $n=2,3$.**

```cpp
void solve(vector<int> &ret, int n) {
// no sol when n=2,3
  if (n == 2 || n == 3) return;
  if (n % 6 == 2) {
    for (int i = 2; i <= n; i += 2) ret.pb(i);
    ret.pb(3); ret.pb(1);
    for (int i = 7; i <= n; i += 2) ret.pb(i);
    ret.pb(5);
  } else if (n % 6 == 3) {
    for (int i = 4; i <= n; i += 2) ret.pb(i);
    ret.pb(2);
    for (int i = 5; i <= n; i += 2) ret.pb(i);
    ret.pb(1); ret.pb(3);
  } else {
    for (int i = 2; i <= n; i += 2) ret.pb(i);
    for (int i = 1; i <= n; i += 2) ret.pb(i);
  }
}
vector<int> column;
solve
    (column,8); // column[row] is 1-based; empty for n=2,3
```

9.15 Digit DP [35e1ac]

Binary digit DP compressed to Fibonacci counts; calc(x) counts values in $[0,x]$ with no adjacent one bits.

```cpp
int dfs(int pos, int pre, int lead, int limit, int cnt){
    if(pos == -1)return max(cnt,1ll);
    if(!lead && !limit &&
         dp[pos][pre][cnt] != -1)return dp[pos][pre][cnt];
    int lb = 0, rb = (limit ? s[pos]-'0' : 1), ret = 1;
    for(int i=lb;i<=rb;i++){
        ret *= dfs(pos - 1, i, lead
             & (i == 0), limit & (i == rb), cnt + (i==1));
        ret %= mod;
    }
    if(!lead && !limit)dp[pos][pre][cnt] = ret;
    return ret;
}
int calc(int x){
    s.clear();
    if(x==0)return 0;
    while(x){s += (x%2 + '0');x/=2;}
    memset(dp,-1,sizeof dp);
    return dfs(sz(s)-1,0,1,1,0);
}
int answer=calc(R)-calc(L-1); // range [L,R]
```

10 Python

10.1 Misc

Importable Python fallbacks for exact decimals/ fractions, matrix and fast-array parsing, modular powers, seeded random helpers, and formatting. Huge integer input raises Python 3.11+'s digit limit.

```python
# decimal
from decimal import *
setcontext(Context
    (prec=MAX_PREC, Emax=MAX_EMAX, rounding=ROUND_FLOOR))
print(Decimal(input()) * Decimal(input()))
from fractions import Fraction
Fraction("3.14159").limit_denominator(10).numerator  # 22
# N*M
map(int, input().split())
arr2d =
    [[list(map(int, input().split()))] for i in range(N)]
# a^b%M
pow(a, b, M)
# random
from random import *
randrange(L, R, step)  # [L,R) L+k*step
randint(L, R)  # int from [L,R]
choice(list)  # pick 1 item from list
choices(list, k)  # pick k item
shuffle(list)
Uniform(L, R)  # float from [L,R]
# print
print(f"num: {num}, pi: {pi:.2f}, str: {text}")
print(1, 2, 3, 4, sep=" | ", end=" <-- END\n")
# file IO
r = open("filename.in")
a = r.read()  # read whole content into one string
w = open("filename.out", "w")
w.write("123\n")
# IO redirection
import sys
sys.stdin = open("filename.in")
sys.stdout = open("filename.out", "w")
print("123", file=sys.stderr)
input_data = sys.stdin.buffer.read().split()
n = int(input_data[0])
arr = list(map(int, input_data[1 : n + 1]))
sys.set_int_max_str_digits(5000000)
```