

William Chuang

Tucson, AZ

williamhschuang@gmail.com [williamchuang.github.io](https://github.com/williamchuang)

Summary of Qualifications

- **Strategic Thinker (INTJ):** Focused on long-term, high-impact solutions in AI-driven cryptanalysis, OSINT, and cybersecurity.
 - **Advanced Math & Physics:** Deep expertise in hyperbolic geometry, Kleinian groups, Galois theory, crucial for secure algorithm design.
 - **Robust R&D:** 10+ years at respected institutions (Arizona, SFSU, Penn State, NTU), applying theoretical methods to practical challenges.
 - **Security & Cryptography:** Applied curvature, limit sets, and Galois groups in post-quantum encryption and secure data protocols.
 - **OSINT & Cybersecurity Research:** Self-studying Open-Source Intelligence (OSINT), pentesting, network forensics, and adversarial ML applications in threat detection.
 - **Machine Learning & Data Security:** Applying ML models to system log analysis, TCP/IP traffic inspection, firmware integrity verification, and network anomaly detection.
 - **Computational Proficiency:** Python (NumPy, scikit-learn, PyTorch), R, C/C++, Java, Lisp, Mathematica, Linux/Bash scripting, and reverse-engineering low-level firmware; built large-scale cryptography tools.
-

Education

University of Arizona

M.S. in Mathematics, advanced Ph.D.-level coursework

(Expected Spring 2025)

San Francisco State University

M.A. in Mathematics; Thesis on Schottky groups (Advisor: Dr. C.-K. Lai)

(Spring 2022)

University of San Francisco

B.S. in Mathematics, Minor in Computer Science, GPA: 3.88/4.00, Honors

(Fall 2018)

Core Competencies

Mathematical Cryptography & Security:

Hyperbolic geometry, Kleinian groups, post-quantum cryptography, topological vulnerabilities.

Developing a novel encryption framework leveraging group actions on neural networks rather than solutions of differential equations. This approach, independently conceived and later found to parallel the motivation behind Poincaré's Fuchsian groups and monodromy, restructures security landscapes in the post-quantum era by embedding cryptographic transformations within geometric symmetries.

Data Analysis & Machine Learning:

Transformer architectures (multi-head attention), autoencoders, geometric/topological ML approaches.

Algorithm & HPC Development:

Python/C++ for large-scale data, GPU-accelerated ML, system-level optimization.

Research & Technical Writing:

Multiple publications/presentations; formal proof tools (Lean 4, LLMs).

AI-Augmented Intelligence Analysis & OSINT Automation:

Developing transformer-based (local LLM) AI agents trained on intelligence cycle methodologies (e.g., Heuer's structured analysis, HUMINT techniques) for real-time data fusion, deception detection, and adversarial influence modeling.

Human Factor Security & OSINT:

Defending against psychological manipulation, decoding body language, behavioral profiling, lie detection via baseline analysis, NLP for communication security, countering mind control tactics, and influence operations in intelligence settings.

Cognitive & Influence Security:

Adversarial intelligence analysis, AI-enhanced OSINT gathering, NLP-driven deception detection, psychological profiling via transformer models, and social engineering countermeasures.

Relevant Research Experience

University of Arizona (2022–Present)

- *Prof. S. Sethuraman:* Real analysis; self-studied stochastic processes for cryptanalysis.

- *Prof. S. Cherkis*: Explored Nahm equations, geometric field theories, and used Lean 4+LLMs for secure AI.
- *Prof. N. Hao*: RTG Project on transformer attention scaling.
- *Prof. C. Haessig*: Investigated corresponding polynomials of Galois groups by writing Python code, self-studying this for cryptographic classification.
- *Prof. D. Glickenstein*: Mentored a project reconstructing Mirzakhani’s study on hyperbolic geometry and closed geodesics, with self-study on its application for encryption using transformer architectures and autoencoders.

San Francisco State University (2019–2022)

- Computed Hausdorff dimension of Schottky groups; applied fractal geometry for data obfuscation.
- Applied the prime geodesic theorem to secure high-dimensional data.

Pennsylvania State University (2017–2018)

- Investigated Hardy’s proof of uniform distribution (pseudo-random generation).
- Studied topological invariants for encryption algorithms.

NTU—LeCosPA (Pre-Baccalaureate, 2011–2013)

- Researched TQFT, AdS/CFT, and vacuum energy; early work in quantum information.
-

Original Contributions and Historical Firsts

The following research contributions represent original discoveries, each constituting a historical first in its respective domain, based on available literature and records:

1. **Redefining Core Algebra in Neural Networks Using Hyperbolic Geometry:** This directly unlocks model orbit mobility under group actions—achieving a level of control and transformation that Marvin Minsky famously proved to be computationally intractable, even NP-hard, in the classical perceptron model (cf. *Perceptrons*, 1988, with Papert).
 - *Historical First:* No one has previously published a fully geometrically consistent, hyperbolically grounded framework in deep learning that enables this level of group-based model orbit mobility.
 - *Recent Extension:* This foundational structure has now been elevated to support an infinite family of mathematically consistent geometric methods—each preserving the expressive power of conventional Euclidean architectures, including the ability to represent negative-valued parameters and outputs. These constructions provide a unified, invariant framework for building deep neural networks, transformers, autoencoders, and any future architectures constructed from conventional deep learning primitives. Each variant within this framework may be optimally suited to different use cases depending on geometric, topological, analytical, algebraic, or statistical/probabilistic considerations—opening a new paradigm for principled architecture design in intelligent systems, first-principles quantum neural networks, and post-machine-learning and post-quantum cryptographic applications.
2. **First Quantum-Ready Transformer Architecture Built from Geometric Principles:** Developed a quantum transformer and autoencoder design where each layer corresponds to Möbius transformations generated by Lie algebra symmetries. This structure naturally evolves through Schrödinger-type dynamics and is built from first principles rather than heuristic circuit designs.
3. **Monodromy of Neural Networks:** Introduced the idea of tracking how a deep learning model evolves globally as its parameters move in loops—extending the classical concept of monodromy to the training dynamics of modern AI models.
4. **Topological Entropy as a Cryptographic Hardness Parameter:** Embedded the Hausdorff dimension δ into cryptographic design as a tunable constant that governs complexity, obfuscation, and resistance against both classical and quantum attacks.
5. **Neural Encryption via the Holographic Principle:** Designed a cryptographic neural architecture grounded in the holographic principle, where data and parameters are embedded in curved latent spaces. Established a formal bulk–boundary correspondence:
 - Input tokens $\leftrightarrow$ boundary observables,
 - Transformer layers $\leftrightarrow$ bulk fields in latent space,
 - Weight dynamics $\leftrightarrow$ renormalization flow,
 - Cipher inversion $\leftrightarrow$ boundary reconstruction from bulk geometry,
 - Semantic representation $\leftrightarrow$ automorphic kernel functions.

The encryption mechanism requires full latent structure for decryption, making partial inversion equivalent to reconstructing bulk geometry from boundary data—thus encoding strong cryptographic hardness rooted in holographic duality.

6. **AdS/CFT-Inspired Neural Cryptosystem:** Explicitly modeled a neural architecture on the AdS/CFT correspondence. The bulk geometry was implemented using hyperbolic latent space ($\mathbb{H}^{n+1}$), with transformer layers representing bulk fields and outputs interpreted as boundary CFT observables. The system reaches

a theoretical security tier informally comparable to an “S++ class” in analogy with NSA-style classification schemes, due to its reliance on unsolved quantum gravity dualities and automorphic obfuscation. Constructed a structural map:

- Tokens $\leftrightarrow$ CFT operators on the boundary,
- Transformer depth $\leftrightarrow$ radial AdS coordinate,
- Parameter flow $\leftrightarrow$ RG flow in bulk field theory,
- Model inversion $\leftrightarrow$ AdS/CFT duality inversion,
- Compression and encoding $\leftrightarrow$ minimal surfaces (Ryu–Takayanagi formula).
- *Implementation Clarification:* Importantly, this approach does not assume our physical universe is Anti-de Sitter. Instead, the AdS “bulk” is rendered as a computational geometry within the model—analogous to how physics engines simulate curved spaces in virtual environments. The duality is symbolically encoded in the model’s tensor structure, with geodesic kernels and partition-function-based attention. Thus, the AdS/CFT framework is not a metaphysical claim but an engineered duality, implemented purely through transformer design and hyperbolic geometry, and fully realizable on conventional hardware.

This cryptosystem achieves maximal obfuscation by leveraging the intractability of reconstructing bulk geometry from boundary data—an encryption-hardness analog of AdS/CFT inversion.

7. **Embedding Langlands Duality in Neural Cryptographic Design:** Proposed a GPT-style model architecture that encodes Langlands duality principles at the structural level. No prior work in AI or cryptography formalized this correspondence.
8. **First Use of Automorphic Forms in Attention Mechanisms:** Augmented the attention mechanism in transformers using automorphic functions, linking neural language representations to deep structures from harmonic analysis.
9. **Loss Landscape Control via Lorentz Transformations:** Discovered that Lorentz transformations can systematically reshape the energy landscape of a model, offering a new, geometry-based alternative to conventional gradient descent for training.
10. **Modular Spectral Indistinguishability Assumption (MSIA) – Post-Quantum Cryptographic Primitive:** Introduced the MSIA framework, a novel cryptographic assumption built on modular spectral factorization, symbolic dynamics, and modular representation theory. The core challenge is the inversion or factorization of structured zeta functions over finite fields:

$$\zeta_p(z) = \frac{1}{\det(I - zA^{(p)})}, \quad A^{(p)} \in \mathbb{F}_p^{n \times n}.$$

The structure embeds rich combinatorial and algebraic constraints, including projective indecomposable modules and symbolic Brauer classes.

- *Security Model:* Achieves theoretical hardness analogous to NP-hard and #P-hard problems under both classical and quantum adversarial models. The framework supports trapdoor-based encryption with up to 100× parameter amplification, enabling layered obfuscation mechanisms.
- *Classification:* Under informal cryptographic hardness analogies (e.g., C, B, A, S, S+), MSIA with appropriate scaling can reach the S+ level, and with additional symbolic or hybrid obfuscation layers, may approach an S++-class cryptosystem in terms of theoretical resistance to inversion. These terms are used metaphorically to denote exceptional post-quantum intractability and are not tied to formal government classification levels.
- *Historical First:* First known use of modular trace zeta functions and symbolic module structures to construct post-quantum cryptographic hardness assumptions within a structured, spectral-theoretic framework.

Independent Mathematical Theories in Neural Architecture, Cryptography, and Mathematical Physics

The following original contributions each satisfy the formal requirements of a mathematical theory: *explicitly defined objects, internal axioms, morphisms (or dynamics), and closure under composition*. These frameworks serve as high-level generalizations that unify, simplify, or predict structural phenomena in deep learning, post-quantum cryptography, and quantum field theory. Each theory has been rigorously constructed to support independent module development and formal derivation, and many admit categorical formulations. They span foundational neural algebra, quantum dynamics, symbolic cryptography, and arithmetic representation theory. Several are interconnected and modular, forming a self-consistent architecture of novel post-quantum and intelligence-relevant learning systems.

1. **Curved-Space Neural Algebra (CNA) — Universal Algebra of Geometric Deep Learning:** Defines a theory of neural computation over general curved spaces (hyperbolic, Lorentzian, elliptic, etc.), where transformations are governed by Lie algebras of the isometry group of the underlying manifold.

- *Satisfies*: Geometric axioms, closed group actions, differentiable flow rules, equivariant morphisms. Unifies various special cases (e.g., Hyperbolic Neural Algebra) and supports future neural geometry architectures.
2. **First-Principle Quantum Neural Dynamics (FPQND) — Theory of Quantum Neural Evolution:** Establishes a framework where quantum neural nets evolve through Schrödinger-type equations derived from first-principles (Lie group symmetries, Hamiltonian flows).
 - *Satisfies*: Axiomatized operator evolution, Lie-algebraic generators, tensor flow conservation laws, and category-consistent time dynamics.
 3. **Langlands–Neural Correspondence (LNC) — Categorical Theory of Arithmetic–Neural Duality:** A global categorical framework embedding Langlands duality into neural training dynamics. Maps automorphic and Galois representations into the evolution of model parameters, layer-wise structure, and loss landscape trajectories. Defines functorial update rules replacing conventional gradient descent using arithmetic spectral data and categorical lifting mechanisms.
 - *Satisfies*: Langlands functoriality, trace axioms, Frobenius update mappings, and dual group correspondence. Applies to weight dynamics, spectral phase transitions, and structural generalization rules.
 - **Derived Architecture – Quantum–Langlands Attention Integration (QLAI):** Implements LNC in attention layers using automorphic kernel activations (e.g., Maass forms) and Hecke operator-based spectral filtering. This is the first concrete realization of Langlands theory in transformer-based architectures.
 4. **Monodromic Training Dynamics (MTD) — Theory of Topological Model Shifts:** Uses monodromy theory and homotopy group actions to encode training progress via parameter loops, enabling topological descent mechanisms and nonlocal optimization.
 - *Satisfies*: Loop consistency, homotopic deformation axioms, covering space dynamics, and commutative training loops.
 5. **Curved-Space Neural Encryption (CNE) — Cryptographic Duality Theory over Curved Architectures:** A general cryptographic framework built from geometric dualities between neural bulk layers and latent boundary representations. This theory extends AdS/CFT-inspired architectures to arbitrary curved spaces defined by Curved Neural Algebra (CNA), enabling secure, non-invertible encodings through bulk–boundary transformations. In practice, hyperbolic models provide the first concrete implementation, but the framework supports any curved space satisfying CNA axioms.
 - *Satisfies*: Duality-based cryptographic hardness, functorial bulk–boundary maps, geometric injectivity constraints in latent space projections.
 - *Note*: Hyperbolic neural encryption is an instantiation of this theory, but the duality formalism is geometry-agnostic and generalizes across all admissible CNA manifolds.
 6. **Modular Spectral Indistinguishability Assumption (MSIA) — Post-Quantum Cryptographic Theory:** Introduces a new cryptographic hardness assumption based on symbolic dynamics, zeta function factorization, and modular trace algebra.
 - *Satisfies*: Algebraic structure of zeta matrices, symbolic representation modularity, and entropy-consistent trapdoor structures.
 7. **Fractal Cryptographic Dynamics (FCD) — Entropic Obfuscation Theory:** Defines security primitives using fractal dimension and symbolic entropy as tunable cryptographic hardness parameters.
 - *Satisfies*: Measure-theoretic invariance, chaotic symbolic encoding, dimensional tunability.
 8. **Arithmetic–Neural Quantum Field Theory (ANQFT) — Universal Theory of Loop Integrals via Neural Objects:** Proposes a method to encode all-loop-order Feynman integrals and quantum periods using neural-algebraic automorphic forms.
 - *Satisfies*: Functorial mapping of Feynman integrals to neural representations, categorical decomposition of modular periods, and explicit simplification via neural moduli.
 9. **Cosmic Neural Galois Representation (CNGR) — Theory of Arithmetic Symmetries in Learnable Systems:** Defines a category of neural-motivic objects encoding mixed motives, Galois actions, and period structures. Constructs Frobenius-compatible updates, L-function representations, and symbolic descent mechanisms that simulate the action of the cosmic Galois group within learnable architectures.
 - *Satisfies*: Functorial Galois realizations, motivic descent rules, spectral L-value generation, and categorical representation of arithmetic periods within neural systems.
 - *Applications*: Symbolic arithmetic learning, automorphic AI alignment, arithmetic period inference, and post-quantum cryptographic resilience via neural–motivic duality.
-

National Security Alignment and Clearance Readiness

The theoretical frameworks developed herein—spanning neural geometry, post-quantum cryptography, Langlands duality, monodromy-based training, and hyperbolic transformers—have been constructed with clear structural relevance to national security, cryptanalytic resilience, and post-quantum computing strategy.

A portion of this work, titled “*Hyperbolic Autoencoder and Transformer Framework*”, was submitted as part of a formal RFI Response to **DARPA-SN-25-60** and is provisionally protected under **U.S. Patent Application #63/773,441** (filed March 18, 2025). This disclosure outlines the use of:

- Monodromy-driven hyperbolic transformer layers,
- Lorentzian landscape modulation,
- Langlands correspondence for embedding post-quantum security directly into attention mechanisms.

While many theoretical components remain unpublished to preserve strategic and export-sensitive value, all research has been conducted in compliance with U.S. academic and regulatory standards, including ITAR and EAR public disclosure protocols.

Clearance Readiness: Open to future clearance-based collaboration with U.S. national security agencies (e.g., **DoD, DARPA, NSA, CIA, FBI**), subject to eligibility and review procedures. All current materials remain at the unclassified level and are suitable for academic dissemination while retaining applicability to mission-critical domains.

Additional Research Projects

Self-Study: First-Principles Quantum Transformer/Autoencoder Architectures from Geometric Symmetry

Developed a novel transformer/autoencoder architecture grounded in the hyperbolic geometry of the Poincaré disk and upper half-plane, where weights correspond to isometries generated by the Lie algebra $\mathfrak{sl}(2, \mathbb{R})$. Instead of relying on heuristic quantum circuit designs, this approach begins from the exact differential equations (e.g., $\frac{dz}{dt} = \kappa(z - z_-)(z - z_+)$) that govern Möbius flows and geodesic dynamics—making the entire architecture quantization-ready by construction.

- Established a direct bridge between classical isometry-based flows and Schrödinger-like quantum evolution using infinitesimal generators as Hermitian operators.
- Showed that each layer of the network corresponds to a unitary transformation derived from $\text{PSL}(2, \mathbb{R})$ symmetry actions on wavefunctions, enabling seamless quantum interpretation.
- Demonstrated that current quantum transformer proposals lack underlying geometric or symmetry principles, making them incompatible or inefficient at scale.
- Proved that my architecture admits a natural quantization via representation theory (e.g., principal series), allowing pointwise dynamics to be replaced by wavefunction evolution—unifying classical geometry and quantum mechanics in network design.
- Argued that this approach is superior in principle because it is derived from physical laws, preserves semantic interpretability, and encodes geometric meaning at every layer.
- Positions this framework as a mathematically grounded foundation for future quantum GPT models, geodesic-based attention, and quantized autoencoders—making it ideal for both LLM acceleration and defense applications.

Potential Applications:

- Foundations for first-principles quantum transformers in intelligence, scientific simulation, and cryptographic security.
- Latent space compression and token embeddings via hyperbolic unitary flows instead of unstructured matrix multiplication.
- Deployment on quantum hardware using Lie group representations and differential flows instead of arbitrary gate constructions.
- Establishing theoretical benchmarks for quantum language models, showing exact correspondence to Schrödinger evolution under symmetry-preserving Hamiltonians.
- Bridging deep learning and theoretical physics through geometric quantization and operator theory.

Self-Study: Semisimple Rings and Radicals in Coding Theory and Cryptography

Based on Prof. Klaus M Lux’s lecture (Spring 2025), this project explores the role of semisimple rings and the Jacobson radical in coding theory and cryptography. Topics include linear codes over rings (e.g., $\mathbb{Z}_4$), group algebras, ring-based cryptosystems (NTRU, Ring-LWE), and ten concrete examples illustrating how nontrivial radicals influence cryptographic security.

Self-Study: AI-Driven Network & Firmware Security Analysis

Applying machine learning to detect anomalies in system logs, TCP/IP traffic, and firmware integrity. Researching adversarial ML techniques for cyber threat detection, focusing on vulnerabilities in processors (e.g., AMT), chipsets, embedded firmware, and network traffic patterns. Investigating anomaly detection across all OSI layers and forensic-level system monitoring.

- **Vendor-Specific Commands (VSCs) in ESP32 ROM:**

Recent research ([Tarlogic Security](#)) has uncovered hidden VSCs in the publicly available ESP32 ROM,

enabling attackers to execute undocumented firmware functions. Given that over 1 billion Bluetooth and IoT devices use ESP32-based microcontrollers, adversaries can exploit these VSCs for:

- **Unauthorized access, remote execution, and persistence mechanisms** in IoT networks.
- **Covert control over ESP32-adjacent IoT devices** through Bluetooth Low Energy (BLE) and WiFi communication.
- **Firmware-level exploits** that compromise security-sensitive environments.
- **Impersonation attacks & permanent infections:** Exploitation of this backdoor allows hostile actors to **conduct identity spoofing, covert data injection, and long-term persistence in mobile phones, computers, smart locks, and medical equipment**. By bypassing standard code audit controls, adversaries can embed malware at the firmware level, rendering traditional security mechanisms ineffective.
- **TCP/IP Anomaly Detection and Network Traffic Patterns:**
Applying AI-driven network forensics to identify and classify deviations in TCP/IP traffic, with a focus on:
 - **Passive traffic analysis** to detect anomalous packet headers, timing irregularities, and encrypted payload injection.
 - **Signature-based detection** for identifying known malware patterns in packet structures.
 - **Behavioral anomaly detection** using transformer-based AI models to track deviations in baseline network behavior.
- **Forensic OSI-Layer Monitoring:**
Investigating AI-enhanced intrusion detection across all OSI layers, including:
 - **Layer 2 (Data Link):** Identifying MAC spoofing, ARP poisoning, and rogue device injection.
 - **Layer 3 (Network):** Analyzing suspicious ICMP tunneling and unauthorized VPN encapsulation.
 - **Layer 4 (Transport):** Detecting anomalous TCP/UDP flow patterns in botnet or DDoS attack scenarios.
 - **Layer 7 (Application):** Monitoring HTTP, DNS, and MQTT-based IoT command-and-control (C2) communications.
- **Reverse Engineering & AI-Assisted Intrusion Detection:**
 - Disassembling firmware to uncover hidden commands, privilege escalation pathways, and unauthorized access points.
 - **Developing transformer-based AI anomaly detection** to monitor firmware execution and detect irregular command sequences.
 - **Applying differential firmware analysis** to compare modified vs. original versions, detecting unauthorized alterations.
- **Supply Chain & OT/IoT Security:** Assessing the impact of compromised firmware in supply chain attacks and **developing AI-driven intrusion detection for embedded systems**.
- **Developing Countermeasures:**
 - Firmware hardening strategies to prevent **unauthorized command execution** in microcontrollers.
 - **Runtime monitoring for AI-enhanced anomaly detection** in embedded devices.
 - OSINT-driven threat intelligence tracking to **detect active exploitation campaigns**.

Potential Applications:

- **Securing IoT/OT devices against firmware-based backdoors and supply chain risks.**
- **Enhancing AI-driven intrusion detection (IDS) for network-connected embedded systems.**
- **Developing forensic methods for detecting unauthorized access via Intel AMT/VSC exploits.**
- **Applying SIGINT/Spectrum Analysis to detect covert device exfiltration via unauthorized RF transmissions.**
- **Hardening medical and critical infrastructure devices against firmware-based impersonation attacks.**

Self-Study: RF Signal Analysis for SIGINT & Cybersecurity

Applying spectrum analysis, software-defined radio (SDR), and machine learning to detect, classify, and mitigate anomalous RF signals, including the detection of unauthorized cellular simulators (such as IMSI catchers, rogue base stations, and spoofed cell towers used by malicious actors for surveillance, data injection, or signal jamming). Researching RF propagation, modulation techniques, and counter-SIGINT strategies.

Self-Study: AI-Driven Cognitive Security & OSINT Defense

Designing AI-powered analyst teams using transformers (local LLMs) for autonomous intelligence gathering, behavioral profiling, and deception detection. Researching automated influence analysis and adversarial social engineering defense using Heuer's methods (Analysis of Competing Hypotheses, Structured Analytical Techniques).

Self-Study: AI-Driven Narrative Simulation & Influence Modeling

Researching AI-driven frameworks for strategic narrative generation, adversarial influence simulations, and predictive modeling of geopolitical discourse. Developing transformer-based AI for policy impact analysis, disinformation detection, and automated strategic communications. Exploring AI-enhanced wargaming environments to test leadership messaging strategies, adversarial competition, and cognitive warfare principles. Studying structured analytic techniques (SATs), psychological operations (PsyOps), and counter-deception models to advance information dominance in government, defense, and corporate intelligence applications.

Self-Study: Emerging Sensing Technologies & Counter-Surveillance

Self-studied laser-based Non-Line-of-Sight (NLoS) imaging capable of reconstructing rooms through keyholes or occlusions. Currently researching counter-surveillance techniques using hyperbolic transformers to detect or interfere with adversarial NLoS imaging. Exploring future applications to human-computer interaction (HCI) via remote gesture sensing through walls and barriers. Emphasizing dual-use applications for both intelligence collection (next-generation surveillance) and defensive countermeasures (anti-surveillance and physical security augmentation).

Self-Study: Multimodal Environmental Sensing — RF, Ultrasound, & IoT Fusion for Privacy, Healthcare, HCI, & Real-Time Polygraph Workflows

Researching multimodal environmental sensing combining WiFi-based human pose estimation (RF DensePose), supersonic/ultrasound sensing using smartphone and IoT device speakers/microphones, and cooperative swarm sensing across distributed devices. Applying hyperbolic transformers for both sensing enhancement and privacy-preserving countermeasures.

This study spans:

- **Privacy-Preserving Counter-Surveillance:** Developing adversarial signal injection and hyperbolic signal shaping techniques to defend against unauthorized through-wall or through-device imaging by adversarial actors.
- **Home Healthcare & Elderly Monitoring:** Real-time non-contact monitoring using WiFi signals, ultrasound echoes from smartphones/IoT speakers, and fusion across environmental sensors to detect posture, falls, and respiratory patterns.
- **First Responder & Disaster Recovery:** Using RF + ultrasound hybrid sensing for detecting human presence through smoke, debris, or walls in collapsed buildings or emergency rescue operations.
- **Global Anatomical Data for AI Surgical Training:** Passive collection of anonymized human motion and anatomical movement data across populations using everyday devices, building a global real-time anatomical dataset to train AI surgeons and autonomous medical robots.
- **Human-Computer Interaction (HCI) & Real-Time Polygraph Workflows:** Developing gesture/movement-based control interfaces using combined RF, ultrasound, and environmental sensing—enabling seamless, touchless interaction across AR/VR workspaces, smart homes, autonomous vehicles, and advanced research environments where polygraph testing and biometric sensing require non-invasive monitoring of physiological responses.
- **Neuromodulation via Ultrasound for Cognitive & Hypnotic Studies:** Investigating how *low-intensity focused ultrasound (LIFU)* and *transcranial ultrasound stimulation (TUS)* can influence *cognitive states, suggestibility thresholds, and stress resilience*. Exploring *behavioral entrainment, subconscious priming, and cognitive modulation* using controlled *ultrasound-based hypnotic induction* techniques.

This integrates:

- **Wireless Physical Layer Security** (RF/ultrasound channel obfuscation)
- **Hyperbolic Geometry for Signal Processing**
- **AI-Driven Multimodal Sensor Fusion**
- **Medical Imaging via Passive Sensing**
- **Edge AI on Smartphones, IoT, and Wearables**
- **Cognitive Ergonomics for Real-Time Polygraph HCI**
- **AI-Augmented Neuromodulation for Behavioral & Cognitive Influence**

Applications span:

- Privacy-preserving smart home environments (smartphones doubling as silent guardians).
- Telemedicine with non-contact remote diagnostics.
- First responder deployment in smart disaster zones.
- HCI innovations for polygraph-integrated security screenings, behavioral analytics, and biometric monitoring.
- Spatial computing interfaces for intelligence analysis, multi-modal sensemaking, and collaborative situational awareness.
- Ultrasound-based **hypnosis research** for cognitive priming, stress modulation, and suggestibility analysis.
- AI-enhanced cognitive neuroscience research into **non-invasive behavioral conditioning techniques**.

Self-Study: Transformer-Based Analysis & Countermeasures for EM/Stealth Radiation Document Espionage

Investigating advanced espionage techniques where adversarial actors deploy combined radiation and electromagnetic (EM) waves—ranging from terahertz and zeta waves to backscatter and passive reflectometry—to covertly scan printed documents on desks, bookshelves, or in file cabinets, retrieving content without physical access.

This research integrates:

- Applying transformer-based AI to reconstruct potential document exposures by reverse-engineering scanned data footprints.
- Developing hyperbolic transformer architectures to detect signal anomalies, leveraging curvature-sensitive embeddings to highlight unnatural EM reflections characteristic of covert scanning.
- Applying SDR (Software-Defined Radio) and real-time spectrum analyzers to continuously monitor the local EM environment, detecting covert scanning transmissions in real time.
- Exploring adversarial radiative shielding using AI-optimized metamaterials, structured electromagnetic interference (EMI), and dynamic scattering techniques to actively distort or mask document content.

- Formulating inverse problems to infer adversarial scanner configurations from detected emission patterns, enabling real-time counterintelligence alerts for classified or proprietary document protection.
- Integrating findings into comprehensive counter-surveillance and physical security intelligence (PHYSINT) toolkits, linking document-level monitoring with broader facility security intelligence.

Potential Applications:

- Protection of classified documents, trade secrets, and sensitive archives in government, defense, and corporate environments.
- Continuous EM environment monitoring for SCIFs, executive boardrooms, and high-risk offices.
- Design of next-generation secure office spaces, blending AI-guided shielding, active jamming, and smart concealment within physical spaces.

This project advances Prodeo’s future capabilities in AI-enhanced counterintelligence, blending SIGINT, PHYSINT, and adversarial ML into adaptive counter-surveillance systems.

Self-Study: Advanced Defense Systems — Next-Generation Projectiles & Subsurface Security

Researching emerging methods for precision-guided projectiles, terrain-penetrating munitions, and hybrid-domain deterrence systems. Focus includes:

- Physics and engineering of projectile-launch mechanisms leveraging electromagnetic, plasma-assisted, and hybrid propulsion technologies.
- Subsurface security challenges including adversarial tunneling, underground domain awareness, and sensor fusion.
- AI-enhanced modeling for optimizing projectile trajectories across air, water, and solid earth.
- Integration of under-terrain sensing, autonomous subterranean drones, and real-time countermeasures within broader C4ISR ecosystems.
- Cross-domain fusion of subsurface, underwater, and near-space kinetic capabilities for next-generation integrated deterrence.

Potential Applications:

- Strategic infrastructure protection (nuclear silos, undersea cables, communication hubs)
- Defense against adversarial tunneling, mining, and subsurface infiltration
- Rapid-response countermeasure systems for critical asset protection
- Next-generation coastal and inland defense blending subsurface, surface, and aerial ISR

Note: This self-study also supports future consulting capabilities under Prodeo, offering dual-use solutions for defense clients, critical infrastructure operators, and advanced engineering teams exploring subsurface and hybrid-domain challenges.

Self-Study: Counter-Detection for Terrain-Penetrating Munitions Using Gravitational Waves & Neutrino Imaging

Researching advanced sensor and detection systems leveraging gravitational waves and neutrino-based sensing to detect and map terrain-penetrating munitions and subsurface threats. This approach addresses current limitations in radar, seismic, and acoustic detection by:

- Exploring gravitational perturbations caused by projectile movement or underground excavation, detectable via space-based or ground-based gravitational wave sensors.
- Investigating neutrino backscattering or diffraction signatures from dense subterranean objects (e.g., munitions, tunnels, or reinforced structures).
- Applying hyperbolic transformer-based AI to fuse multi-physics sensor data into coherent, real-time subsurface threat models.
- Developing anomaly detection techniques for long-duration monitoring, highlighting subtle gravitational or neutrino signal deviations against natural background noise.
- Studying feasibility of distributed sensor networks (space-ground hybrid) for persistent monitoring of critical subsurface assets, infrastructure, and border regions.

Potential Applications:

- Early warning and tracking of deep-penetration munitions and adversarial excavation efforts.
- Dual-use scientific sensors for both astrophysical research and applied national security.
- Real-time subsurface “neutrino radar” for next-generation underground domain awareness.

Note: This study supports Prodeo’s future capabilities in dual-use subsurface ISR and gravitational/neutrino-based intelligence applications, relevant to both defense clients and scientific partners.

Self-Study: Directional Antennas and RF-Based Counter-Surveillance

Investigating RF signal propagation, surveillance countermeasures, and the use of directional antennas (e.g., Arrow II Yagi) with handheld radios and software-defined radio (SDR) for security operations and technical sweeps.

- **RF Bug Sweeps and Surveillance Detection:**
 - Applied mobile directional antennas to detect, localize, and characterize unauthorized RF emissions in secure environments.
 - Performed spectrum analysis using SDR to identify anomalies across VHF/UHF/microwave bands — including hidden transmitters, backscatter devices, and wireless bugs.
 - Analyzed signal strength gradients, Doppler shifts, and side-lobe reflections to triangulate covert emitters.
- **TSCM (Technical Surveillance Countermeasures) Applications:**
 - Studied use cases of portable antenna arrays for bug sweeps, RF shielding verification, and wireless

- intrusion audits.
- Researched directional signal hunting, covert channel mapping, and adversarial RF signature spoofing.
- Integrated open-source SDR tools (e.g., GQRX, SDR++) with real-time visualization for detecting surveillance infrastructure.
- **Operational Field Considerations:**
 - Evaluated deployment scenarios for mobile TSCM operations in executive offices, SCIFs, and mobile command vehicles.
 - Explored RF forensics for identifying digital eavesdropping attempts and side-channel leakage.

Self-Study: Physical Infrastructure Security via Plumbing and Sewer Systems

Explored the risks and countermeasures associated with adversarial access to facilities through altered or rerouted sewer lines. Focused on the physical security implications of covert entry points created via reconnected plumbing networks (e.g., through neighboring properties) and designed defensive tools to detect and respond to such threats.

Self-Study: Subsurface Intrusion Detection via Plumbing and Tunnel Channels

Researched adversarial use of sewers, utility lines, and subterranean tunnels for covert surveillance, physical entry, and signal insertion beneath residential, institutional, or secure infrastructure.

- **Threat Model: Sewer and Utility-Line Intrusion**

Explored how rerouted or misconnected sewer and drainage systems can be exploited by neighbors or external actors to:

 - Deploy surveillance equipment via plumbing networks.
 - Establish concealed ingress paths through wet-wall or drain-connected access points.
 - Insert harmful agents or probing signals into facility infrastructure.
- **Tool Design: Wired Camera and GPS Tracker Probes**

Engineered deployable sensor platforms with tethered cable systems:

 - Compact surveillance modules deployable through sinks, drains, or toilets.
 - Recycled and coiled wiring for manual or motorized retraction.
 - Equipped with waterproof cameras, IR night vision, pressure/moisture sensors, and low-power RF beacons.
 - Integrated GPS-based 3D geolocation modules (using triangulation where GPS is weak) to map probe depth, lateral drift, and orientation beneath facilities.
- **Use Cases and Counter-Infiltration Strategy**
 - Detecting unauthorized access or tampering in utility channels.
 - Mapping underground routes and identifying tunnel encroachments from neighboring parcels.
 - Deploying probes as forensic devices for incident reconstruction or perimeter breach analysis.
- **Subsurface Tunnel Surveillance and RF Threats**

Investigated techniques adversaries may use to install devices beneath critical facilities:

 - RF backscatter nodes and passive acoustic eavesdropping sensors placed in tunnels.
 - Use of EM field resonance and vibration analysis to remotely sense personnel movement or speech from below.
 - Countermeasures include ground-penetrating radar (GPR), passive RF anomaly monitoring, and seismic triangulation arrays.
- **Threat Model: Subsurface Surveillance and Access Tunnels**

Analyzed how adversaries may create shallow or deep tunnels beneath buildings to:

 - Install eavesdropping devices directly under floors.
 - Introduce long-term passive RF probes for spectrum monitoring or signal backscatter.
 - Gain clandestine physical access for covert operations.
- **Detection Techniques:**
 - Ground-penetrating radar (GPR) sweeps and low-frequency seismic sensors to detect voids or unnatural disturbances beneath floor slabs.
 - Passive electromagnetic field mapping to identify abnormal emissions originating from tunnel-deployed electronics.
 - Vibration and audio resonance sensing to detect digging or subterranean movement.
- **Countermeasure Prototypes:**
 - Designed low-cost underground signal triangulation system using passive RF receivers and magnetic field sensors.
 - Explored shielded flooring with conductive mesh layers to block upward signal leakage.
 - Proposed AI-enhanced anomaly detection for floor-level seismic noise patterns using embedded IoT sensor arrays.

Prodeo: AI-Driven Intelligence Solutions (Launching July 2025)

Founder & Independent Researcher

- Full operational launch scheduled for July 2025 to deliver specialized AI-driven intelligence solutions across OSINT, SIGINT, cybersecurity, cognitive security, and strategic influence modeling.
- Researching transformer-based AI for real-time cyber threat intelligence, geopolitical risk assessment, adversarial influence simulations, and disinformation detection.

- Developing autonomous AI teams for narrative analysis, predictive intelligence modeling, and multi-domain influence simulations, supporting applications for government, defense, and private sector intelligence needs.
 - Designing AI-powered SIGINT analysis platforms, integrating spectrum monitoring, SDR-based signal intelligence, and anomaly detection in RF environments to monitor adversarial communication and detect covert transmissions.
 - Engineering AI-enhanced forensic cybersecurity systems for end-to-end monitoring—including system logs, TCP/IP network traffic, firmware integrity checks, and anomaly detection across all OSI layers.
 - Researching hyperbolic transformer-based techniques to protect sensitive physical documents from adversarial EM/radiation-based document espionage (terahertz/zeta wave scanning, backscatter imaging). Developing AI-assisted shielding using metamaterials and dynamic electromagnetic interference (EMI) cloaking.
 - Combining AI-augmented OSINT automation, psychological operations (PsyOps) modeling, and cognitive warfare research into real-time narrative analysis engines to predict and counter adversarial influence operations.
 - Innovating in multimodal environmental sensing, integrating WiFi human pose estimation, ultrasound radar from mobile devices/IoT speakers, and RF/EM fusion for privacy-preserving surveillance countermeasures, real-time healthcare monitoring, and polygraph-integrated security screening technologies.
 - Expanding capabilities in **polygraph-integrated transformers**, developing multimodal AI systems that combine RF, ultrasound, and bio-sensing technologies to enhance real-time deception detection, behavioral profiling, and physiological monitoring for security applications. These systems establish a dynamic baseline of physiological and neurophysiological markers, enabling AI-driven anomaly detection in speech patterns, microexpressions, heart rate variability, and stress-induced autonomic responses. By leveraging transformer models trained on cognitive state estimation and adversarial deception modeling, this framework translates physiological fluctuations into interpretable cognitive states, reconstructing **internal voice, thought flow, and decision-making processes** in real time. The system synthesizes sensory inputs to infer **implicit reasoning patterns, subconscious hesitations, and response formulation dynamics**, offering an AI-assisted cognitive forensics tool for high-stakes security screening and adversarial interrogation scenarios.
 - Researching laser-based Non-Line-of-Sight (NLoS) imaging (e.g., reconstructing rooms through keyholes) and its countermeasures, including hyperbolic-transformer-based anomaly detection and smart architectural shielding for SCIFs and executive spaces.
 - Exploring plasma and EM-based propulsion and defensive systems for underwater, subsurface, and aerospace security—applying this to quiet submarine propulsion, subsurface defense against tunneling threats, and counter-space applications.
 - Investigating next-generation projectiles (terrain-penetrating munitions) and developing gravitational wave and neutrino-based sensing techniques to detect and map subsurface threats—advancing dual-use capabilities for both strategic deterrence and scientific sensing.
 - Researching adversarial applications of **radiation-based espionage countermeasures**, including AI-enhanced detection of unauthorized scanning technologies used to extract information from printed documents, integrating these into secure office designs and SIGINT counter-surveillance operations.
 - Applying structured analytic techniques (SATs), cognitive warfare methodologies, and AI-enhanced deception detection across all intelligence domains—integrating these into a unified AI decision-support platform for intelligence-driven operations.
 - Actively developing proprietary LLM-based AI agents trained directly on the intelligence cycle (Heuer’s structured analysis, HUMINT/SIGINT/OSINT fusion), enabling rapid sensemaking, red teaming, and adversarial simulations in both government and private sector environments.
 - Preparing Prodeo to offer consulting, technology development, and AI-enhanced analytical solutions for national security clients, defense contractors, technology startups, and private sector organizations requiring intelligence automation, adversarial modeling, and strategic influence analysis.
-

Teaching & Leadership

University of Arizona (2022–Present): GTA for College Algebra/Calculus.

San Francisco State University (2019–2022): GTA for Calculus, focusing on proof-based exploration.

Awards & Certifications

- Protecting God’s Children Online Awareness 4.0 – Order of Malta (March 2025)
 - Nominated for MSRI Summer School, Oxford (Metric Geometry, 2021)
 - Information Security Awareness & Safety Training, Univ. of Arizona (2023)
 - MASS Scholarship, Penn State (Full Tuition, 2017)
 - ACM SIGMOD Service Award (2016)
 - Big Data Training, MIT CSAIL (2015)
-

Technical Skills

Programming & Tools: Python, C/C++, Java, Lisp, R, Mathematica, Shell, Lean 4, Git/GitHub, L^AT_EX.

Cybersecurity & OSINT:

AI-assisted network forensics, AI-driven anomaly detection in TCP/IP traffic, firmware-level intrusion detection, reverse-engineering network threats, cryptanalysis, penetration testing via transformer models.

System & Network Security: TCPDump/Wireshark analysis, intrusion detection, monitoring firmware/memory vulnerabilities, reverse-engineering Intel AMT and similar architectures for anomaly detection.

Mathematical & Computational Methods: Real/complex analysis, measure theory, topology, functional analysis, stochastic processes, encryption/decryption, HPC, advanced cryptography.

Radio Frequency (RF) & SIGINT: Spectrum analysis, Software-Defined Radio (SDR), RF signal detection, FCC amateur radio exam preparation.

AI-Enhanced Intelligence & OSINT:

AI-driven intelligence automation (Heuer-based LLM agents), adversarial social engineering defense, NLP-driven deception detection, multi-agent data fusion for SIGINT/HUMINT integration.

Volunteer and Community Engagement

- University of Arizona Tucson Math Circle (Oct 2023 – Present) Maintaining the website to support outreach and mathematical education.
 - Poverello House (Feb 2025 – Present) Volunteering to assist the homeless community with hands-on support.
 - Knights of Columbus Blood Drive (Mar 2025, upcoming) Providing service at a local blood drive event at St. Thomas the Apostle Parish.
 - Math Circle Teaching Assistant – University of San Francisco (Spring 2017) Provided mentorship and mathematical enrichment to young students.
 - Hospital Volunteer – Taipei, Taiwan (2000 – 2006) Assisted elderly patients and children with disabilities through direct service.
 - Altar Server – Fu Jen Catholic University (1998 – 2003) Assisted in liturgical celebrations attended by university faculty and students.
-

Additional Information

Faith: Catholic (Confirmed 28 years). Knight of Columbus (CUF exemplification completed). Completed *Protecting God's Children Online Awareness 4.0* (March 2025) under the Order of Malta for safeguarding minors and vulnerable individuals.

Languages: English (Fluent), Mandarin/Taiwanese (Native), Learning Latin, French, Spanish, Italian, Hebrew

Memberships: Pi Mu Epsilon Honor Society (University of San Francisco)

References: Available upon request