



Governing and Publishing Data in the Catalog

Generated on: 2026-05-02 12:14:32 GMT+0000

SAP Business Data Cloud | SHIP

Public

Original content: https://help.sap.com/docs/SAP_BUSINESS_DATA_CLOUD/08752d72ed8d4f3683b110d3e76689c3?locale=en-US&state=PRODUCTION&version=SHIP

Warning

This document has been generated from SAP Help Portal and is an incomplete version of the official SAP product documentation. The information included in custom documentation may not reflect the arrangement of topics in SAP Help Portal, and may be missing important aspects and/or correlations to other topics. For this reason, it is not for production use.

For more information, please visit <https://help.sap.com/docs/disclaimer>.

Searching for Data Products and Assets in the Catalog

The catalog is the place where you can use the search and filtering features to find data products, assets, terms, and key performance indicators (KPIs) that you want to manage. For example, you can publish assets or terms.

Prerequisites

To access the catalog and search for any (published, unpublished, and excluded) objects, you must have a global role that grants you the following privileges:

- **BDC Data Packages** (–R—— - -) - To access SAP Business Data Cloud cockpit.
- **Catalog Asset** (–R—— - M) - To access the catalog and view published, unpublished, and excluded objects in the **Assets** collection or objects in the **Data Products** collection.
- **Catalog Glossary Object** (–R—— - M) - To view published and unpublished terms.
- **Catalog KPI Object** (–R—— - M) - To view published and unpublished KPIs.

You can apply the **Catalog Administrator** and the **BD Viewer** roles together, for example, to grant these privileges (see [Standard Roles Delivered with SAP Business Data Cloud](#) and [Privileges and Permissions in SAP Business Data Cloud](#)).

Search by Entering a String

In the side navigation area, select  (**Catalog & Marketplace**)  (**Search**). You can use the search and filter options to narrow your focus when searching for objects. The role or privileges that you're assigned determine what content you can see in the catalog. For example, if you are assigned the **Catalog Administrator** role, you can view all published or unpublished data products, assets, terms, and KPIs. Or if you are assigned the **Catalog User** role, you can view published data products, assets, terms, and KPIs that are in a current state.

You can find objects globally by using the search bar and entering all or part of the characters in a data product, asset, data provider, term, or KPI. Enter one or more characters in the **Search** field and press **Enter** (or click **Search**).

- If you've searched for objects before, clicking in the search field shows a list of recently entered searches. As you type, the field will begin proposing objects and search strings. Select an object to open it directly. Click on a string to start a search on it.
- The search is case-insensitive and automatically applies wildcards so that, for example, the string "lend" will find objects containing both "lender" and "calendar".

Filter the search results based on selected criteria to limit the number of results.

Tabs next to the **Filter** icon let you narrow your results by collection. The collections shown are based on your permissions:

Collection	Description
All	All the objects in the catalog are shown.
Assets	Shows only assets. An asset is any data or analytic object made available in the catalog. Assets are the objects that you provide governance around and publish to the catalog for users to discover, evaluate, and ultimately open and start using for their work.

Collection	Description
Data Products	Shows data products from SAP and partner systems. - When the catalog is accessed from the SAP Business Data Cloud cockpit system, this collection shows data products from systems in all formations. - When the catalog is accessed from an SAP Datasphere system of a formation, this collection shows only the data products from systems in that specific formation. This collection is hidden if there are no data products available.
Terms	Shows only terms. Terms are contained in a business glossary and provide meaning to your data. The business glossary provides a central and shared repository for defining terms and describing how and where they are used in the business.
KPIs	Shows only key performance indicators (KPIs). KPIs measure progress towards a result such as a goal or objective. Use KPIs to track performance and provide an analytical basis for decision-making.
Favorites	Shows objects that you marked as a favorite.
Recent	Shows objects that you've recently viewed.

You can also open a side panel when you choose  (*Show filters*) to filter by these collections and more. Choose **Show More** to open a dialog with additional filter options.

→ Tip

If you can't find the object you want, check the extraction logs for the source system to see if it failed to synchronize or check that the authorized user for the source system has the appropriate access permissions and has been authenticated (see [Monitoring Metadata Extractions](#)).

Filter by Criteria

After you use the search and select a collection (for example, assets or terms), you can apply other filter options to narrow the results by the different criteria in each collection. You can access the filter options by choosing  (*Show filters*). Filter by any of the categories listed in the **Filter By** area of the left panel.

You can select one or more values in each filter category in the **Filter By** section:

- Each value selected in a category acts as an **OR** condition.
- Each value selected in separate categories acts together as **AND** conditions.

Review the following example to get a better understanding of how filters work.

To display	Select these filters
Assets that are a Local Table	Under the Type filter, select Local Table
Assets that are a Local Table or View	Under the Type filter, select Local Table and View
Assets that are a Local Table or View and in an SAP Datasphere system	Under the Type filter, select Story and View Under the System Type filter, select SAP Datasphere

For detailed information on the filter categories for the different collections, see [Filter Category Details](#).

i Note

When searching for assets using a string and applying the **Container** filter, you will not receive any results for assets from an empty or deleted container. This means that the assets were in a container, but something happened on the source system where the container was deleted or is now considered empty. However, when no filters are applied, these assets appear in the search results with the **Unavailable** status.

Define Advanced Filter Conditions

For those filter options that are not related to date or time, you can create a custom filter with specific conditions.

1. Click **Show More** at the bottom of a filter category to open the Filter Settings dialog. Some filters have a **Select Items** and a **Define Conditions** tab.
2. On the **Define Conditions** tab, choose an operator and enter a value in the **Filter Condition** box.
3. Click **+** (*Add*) to create an alternative condition. Each condition in one category acts as an **OR** operator, so that an object must meet one of the conditions to be included in the search results. If you define one condition in two categories, then each category acts as an **AND** operator, so that both conditions must be true for the object to be returned in the search results.

You can create advanced filter conditions for multiple filter categories. An object must meet one of the conditions in each of the categories to be included in the search results.

❖ Example

For example, if you are viewing terms and want to create a condition to filter on the keywords “investment” and “stock”, you would choose **+** (*Add*). Then choose **Contains**. In the Filter Condition box, enter `investment`. choose **+** (*Add*) again. Choose **Contains**. In the Filter Condition box, enter `stock`, and then choose **OK**. The new condition is listed in the Keyword group in the filter panel, and the filter results are automatically shown.

Change the View for Search Results

You can change how the catalog search results are displayed by selecting one of the views from the **View** toolbar.

-  (*Display as Grid*): The grid view is the default view, where all objects in the catalog appear as tiles (or cards). Each tile provides the most minimal amount of information about each object, such as the name and description.
-  (*Display as List*): The list view shows the most information about each object in the catalog.
-  (*Display as Table*): The table view shows all the same information as the list view. However, some of the columns are hidden by default. You can choose which columns you want to show or hide. This display option is not available when viewing the search results for the **All** collection.

Depending on the role that you’re assigned (**Catalog User** or **Catalog Administrator**) or the privileges in the custom role, the information and actions available in each view differs. For example, a user with the **Catalog User** role cannot see certain information about an asset nor can they publish it. For more information about roles and privileges, [Privileges and Permissions in SAP Business Data Cloud](#).

For detailed information on the information and actions available for the different views, see [Information and Actions Available for Search Results](#).

Related Information

[Understanding Different Catalog Views](#)

[Sharing Data Products](#)

Information and Actions Available for Search Results

Information and actions available in the different search result views appear based on your assigned role.

Review the following table to find out what's available for the different views.

Collection: Assets

	Grid View		List View		Table View	
	Catalog Administrator Role	Catalog User Role	Catalog Administrator Role	Catalog User Role	Catalog Administrator Role	Catalog User Role
Name	✓	✓	✓	✓	✓	✓
Description	✓	✓	✓	✓	✓	✓
Type	✓	✓	✓	✓	✓	✓
System Type			✓	✓	✓	✓
Functional Status	✓		✓	✓	✓	✓
Publication Status	✓		✓	✓	✓	✓
Published On			✓	✓	✓	✓
Remote System			✓			Hidden
Container Name			✓			Hidden
Created On			✓	✓	Hidden	Hidden
Changed On			✓	✓	Hidden	Hidden
Enriched On			✓			Hidden
Asset Source ID			✓			
Favorite (action)	✓	✓			✓	✓
Delete (action)	✓		✓		✓	
Publish (action)	✓		✓		✓	
Unpublish (action)	✓		✓		✓	
Exclude (action)	✓		✓		✓	

Collection: Data Products

	Grid View		List View		Table View	
	Catalog Administrator Role	Catalog User Role	Catalog Administrator Role	Catalog User Role	Catalog Administrator Role	Catalog User Role
Name	✓	✓	✓	✓	✓	✓
System Type	✓		✓		✓	Hidden
Description	✓	✓	✓	✓	✓	✓
Lifecycle Status	✓		✓	✓	✓	Hidden
System Instance Name			✓		✓	Hidden
Release Status		✓	✓	✓	✓	✓
ORD ID			✓	✓	✓	✓
Type			✓	✓	Hidden	✓
Category			✓	✓	Hidden	✓
Share Status	✓	✓	✓	✓	Hidden	Hidden
Favorite (action)	✓	✓			✓	✓
Share (action - available when accessing the catalog from SAP Business Data Cloud only)	✓				✓	✓

Collection: KPIs

	Grid View		List View		Table View	
	Catalog Administrator Role	Catalog User Role	Catalog Administrator Role	Catalog User Role	Catalog Administrator Role	Catalog User Role
Name	✓	✓	✓	✓	✓	✓
Description	✓	✓	✓	✓	✓	✓
Functional Status	✓		✓	✓	✓	✓
Publication Status	✓		✓	✓	✓	✓
Published On			✓	✓	✓	✓

	Grid View		List View		Table View	
	Catalog Administrator Role	Catalog User Role	Catalog Administrator Role	Catalog User Role	Catalog Administrator Role	Catalog User Role
Created On			✓		✓	
Changed On			✓	✓	✓	✓
Favorite (action)	✓	✓			✓	✓
Delete (action)	✓		✓		✓	
Publish (action)	✓		✓		✓	
Unpublish (action)	✓		✓		✓	

Collection: Terms

	Grid View		List View		Table View	
	Catalog Administrator Role	Catalog User Role	Catalog Administrator Role	Catalog User Role	Catalog Administrator Role	Catalog User Role
Name	✓	✓	✓	✓	✓	✓
Description	✓	✓	✓	✓	✓	✓
Glossary Name	✓	✓	✓	✓	✓	✓
Functional Status	✓		✓	✓	✓	✓
Publication Status	✓		✓	✓	✓	✓
Published On			✓	✓	✓	✓
Created On			✓	✓	✓	✓
Changed On			✓	✓	Hidden	Hidden
Favorite (action)	✓	✓			✓	✓
Delete (action)	✓		✓		✓	
Publish (action)	✓		✓		✓	
Unpublish (action)	✓		✓		✓	

Filter Category Details

Filter categories are different for each collection.

Review the following tables to get more details about the filter categories for the different collections.

Collection: Assets

Filter Category	Description
Changed On	Select or specify the time range when the asset was changed in the source system.
Container	Choose a container where the asset is located.
Created On	Select or specify the time range when the asset was created.
Enriched On	Select or specify the time range when the asset was enriched in the catalog.
Exposed For Consumption	Choose one of the tabs and specify the options: Select Items: Choose whether the asset is or is not exposed for consumption. Define Conditions: Create conditions and enter a value.
Functional Status	Choose one of the tabs and specify the options: Select Items: Select the asset status. You can refine the results in the following ways: enter a functional status in the search bar, sort by name or count, or view the options in a list, bar chart, or pie chart. - Unavailable: Asset is not used (deleted) on the remote source and is not referenced by other sources. - Current: Asset matches the version on the remote source. - Outdated: Asset changed on the remote source and is not updated in the catalog. - Remotely Deleted: Asset is deleted on the remote source, but the asset is referenced by other sources. Define Conditions: Create conditions and enter a value.
Publication Status	Choose one of the tabs and specify the options: Select Items: Choose whether the asset is published, unpublished, or excluded. Define Conditions: Create conditions and enter a value.
Published On	Select the time range when the asset was published.
Related KPI Name	Choose one of the tabs and specify the options: Select Items: Choose the KPI name associated with an asset. Define Conditions: Create conditions and enter a value.
Related Term Name	Choose one of the tabs and specify the options: Select Items: Choose the related terms associated with an asset. Define Conditions: Create conditions and enter a value.
Remote System	Choose one of the tabs and specify the options: Select Items: Choose the source system associated with an asset. Define Conditions: Create conditions and enter a value.
Semantic Usage	Choose one of the tabs and specify the options: Select Items: Choose how the asset is used, for example, a relational dataset, fact, dimension, and so on.

Filter Category	Description
	Define Conditions: Create conditions and enter a value.
System Owner Tenant ID	Choose one of the tabs and specify the options: Select Items: Select the tenants where the assets originated. Define Conditions: Create conditions and enter a value.
System Type	Choose one of the tabs and specify the options: Select Items: Choose the system type. For example, SAP Analytics Cloud, SAP Datasphere, and so on. Define Conditions: Create conditions and enter a value.
Tag Hierarchies	Choose one of the tabs and specify the options: Select Items: Select one or more tags associated with the asset. Define Conditions: Create conditions and enter a value.
Type	Choose one of the tabs and specify the options: Select Items: Choose the asset type such as a story, local table, view, remote table, and so on. Define Conditions: Create conditions and enter a value.

Collection: Data Products

Filter Category	Description
API Implementation Standard	Choose one of the tabs and specify the options: Select Items: Choose an industry standard that you want included in the search result. Define Conditions: Create conditions and enter a value.
API Industry	Choose one of the tabs and specify the options: Select Items: Choose an industry that you want included in the search result. Define Conditions: Create conditions and enter a value.
API Line of Business	Choose one of the tabs and specify the options: Select Items: Choose a line of business that you want included in the search result. Define Conditions: Create conditions and enter a value.
API ORD ID	Choose one of the tabs and specify the options: Select Items: Choose the API open resource discovery (ORD) identifier that you want included in the search result. Define Conditions: Create conditions and enter a value.
API Protocol	Choose one of the tabs and specify the options: Select Items: Choose protocol that you want included in the search result. Define Conditions: Create conditions and enter a value.
API Supported Use Case	Choose one of the tabs and specify the options:

Filter Category	Description
	Select Items: Choose a use case that you want included in the search result. Define Conditions: Create conditions and enter a value.
Application Namespace	Choose one of the tabs and specify the options: Select Items: Choose a namespace that you want included in the search result. Define Conditions: Create conditions and enter a value.
Category	Choose one of the tabs and specify the options: Select Items: Choose a category defined by the data providers to make your search easier and more efficient. Define Conditions: Create conditions and enter a value.
Connected SAP Datasphere Tenant ID	Choose one of the tabs and specify the options: Select Items: Choose tenant ID that you want included in the search result. Define Conditions: Create conditions and enter a value.
Deployment Region	Choose one of the tabs and specify the options: Select Items: Choose a deployment region that you want included in the search result. Define Conditions: Create conditions and enter a value.
Externally Shareable ID	Choose one of the tabs and specify the options: Select Items: Choose the externally shareable ID that you want included in the search result. Define Conditions: Create conditions and enter a value.
Formation ID	Choose one of the tabs and specify the options: Select Items: Choose the formation ID that you want included in the search result. Define Conditions: Create conditions and enter a value.
ID	Choose one of the tabs and specify the options: Select Items: Choose the ID that you want included in the search result. Define Conditions: Create conditions and enter a value.
Industry	Choose one of the tabs and specify the options: Select Items: Choose an industry that you want included in the search result. Define Conditions: Create conditions and enter a value.
Lifecycle Status	Choose one of the tabs and specify the options: Select Items: Choose a lifecycle status that you want included in the search result. Define Conditions: Create conditions and enter a value.
Line of Business	Choose one of the tabs and specify the options: Select Items: Choose a line of business that you want included in the search result. Define Conditions: Create conditions and enter a value.
ORD ID	Choose one of the tabs and specify the options:

Filter Category	Description
	Select Items: Choose the open resource discovery (ORD) identifier that you want included in the search result. Define Conditions: Create conditions and enter a value.
Release Status	Choose one of the tabs and specify the options: Select Items: Choose a release status that you want included in the search result. Define Conditions: Create conditions and enter a value.
Resource Status	Choose one of the tabs and specify the options: Select Items: Choose a resource status that you want included in the search result. Define Conditions: Create conditions and enter a value.
Share Status	Choose one of the tabs and specify the options: Select Items: Choose a share status that you want included in the search result. Define Conditions: Create conditions and enter a value.
System Instance Name	Choose one of the tabs and specify the options: Select Items: Choose a system instance that you want included in the search result. Define Conditions: Create conditions and enter a value.
System Owner Tenant ID	Choose one of the tabs and specify the options: Select Items: Select the tenants where the data products originated. This filter is useful if you are using the central SAP Business Data Cloud catalog and want to focus on a specific tenant and formation. Define Conditions: Create conditions and enter a value.
System Type	Choose one of the tabs and specify the options: Select Items: Choose a system type that you want included in the search result. Define Conditions: Create conditions and enter a value.
Type	Choose one of the tabs and specify the options: Select Items: Choose type that you want included in the search result. Define Conditions: Create conditions and enter a value.

Collection: KPIs

Filter Category	Description
Category	SAP Data Products
Changed On	Select a time period or enter a specific date that the KPI was edited.
Created On	Select a time period or enter a specific date that the KPI was created.
Functional Status	Choose one of the tabs and specify the options: Select Items: Select the KPI status. You can refine the results in one of the following ways: enter a functional status in the search bar, sort by name or count, or view the options in a list, bar chart, or pie chart.

Filter Category	Description
	• Current: KPI does not have any issues. • Needs Repair: KPI has a warning or error to be fixed. Define Conditions: Create conditions and enter a value.
ID	Choose one of the tabs and specify the options: Select Items: Select one or more IDs defined in the KPI. If you have many IDs, you can refine the results in the following ways: enter a search ID, sort by ID, or view the options in a list, bar chart, or pie chart. Define Conditions: Create conditions and enter a value.
Keyword	Choose one of the tabs and specify the options: Select Items: Select one or more keywords defined in the KPI. If you have many keywords, you can refine the results in the following ways: enter a search term, sort by name or count, or view the options in a list, bar chart, or pie chart. Define Conditions: Create conditions and enter a value.
Publication Status	Choose one of the tabs and specify the options: Select Items: Choose whether the KPI is published or unpublished. Define Conditions: Create conditions and enter a value.
Published On	Select the time range when the KPI was published.
Related KPI Name	Choose one of the tabs and specify the options: Select Items: Choose the KPI name associated with an asset. Define Conditions: Create conditions and enter a value.
Related Term Name	Choose one of the tabs and specify the options: Select Items: Choose the related terms associated with a KPI. Define Conditions: Create conditions and enter a value.
System Owner Tenant ID	Choose one of the tabs and specify the options: Select Items: Select the tenants where the KPIs were created. If you use SAP Business Data Cloud and are in a SAP Datasphere catalog, you can see which KPIs were created in the central SAP Business Data Cloud catalog. Define Conditions: Create conditions and enter a value.

Collection: Terms

Filter Category	Description
Changed On	Select a time period or enter a specific date that the term or glossary was modified.
Created On	Select a time period or enter a specific date that the term or glossary was created.
Functional Status	Choose one of the tabs and specify the options: Select Items: Select the term or glossary status. You can refine the results in one of the following ways: enter a functional status in the search bar, sort by name or count, or view the options in a list, bar chart, or pie chart.

Filter Category	Description
	• Current: Term does not have any issues. • Needs Repair: Term has a warning or error to be fixed. Define Conditions: Create conditions and enter a value.
Glossary	Choose a glossary that can be expanded to filter on the category hierarchy, and then filter on terms within a category.
ID	Choose one of the tabs and specify the options: Select Items: Select one or more IDs defined in the term. If you have many IDs, you can refine the results in the following ways: enter a search ID, sort by ID, or view the options in a list, bar chart, or pie chart. Define Conditions: Create conditions and enter a value.
Keyword	Choose one of the tabs and specify the options: Select Items: Select one or more keywords defined in the term. If you have many keywords, you can refine the results in the following ways: enter a search term, sort by name or count, or view the options in a list, bar chart, or pie chart. Define Conditions: Create conditions and enter a value.
Publication Status	Choose one of the tabs and specify the options: Select Items: Choose whether the term is published or unpublished. Define Conditions: Create conditions and enter a value.
Published On	Select the time range when the term was published.
System Owner Tenant ID	Choose one of the tabs and specify the options: Select Items: Select the tenants where the terms were created. If you use SAP Business Data Cloud and are in a SAP Datasphere catalog, you can see which terms were created in the central SAP Business Data Cloud catalog. Define Conditions: Create conditions and enter a value.

Data Product Details

If you're interested in a data product, review its detailed information, such as properties about the data product, like its name and the data provider, the list of entities within the data product, and links to resources for how to use it.

This topic describes the details for data products from systems that are part of an SAP Business Data Cloud formation.

The catalog search results provides high-level information about a data product, including its name, data type, and a short summary. If you want to know more about a data product, choose it to view its details page. You'll see different types of information about the data product, including its properties, detailed information about its APIs, and resources that can provide information or examples on how to use it.

For example, when a data modeler reviews the details of a data product, they can check out any of the resources to get information about how to use it. They can also review individual APIs and learn how to extend them.

After you view the data product details, you can choose to share it to a target system (see).

The data product details header provides high-level information about the data product and organizes the information as shown in the following table:

Section	Description
Name	Displays the data product's name.
Statuses	Displays the lifecycle, release, and functional statuses (Active or Inactive) for a data product. You can choose a status to get more information. • The lifecycle status reflects the different situations and phases of the data product. • The release status reflects the data product's availability to consumers. • The functional status reflects the integrity of the data product in relation to its source.
Data Protection and Privacy	Displays a tag indicating whether the data product has Personal Data, Sensitive Personal Data, or both. • Personal Data is applied to data products that contain people's personal data. Personal data is information that can be used to identify an individual, either on its own or in combination with other data, directly or indirectly. For example, height, weight, eye and hair color. • Sensitive Personal Data is applied to data products that contain people's sensitive data. Sensitive personal data contains any of the various categories of high-risk data as defined under different international data protection and privacy laws, including: ◦ Data concerning vulnerable persons, such as children or differently abled individuals ◦ Data to evaluate and predict a person's behavior ◦ Passwords and answers security questions ◦ Employment, professional, and education details, such as salary, trade union membership, or degrees or certifications obtained ◦ Data revealing someone's personal details, such as political opinions, religious beliefs, marital status, or criminal convictions and offenses ◦ Health data (for example, the US Health Insurance Portability and Accountability Act (HIPAA)) ◦ Financial information, such as bank account and credit card data Processing personal data must be strictly controlled to ensure it is handled lawfully, fairly, and transparently in accordance with the laws and regulations in your country or region (for example, the European Union's General Data Protection Regulation (GDPR)).
Version	Displays the version number.
Summary description	Displays a short summary of the data product.
Extraction system and data provider	Displays the name and type of source system the data product is extracted from and the data provider's name.
Catalog Activity	Displays the date when the data product was added to the catalog and when it was updated.

In the header, you'll also be able to see a toolbar with actions available for catalog users.

- **View Version History:** Opens a dialog that shows the change history for the data product.
- **Open Impact and Lineage:** Opens a dialog that displays the **Impact and Lineage Analysis** diagram.
-  (**Add to Favorites**): Adds frequently used data products to your favorites.

Data Product Properties and Details

To view the properties of the data product, choose [Overview tab](#) > [Properties](#).

The properties are separated into the following areas:

- Data product properties are properties directly related to the data product, such as the name, category, entity types, and more.
- Source properties are properties about the system.

For more information about properties not described here, see the help documentation for the source systems where the data product is from.

Data Product Properties

Field	Description
Business Name	Displays the business name for the data product.
Lifecycle Status	Displays the lifecycle status of the data product: • Active: The data product is synchronized and ready. • Beta: The data product is in the testing phase. • Inactive: The data product is inactive and can be provisioned (or installed). • Provisioning: The data product is being provisioned (or installed) and is not ready yet. • Deprovisioning: The data product is being deprovisioned (or uninstalled) and cannot be used. • Active with Errors: The data product is provisioned and available but has errors that prevent proper use. • Provisioning Error: The provisioning of the data product failed with errors. • Deprovisioning Error: The deprovisioning of the data product failed with errors.
Release Status	Displays the release status of the data product: • Active: The data product is available to consumers. • Beta: The data product is available to consumers for testing. • Deprecated: The data product is available to consumers, but it's not recommended to use it.
Type	Displays the data product type.
Input Ports	Displays the input ports for the data product.
Category	Displays the category for the data product.
Entity Types	Displays the entity types for the data product.
ORD ID	Displays the open resource discovery (ORD) identifier for the API.
Description	Displays the long description for the data product.
Version	Displays the latest version number of the data product. Choose View Version History to see all version changes for the data product.
Changed On	Displays the date and time when the data product was changed.

Field	Description
Extensibility	Displays whether the data product is extensible and be enhanced. The data product can be manually or automatically extensible or not extensible at all. If a data product is extensible, you can choose an API to view extensibility details.
Visibility	Displays the visibility context for a data product. The visibility context controls who has access to a data product. For example, public visibility means that a data product is visible for all users.
Data Provider	Displays the name of the data provider.
Additional Properties	Displays the additional properties for the data product. For data products from SAP Datasphere systems, additional properties can include the following: • Policy Level • Industry: Displays the industries the data product is relevant for. • Tags: Displays tags that have been linked to the data product. • Line of Business: Displays one or more business areas where the data product can be used. • Data Category: Displays one or more data categories that apply to the data product. For data products from other SAP or partner systems, additional properties can include custom properties specific to those systems or organizations.

Source Properties

Field	Description
System Instance Name	Displays the name of the data provider's system. The system can be the name of an SAP system not in the same landscape or third-party system.
System Type	Displays the system type.
Deployment Region	Displays the regions where data product has been deployed.
Application Namespace	Displays the application namespace that identifies the system instance.
System ID	Displays the system identifier.
Data Provider	Displays data provider's name. For data products from an SAP Datasphere system, choose the link to review the data provider's profile.

You can view a list of APIs for the data product by choosing **Overview tab** **Details**. This table provides high-level information for each data product (API), which includes its name, description, version, protocol, functional status and more. If there are more than 20 rows, choose **Show All** to see the rest of the rows for the tab in a separate page.

Field	Description
Name	Displays the name for the data product (API).
Description	Displays a description for the use and purpose of the data product (API).
Version	Displays version number of the data product (API).
Protocol	Displays the data product (API) protocols.
Functional Status	Displays the functional status of the data product (API).

Field	Description
Visibility	Displays whether the data product (API) is public or private.
Supported Use Cases	Displays the data product (API) use cases, if provided. If you don't see this column, choose ☐ (Select Columns) to show it.
Actions	Choose the Share action: Opens the Manage Access dialog for sharing a data product to a target system. Sharing a data product shares entities of an API for the data product. When this dialog is opened for a data product that has a lifecycle status of inactive, you can only delete the shares.

You can select a data product's API to view its details page and learn more about it. Information is separated into the following areas:

- The header section shows the version and a tag for [Personal Data](#), [Sensitive Personal Data](#), or both. A toolbar with available actions is also available.
- The [Overview](#) tab shows a description of the API, a [Properties](#) section that includes the same high-level information found in details list of the data product, plus additional information such as the open resource discovery (ORD) identifier, and a [Details](#) section, that shows the available objects (or entities) and their container path, a tag for personal data, sensitive personal data, or both, and the primary key. If the primary key is missing, the API can't be installed. To see more details of a particular object, choose the [View Columns](#) link. This information includes the object's name, type, valid values, the specific columns that have personal or sensitive personal data, and more.
- The [Documentation](#) tab provides a more detailed description of the API, links to more information on how to use it, and extensibility information.

Data Product Documentation


The [Documentation](#) tab provides supporting documentation and resources for the data product:

- [Description](#): This tab provides a more detailed description of the data product.
- [External Resources](#): This tab provides links to resources that provides more information about the data product and how to use it. For example, images, other file types, sample data, and more.

Impact and Lineage Analysis Diagram for a Data Product

Choose the [Open Impact and Lineage](#) button in the header to see a diagram for the analyzed data product. This diagram shows the object-level data analysis of an analyzed object and provides an end-to-end visualization of the object dependencies across multiple systems and layers. It can help you better understand the lineage (also known as data provenance) and impacts of a selected object in the catalog. Impact and lineage contain information about the source of the object, the transformations it goes through, its final state, and objects affected by changes made to it. Impact and lineage serve distinct purposes.

- [Lineage](#) is displayed to the left of the analyzed object (or below it). It shows objects that the analyzed object uses as sources. It allows you to trace errors back to the root cause.
- [Impact](#) is displayed to the right of the analyzed object (or above it). It shows objects that use the analyzed object as a source. It allows you to understand the impact of changes on dependent objects.



This impact and lineage analysis diagram for an installed data product contains the following features.

Feature	Description
(1) Toolbar and Diagram Tools	Use the toolbar and diagram tools to control the layout of the diagram. choose Reset to restore the default layout.
(2) Outermost Container	The outermost container represents a source system (for example, SAP Datasphere or SAP Analytics Cloud system) or a data provider. Systems connected to and monitored by the catalog show their business or technical name. Systems not connected to the catalog show their system type with the text "unmonitored". The number in brackets indicates the total number of objects in the container that are part of the impact or lineage of the analyzed object. You can expand or collapse a container, using the (<i>Show/Hide All Objects</i>) menu on the top-right corner of the container. The number in brackets indicates the total number of objects in the container that are part of the impact and lineage of the analyzed object.
(3) Inner Container	The inner container represents one of the following: - A location in the source system (for example, SAP Datasphere space or SAP Analytics Cloud folder). It contains objects that either appear in the lineage of or are impacted by the analyzed object. If an object is located within a sublocation (for example, a subfolder), you'll see a series of nested inner containers. - A data product. The data product is visible if you have access and view permission for it. For example, you are a member of the context associated with it or if you are a member of the space where it has been installed. Also, you will be able to view the details to see a brief summary of the data product or open the data product page. You can expand or collapse a container, using the (<i>Show/Hide All Objects</i>) menu on the top-right corner of the container. The number in brackets indicates the total number of objects in the container that are part of the impact and lineage of the analyzed object.
(4) Link Types	The lines connecting all containers and objects demonstrate the impact and lineage flow. - Solid lines demonstrate how data moves and transforms between objects. - Dashed lines provide traceability from BW Data Transfer Processes (DTPA) to their associated Transformation (TRFN) objects across all BW systems. You can visualize how one or more transformations are connected to and used within Data Transfer Processes (DTPs), which provides

Feature	Description
	complete visibility into data movement and transformation dependencies for compliance and impact analysis.
(5) Analyzed Object	The analyzed object appears as a light blue object. The icon in the top-left corner represents the object's type (for example,  (<i>Story</i>),  (<i>Transformation</i>), or  data product). The icons in the bottom-right corner represent the object's publication and functional statuses (for example,  (<i>Published</i>) and  (<i>Current</i>). To learn more review the details of the analyzed object without closing the diagram, select it to display its context menu, and choose the  (<i>Show Details</i>) icon to preview the object's properties. You can show or hide the objects on either side of any object by choosing the  (<i>Show Next Level</i>) or  (<i>Hide All</i>) on the object.
(6) Unauthorized or Authorized Object	Unauthorized and authorized objects appear in the lineage or impact of the analyzed object. - Unauthorized objects are unpublished objects that you don't have access permission to in the source system. They are represented with the  (<i>Locked</i>) icon. - Authorized objects are published and can be discovered in the catalog. The icon in the top-left corner represents the object's type (for example,  (<i>View</i>)). The icons in the bottom-right corner represent the object's publication and functional statuses (for example,  (<i>Published</i>) and  (<i>Current</i>). To learn more about an object, select it to display its context menu. Choose the  (<i>Show Details</i>) icon to preview the object's properties. If the object is available in the catalog, you can choose the  (<i>Open Object Details</i>) icon to open the details page for the object. You can show or hide the objects on either side of any object by choosing the  (<i>Show Next Level</i>) or  (<i>Hide All</i>) on the object.

Control Diagram Layout

Use the diagram tools to control the layout of the diagram.

Tool	Description
Search	Find and select objects in the diagram. Results are proposed once three characters are entered. Click a result in the list to select the object symbol and highlight other objects on its path to the analyzed object.
Lineage	Enable/disable the display of the lineage of the analyzed object.
Impact	Enable/disable the display of the impacts of the analyzed object.
Layout	Change the orientation of the diagram: Left-Right - [default] Display lineage objects on the left and impacts on the right of the analyzed object. Bottom-Top - Display lineage objects below and impacts above the analyzed object.
Reset	Restore the default layout. Changing the mode also resets the layout.

Tool	Description
	Scroll, zoom, or recenter the diagram: - Click  (or press ) to zoom in. - Click  (or press ) to zoom out. - Click the center button (or press ) to fit to screen,  -click the center button (or press  + ) to zoom to 100% scale, or enter a percentage. - Click the arrow buttons (or press the arrow keys) to scroll horizontally or vertically.

Catalog Asset Details

If you're interested in an asset, review its detailed information, which includes a preview of its detailed metadata and a diagram illustrating its impact and lineage. This information encompasses metadata from the source system and data enrichments incorporated in the catalog.

The catalog search results provide high-level information about assets, such as their names, data types, and short summaries. To learn more about an asset, choose it to view its details page. This page offers various types of information, including

- Extracted metadata: asset name, properties, description, and impact and lineage diagram.
- Data enrichments applied to the asset in the catalog: glossary terms, key performance indicators (KPIs), and tag relationships.

Use this information to evaluate and assess whether the asset suits your business task. For example, if you're a data modeler reviewing an asset's details, you can examine its metadata, description, and other semantic enrichments to decide if it should be added to your model. You can also view the impact and lineage diagram to see other objects it affects or is consumed by, as well as the data sources and transformations it underwent.

The following table provides a list of object types that you'll be able to find in the [Assets](#) collection of the catalog:

SAP Datasphere	SAP Analytics Cloud	BW Systems
• Analytic Model • Data Flow • Graphical View • Intelligent Lookup • Local Table • Remote Table • Perspective • SQL View	• Data Action • Insight • Model • Predictive Scenario • Story	• ADSO (Advanced DataStore Object) • AREA (InfoArea) • ALVL (Aggregation Level) (SAP BW/4HANA and SAP BW 7.5) • DEST (Open Hub Destination) (SAP BW/4HANA and SAP BW 7.5) • DSUB (Data Subscription) (SAP BW/4HANA, and SAP BW 7.5) • DTPA (Data Transfer Process) • ELEM (BW Query) (SAP BW/4HANA and SAP BW 7.5) • FBPA (Open ODS View) (SAP BW/4HANA and SAP BW 7.5) • HCPR (HANA CompositeProvider)

SAP Datasphere	SAP Analytics Cloud	BW Systems
		- IOBJ (InfoObject) - LSYS (Source System) - RSDS (DataSource) - TRCS (InfoSource) - TRFN (Transformation)

The asset details header provides high-level information about the asset and organizes the information as shown in the following table.

Section	Description
Name and type	Displays the asset's name and type. If the asset was enriched, the name displayed might not match the name of the underlying source object.
Status	Displays the functional and publication statuses of the asset. Users with the Catalog User role are only able to see published assets that have a functional status of Current with the Published status. Users with the Catalog Administrator role can use the different functional and publication statuses to decide what actions are needed to keep the assets in good shape for catalog users. For information on the statuses, see Enriching and Managing Catalog Assets.
Summary description	Displays a summary description of the asset. If you want a more detailed description, choose the Documentation tab.
Extraction system	Displays the name and type of systems that the asset is extracted from.
Catalog activity	Displays date and time when the asset was added to the catalog and when it was last updated. For example, you can see when the asset was added to the catalog and when it was last changed. You can also find the date and time when the asset was enriched on and published and by which user.

In the header, you'll also be able to see a toolbar with actions available for all catalog users.

Toolbar Actions	Description
Open Impact and Lineage	Opens a dialog that displays the Impact and Lineage Analysis diagram.
☐ <i>(Add to Favorites)</i>	Adds frequently used assets to your favorites.
Open	Opens the asset in the source system where you can view or edit it. This button appears if you have permission to access the asset in the source system.

If you're a user with the [Catalog Administrator](#) role, you'll see additional actions in the toolbar.

Toolbar Actions	Description
Publishing actions: Publish Unpublish	Depending on the publishing status of the asset, publishes or unpublishes assets, or excludes assets from being automatically published to the catalog.

Toolbar Actions	Description
• Exclude	
Edit	Opens a dialog, where you can edit the asset's name and summary description to improve it for users who use the catalog.

Source Properties and Detailed Metadata for an Asset

To view the asset's properties that have been extracted from the source system, select [► Overview ► Source ►](#).

These properties are separated into the following groups: object properties and extraction system details. The properties that appear vary for each asset. This section describes the most common properties you'll encounter. Additional sections for asset properties can appear as needed. For example, the Open Hub Destination (DEST) asset from an SAP BW/4HANA system will have a property group called **Destination Properties**. For details on properties not described here, see the help documentation for the source system.

- [Acquiring, Preparing, and Modeling Data with SAP Datasphere](#)
- [Welcome to the SAP Analytics Cloud Help](#)
- [SAP Datasphere, SAP BW bridge](#)
- [SAP BW/4HANA](#)
- [SAP BW 7.5](#)

Object properties for an asset can include the following:

Property	Description
Name	The file name of the asset on the source system. The name can also include a Business Name or a Technical Name . For example, assets in SAP Analytics Cloud have one name that appears. Assets in SAP Datasphere have a business name, which is the descriptive name of the asset that helps you identify the asset, and a technical name, which is the name that is used in scripts and code and is synchronized with the business name.
Location on the source system	The name of the location where the asset is saved on the source system. This information can be a path name, container name, InfoArea name, or other name where the object is saved on the source system. For example, the container name for assets in SAP Datasphere is the space name. The path name for assets in SAP Analytics Cloud is the folder name. The container can also include a Container Business Name. For example, the container business name for assets in SAP Datasphere is a descriptive name for the space. For SAP Datasphere, only information for the space appears.
Description	The description of the asset as it appears in the source system.
Source object activity	The date and time on which the asset was created or changed in the source system. The name of the user who created the asset is also shown.
Type	The type of container where the asset is saved. The type appears for assets in the SAP Datasphere, and it is always ☐ Space.

Extraction system details for an asset include the source system's instance name and type. For example, the non-technical name given to an SAP Datasphere or SAP Analytics Cloud system.


For some SAP BW/4HANA and SAP BW 7.5 objects additional property sections appear:

Object Type	Additional Sections
Open ODS View (FBPA)	Semantics fact data, master data, and texts
Open Hub Destination (DEST)	Destination properties (includes the following information: file and table names, schema, destination and database types, remote source, connection name, and more)
Data Subscription (DSUB)	Subscription properties (includes the following information: extraction mode, source BW object, selection, projection, and more)


You can see a preview of the detailed metadata about the asset by choosing **Overview** > **Details**. The detailed metadata can include columns, attributes, measures, dimensions, and other properties specific to each object. This tab option appears only if the asset has detailed metadata that can be shown. Each tab in this section represents the metadata type, such as measures or attributes, and has a table with its data. The number in brackets is the total number of rows for the table, with the preview showing up to 20 rows. If there are more than 20 rows for the table, choose **Show All** to see the rest of the rows in a separate page.

i Note

- For assets in SAP Analytics Cloud, this section is available only for the following model types: planning and analytical models.
- For assets in SAP Datasphere, if attributes, measures, and dimensions are available for the object in the source system, you will see them in this section with the following exceptions:
 - For analytic models, only measures appear in this section.
 - For any asset with measures, the aggregation type does not appear if it is an inherited aggregation type or a calculated measure.



In addition to the preview of the detailed metadata, each metadata table has a column for **Related Objects**. If none of the rows have any object (term or KPI) relationships, the column is hidden. After the object relationships are added for one or more rows, the column appears and a button with the total number of object relationships appears for the row. You can choose the button to see the relationships for the row. To view the term or KPI details, choose the link in the dialog.



For each detailed metadata table available, you can use the toolbar to search for and organize the information:

Tool	Description
(Search)	Use the free-text search to search for a row by its name or description.
(Sort)	Sort the rows in the table by ascending or descending order based on the column you select.
(Filter)	Select column values for filtering the table.
☒ (Group)	Select how to group the table rows or leave them not grouped. This tool appears if the content can be organized into groups.
☐ (Select Columns)	Select which columns you want to show in the table.

Description and Semantic Enrichments for an Asset

You can view the asset's description and semantic enrichments to get a better idea of how you can use the asset for your business needs.

Viewing the Asset's Description

The summary description in the header provides a short description of the asset. However, to get a more detailed description of the asset, choose the **Documentation** tab. The information in this description can include rich text formatting, links to content, images, videos, and more. After reviewing this description, you can get a better idea of whether the asset meets your business needs and possibly get ideas on how you can use it.

Viewing the Asset's Semantic Enrichments

Use the **Semantic Enrichment** tab to review glossary terms, tags, and KPIs that are assigned to the asset. The preview for each section shows up to 20 rows. To see more rows in a separate page, choose **Show All**.


Semantic Enrichment Tab

Section Name	Description
Terms	Displays a list of business glossary terms that are linked to the asset. If the terms originate from several different glossaries, each glossary will be represented by its own tab. The number in brackets for the tab is the number of terms assigned from that glossary. To find a particular term within a glossary tab, use the free text search. TermsManage (1)(1) Search terms Q ↓↑ NameDescriptionChanged On T May 4, 2024 5:21:14
KPIs	Displays a list of all key performance indicators (KPIs) that are linked to the asset. KPIs are used to track business requirements or goals. You can use the free text search to find a particular KPI linked to the asset. KPIsManage Search KPIs Q ↓↑ NameDescriptionChanged On Nov 1, 2023 0:59:27 Jan 5, 2024 14:08:16
Tags	Displays a hierarchical list of all tags that are linked to the asset. If the tags originate from several different tag hierarchies, each tag hierarchy will be represented by its own tab. The number in brackets for the tab is the number of tags assigned from that tag hierarchy. To find a particular tag within a tag hierarchy tab, use the free text search. TagsManage (2) Search tags Q ↓↑ NameDescriptionChanged On Nov 27, 2024 22:26:36 Aug 16, 2024 8:19:14

Impact and Lineage Analysis Diagram for an Asset

Choose the **Open Impact and Lineage** button in the header to see a diagram for the analyzed asset. This diagram shows the object-level data analysis of an analyzed object and provides an end-to-end visualization of the object dependencies across multiple systems and layers. It can help you better understand the lineage (also known as data provenance) and impacts of a selected object in the catalog. Impact and lineage contain information about the source of the object, the transformations it goes through, its final state, and objects affected by changes made to it. Impact and lineage serve distinct purposes.

- **Lineage** is displayed to the left of the analyzed object (or below it). It shows objects that the analyzed object uses as sources. It allows you to trace errors back to the root cause.
- **Impact** is displayed to the right of the analyzed object (or above it). It shows objects that use the analyzed object as a source. It allows you to understand the impact of changes on dependent objects.



This diagram provides the data analysis of the asset and contains the following features.

Feature	Description
(1) Toolbar and Diagram Tools	Use the toolbar and diagram tools to control the layout of the diagram. choose Reset to restore the default layout.
(2) Outermost Container	The outermost container represents a source system (for example, SAP Datasphere or SAP Analytics Cloud system) or a data provider. Systems connected to and monitored by the catalog show their business or technical name. Systems not connected to the catalog show their system type with the text "unmonitored". The number in brackets indicates the total number of objects in the container that are part of the impact or lineage of the analyzed object. You can expand or collapse a container, using the Show/Hide All Objects menu on the top-right corner of the container. The number in brackets indicates the total number of objects in the container that are part of the impact and lineage of the analyzed object.
(3) Inner Container	The inner container represents one of the following: • A location in the source system (for example, SAP Datasphere space or SAP Analytics Cloud folder). It contains objects that either appear in the lineage of or are impacted by the analyzed object. If an object is located within a sublocation (for example, a subfolder), you'll see a series of nested inner containers. • A data product. The data product is visible if you have access and view permission for it. For example, you are a member of the context associated with it or if you are a member of the space

Feature	Description
	where it has been installed. Also, you will be able to view the details to see a brief summary of the data product or open the data product page. You can expand or collapse a container, using the  (<i>Show/Hide All Objects</i>) menu on the top-right corner of the container. The number in brackets indicates the total number of objects in the container that are part of the impact and lineage of the analyzed object.
(4) Link Types	The lines connecting all containers and objects demonstrate the impact and lineage flow. • Solid lines demonstrate how data moves and transforms between objects. • Dashed lines provide traceability from BW Data Transfer Processes (DTPA) to their associated Transformation (TRFN) objects across all BW systems. You can visualize how one or more transformations are connected to and used within Data Transfer Processes (DTPs), which provides complete visibility into data movement and transformation dependencies for compliance and impact analysis.
(5) Analyzed Object	The analyzed object appears as a light blue object. The icon in the top-left corner represents the object's type (for example,  (<i>Story</i>),  (<i>Transformation</i>), or  data product). The icons in the bottom-right corner represent the object's publication and functional statuses (for example,  (<i>Published</i>) and  (<i>Current</i>)). To learn more review the details of the analyzed object without closing the diagram, select it to display its context menu, and choose the  (<i>Show Details</i>) icon to preview the object's properties. You can show or hide the objects on either side of any object by choosing the  (<i>Show Next Level</i>) or  (<i>Hide All</i>) on the object.
(6) Unauthorized or Authorized Object	Unauthorized and authorized objects appear in the lineage or impact of the analyzed object. • Unauthorized objects are unpublished objects that you don't have access permission to in the source system. They are represented with the  (<i>Locked</i>) icon. • Authorized objects are published and can be discovered in the catalog. The icon in the top-left corner represents the object's type (for example,  (<i>View</i>)). The icons in the bottom-right corner represent the object's publication and functional statuses (for example,  (<i>Published</i>) and  (<i>Current</i>)). To learn more about an object, select it to display its context menu. Choose the  (<i>Show Details</i>) icon to preview the object's properties. If the object is available in the catalog, you can choose the  (<i>Open Object Details</i>) icon to open the details page for the object. You can show or hide the objects on either side of any object by choosing the  (<i>Show Next Level</i>) or  (<i>Hide All</i>) on the object.

Control Diagram Layout

Use the diagram tools to control the layout of the diagram.

Tool	Description
Search	Find and select objects in the diagram. Results are proposed once three characters are entered. Click a result in the list to select the object symbol and highlight other objects on its path to the analyzed object.
Lineage	Enable/disable the display of the lineage of the analyzed object.
Impact	Enable/disable the display of the impacts of the analyzed object.
Layout	Change the orientation of the diagram:

Tool	Description
	• Left-Right - [default] Display lineage objects on the left and impacts on the right of the analyzed object. • Bottom-Top - Display lineage objects below and impacts above the analyzed object.
Reset	Restore the default layout. Changing the mode also resets the layout.
	Scroll, zoom, or recenter the diagram: • Click  (or press F6) to zoom in. • Click  (or press F7) to zoom out. • Click the center button (or press F8) to fit to screen, CTRL-click the center button (or press CTRL + F5) to zoom to 100% scale, or enter a percentage. • Click the arrow buttons (or press the arrow keys) to scroll horizontally or vertically.

For information on how to use tools to further analyze the objects in SAP Datasphere, see [Impact and Lineage Analysis](#).