Onboarding Guide

Generated on: 2026-04-15 16:37:40 GMT+0000

SAP Business Data Cloud | SHIP

Public

Original content: https://help.sap.com/docs/SAP_BUSINESS_DATA_CLOUD/9b36d0ac59f24cbeb45617e36a7680fc?locale=en-US&state=PRODUCTION&version=SHIP

Warning

This document has been generated from SAP Help Portal and is an incomplete version of the official SAP product documentation. The information included in custom documentation may not reflect the arrangement of topics in SAP Help Portal, and may be missing important aspects and/or correlations to other topics. For this reason, it is not for production use.

For more information, please visit https://help.sap.com/docs/disclaimer.

Onboarding

Get an overview of the onboarding activities in SAP Business Data Cloud.

As an administrator, you need to carry out several onboarding activities to get started. You should also familiarize yourself with the platform's features and tools to ensure a smooth onboarding process.

This guide is designed to help you navigate the initial steps of integrating SAP Business Data Cloud into your operations, ensuring a seamless transition and maximizing the benefits of the data platform.

Here you can find all the essential resources to get started with SAP Business Data Cloud. The onboarding content often directs you to more detailed instructions in other help materials. Make sure to return and follow the sequence of the onboarding journey.

1. Provision SAP Business Data Cloud



Use the SAP for Me customer portal to provision the required environments.

Provisioning and Configuring SAP Business Data Cloud in SAP for Me

2. Create Bundled SAP Cloud Identity Services Tenant

Learn how to create or modify a bundled SAP Cloud Identity Services tenant.

Create or Modify a Bundled SAP Cloud Identity Services Tenant

3. Perform Initial Login

Sign in to your system for the first time.

Logging In to SAP Business Data Cloud

4. Create and Manage Users

Learn how to create and manage users in SAP Business Data Cloud.

Managing Users and Roles in SAP Business Data Cloud

5. Install and Manage Intelligent Applications



Learn how to install and manage intelligent applications.

Installing Intelligent Applications

Applying Row-Level Security to Data Delivered through Intelligent Applications (SAP Datasphere help)

Extending Intelligent Applications (SAP Datasphere help)

Modifying and Sharing Intelligent Applications in SAP Analytics Cloud

6. Activate Data Packages

7. (Optional) Connecting Your SAP BW or SAP BW/4HANA System

8. Share SAP Business Data Cloud Data Products

9. (Optional) Install Data Products in SAP Datasphere

10. Understand the Lifecycle of Intelligent Applications and Data Packages

Activate and manage data packages in SAP Business Data Cloud to make the included data products available to users.

Activating Data Packages



Replicate your SAP BW data to SAP Business Data Cloud by setting up the Data Product Generator and creating data subscriptions.

Configuring the Data Product Generator (SAP BW/4HANA help)

Creating Data Subscriptions (SAP BW/4HANA help)



Use enriched data products from SAP Business Data Cloud in other SAP systems or partner systems.

Sharing Data Products to SAP Systems

Sharing Data Products to External Systems

View and install data products from the SAP Datasphere catalog to support your modeling needs.

Installing Data Products (SAP Datasphere help)

Explore the lifecycle stages of intelligent applications and data packages. Learn more about updating, deactivating, and uninstalling them.

Updating Intelligent Applications and Data Packages

Deactivating Data Packages

Uninstalling Intelligent Applications

Provisioning and Configuring SAP Business Data Cloud in SAP for Me

Users with an S-User ID can view and provision the systems for the SAP Business Data Cloud product package within SAP for Me.

Prerequisites

You have an S-user ID. For more information on obtaining an S-user ID, see Obtaining an SAP User ID.

Context

After your organization has purchased SAP Business Data Cloud, the user designated as the contact person receives an invitation email with a link to SAP for Me. If you're unsure about your registration as a contact person for SAP Business Data Cloud, contact your Sales Account Executive or the Customer Interaction Center (CIC).

Log In to SAP for Me

1. Go to SAP for Me.
2. Click **Sign in**.
3. Enter your email address, S-user ID or login name, and click **Continue**.
4. Enter your password.
5. Click **Log On**.

If you forget your password, click **Forgot password** and enter your S-user ID into the **Forgot My Password** panel.

The SAP for Me portal opens.

Access SAP Business Data Cloud in SAP for Me

The provisioning and integration dashboard for SAP Business Data Cloud in SAP for Me displays the SAP Business Data Cloud applications, the number of solutions provisioned for each application, and the planned quota you've assigned to them. On this dashboard, you can easily provision and integrate the applications through a guided process.

For more information, see Provisioning SAP Business Data Cloud Applications.

ℹ Note

This dashboard displays the SAP Business Data Cloud product package only if:

- You're entitled to use SAP Business Data Cloud.
- You have the **Cloud Edit Data** authorization object in SAP for Me, assigned against the installation number of the SAP Business Data Cloud product package. For view-only access rights, you need the **Cloud Read Data** authorization object, assigned against the installation number of the SAP Business Data Cloud product package (view-only access).

  For more information on these authorizations, see Product Packages - Provisioning and Integration Dashboard.

This documentation covers the specific functionality for the SAP Business Data Cloud product package in SAP for Me. If you're looking for general information about the dashboard, tabs, and supported resources available in SAP for Me, see Product Packages - Provisioning and Integration Dashboard.

For information on SAP Business Data Cloud, see SAP Business Data Cloud.

1. Open SAP for Me.
2. Choose **Portfolio & Products**.
3. Do one of the following:
   - Select the **Overview** tab, locate the **My Product Packages** card, and then locate SAP Business Data Cloud. If you don't see SAP Business Data Cloud in this card, click **View all** to go directly to the **My Product Packages** tab.
   - In the **My Product Packages** tab, choose the SAP Business Data Cloud product package.

   You are taken to the **Provisioning and Integration** dashboard of SAP Business Data Cloud, where you can easily provision and integrate its applications through a guided process.

The **Quota Distribution** card displays the capacity units enabled for SAP Business Data Cloud product package and their allocation among the solutions included in SAP Business Data Cloud.

The number of capacity units assigned for the SAP Business Data Cloud Core is based on the licensed quantity. When you open the card for the first time, the capacity units are not allocated to any solution components. You will assign the desired number of capacity units to each of the solution components when provisioning these solution components within SAP Business Data Cloud.

If you've purchased SAP Business Warehouse Private Cloud Edition, you'll notice it is automatically provisioned as part of your SAP Business Data Cloud product package. It is assigned a capacity unit quota determined by your contract with SAP.

Access the Provisioning and Integration Dashboard for SAP Business Data Cloud

The provisioning and integration dashboard for **Business Data Cloud** serves as a central hub for the applications included in your SAP Business Data Cloud product package.

This documentation covers the specific functionality for the SAP Business Data Cloud product package. If you're looking for general information about the dashboard, tabs, and supported resources available in SAP for Me, see Product Packages - Provisioning and Integration Dashboard.

The dashboard includes these tabs:

- **Overview** tab: Shows your existing solutions, their statuses, quota distribution, and more.

  When you open this tab for the first time, if your organization has purchased the SAP Business Warehouse Private Cloud Edition, you will only see this solution, which is auto-provisioned by SAP (though no system is displayed and it does not appear on the **Applications** tab of the dashboard).

- **Applications** tab: Allows you to provision your applications. See Provisioning SAP Business Data Cloud Applications.

- **Solutions** tab: Shows your existing solutions.

- **Resources** tab: Allows you to explore and manage the resources associated with your provisioned applications, including creating solutions and structuring them into folders and resource groups.

  All solution components of the SAP Business Data Cloud product package are located in a single resource group, the name of which is provided while setting up the SAP Business Data Cloud cockpit (see Enabling and Provisioning the SAP Business Data Cloud Cockpit.) Each SAP Business Data Cloud solution component consists of one solution and one tenant, and here you can:

  - Click the solution to open the details pane displaying general information, assigned capacity units, and parameter values for the solution.
  - Click the main URL to open the tenant's login screen in a new tab.

  If adding the solution to the resource group seems to take longer than expected, delete the record from the hierarchy (the status changes to **Deleting)**, and then add it to the hierarchy again.

- **Customer Landscape** tab: Provides you tools for integrating the provisioned systems using formations. See Creating SAP Business Data Cloud Formations.

Create or Modify a Bundled SAP Cloud Identity Services Tenant

The Identity Provider Administration tool allows you to create or modify a bundled SAP Cloud Identity Services Tenant to work with SAP Business Data Cloud.

ℹ Note

Bundled SAP Cloud Identity Services Tenants will follow a controlled release. You may not see this feature if it is not available for your tenant yet. Please see note 3619907 for more details.

ℹ Note

If you currently use a custom IdP, we recommend that you migrate to an SAP Cloud Identity Services tenant and configure the tenant to work with your corporate IdP (see Forward All SSO Requests to Corporate IdP). Using SAP Cloud Identity Services to federate the identity of a custom IdP brings several benefits (see What Are Cloud Identity Services?).

You can provision and configure a bundled SAP Cloud Identity Services tenant to allow users to sign in via single sign-on (SSO) to SAP Business Data Cloud and to other SAP products which use the same SAP Cloud Identity Services tenant. For more

information about bundles, see Bundles.

Prerequisites

- Your SAP Business Data Cloud tenant must be based on a Cloud Foundry environment.
- Bundled SAP Cloud Identity Services are only available for public cloud systems, so not available for private cloud (AliCloud) or sovereign cloud (NS2).
- You must have the system owner role for your SAP Business Data Cloud tenant and have multi-factor authentication enabled.
- You must have an S-user with the same email as the system owner of the SAP Business Data Cloud tenant. If you do not have an S-user, click the **Register** button and create a user with the email address used by the system owner.
- We recommend that the S-user has multi-factor authentication enabled.

Provision an SAP Cloud Identity Services Tenant

To create an authentication bundle, you must first provision an SAP Cloud Identity Services tenant.

Procedure

1. Sign in to the Identity Provider Administration tool (see Access the Identity Provider Administration Tool.

   All tenants that you own will appear as cards on the **My Tenants** page. Under **Current IdP**, the name and type of authentication method used will appear: default, bundled, or custom.

2. On the tenant card that you want to bundle, select **+ Add SAP Cloud Identity Services.**

   All SAP Cloud Identity Services tenants that you own will be listed.

3. Select an existing SAP Cloud Identity Services tenant or **+ Provision New SCI Tenant**.

Option	Description
Provision a New SAP Cloud Identity Services Tenant	a. If you are provisioning a new SAP Cloud Identity Services Tenant, enter information for the SAP Cloud Identity Services tenant administrator's first name, last name, and email. By default, the fields will be populated with your information, but the fields are editable in case you want to provide different information. b. Click **Step 3**. When you provision a new tenant, its tenant role will match the tenant type used by SAP Business Data Cloud. For example, if your SAP Business Data Cloud tenant is a test system, the SAP Cloud Identity Services tenant will be assigned the tenant role: **Test**. **Note** This option is only available if you do not have an existing SAP Cloud Identity Services tenant with a role that matches your SAP Business Data Cloud tenant type.

Option	Description
Use an Existing SAP Cloud Identity Services tenant	a. Select the SAP Cloud Identity Services tenant you want to use with the authentication bundle. b. Click Step 2. A summary page will appear containing the tenant name, and information about the tenant administrator. **Note** If you do not already have a user on the SAP Cloud Identity Services tenant, a standard user will be created for you. A standard user does not have administration rights on the tenant, and you must request permissions from an existing administrator if you want to make changes to the tenant in the future.

4. Select Finish.

   A warning will appear before provisioning begins.

5. Select Yes to start the tenant provisioning.

   Tenant provisioning can take up to 1 hour to complete. A progress bar will indicate your provisioning status. It will change to a success dialog once provisioning is complete.

   If you select Close to leave the progress dialog before it is complete, tenant provisioning will continue in the background. If you return to the My Tenants page, the tenant's provisioning status will appear on the tenant card. You can click the status to return to the progress bar.

Next Steps

You then need to configure authentication to work with your SAP Cloud Identity Services tenant.

Configure Authentication

After your SAP Cloud Identity Services tenant is provisioned, you must configure authentication to work with the selected SAP Business Data Cloud tenant.

Procedure

1. Access the configuration dialog one of two ways:
   - From the SAP Cloud Identity Services tenant provisioning progress bar, select Continue.
   - From the My Tenants page, go to the tenant you are bundling, then select Configure Authentication.
2. Select a User Attribute.

   The attribute will be used to map users from your existing user list to SAP Business Data Cloud.

   Determine what your `Subject Name Identifier` maps to in your SAP Business Data Cloud system. It should map to User ID, Email or a custom attribute. You can view your SAP Business Data Cloud user attributes in Security > Users.

   Note

`Subject Name Identifier` is case sensitive. The **User ID**, **Email**, or **Custom Authentication User Mapping** must match the values exactly. For example, if the `Subject Name Identifier` returned by your identity provider is `user@company.com` and the email you used in SAP Business Data Cloud is `User@company.com` the mapping will fail.

Choose one of the following options:

- **USER ID**: To map to the SAP Business Data Cloud **User ID**.
- **Email**: To map to the SAP Business Data Cloud **Email** address
- **Custom Authentication User Mapping**: To map to a custom value.

> **Note**
> If you select this option, there will be a new column named **SAML User Mapping** in **Security** > **Users**. After switching to your SAML IdP, you must manually update this column for all existing users.

3. (Optional) Enable **Dynamic User Creation**.

   When dynamic user creation is enabled, new users will be automatically created using the default role and will be able to sign into SAP Business Data Cloud. After users are created, you can set roles using SAML attributes. For more information, see Standard Roles Delivered with SAP Business Data Cloud.

   > **Note**
   > If this option is enabled, dynamic user creation still occurs in SAP Business Data Cloud even when user attributes have not been set for all SAP Cloud Identity Services tenant users. To prevent a user from being automatically created, your SAP Cloud Identity Services tenant must deny the user access to SAP Business Data Cloud.

4. Click **Step 2**.

   The **Validate Login** page appears.

5. [Optional] Do additional configuration in SAP Cloud Identity Services if you don't want to use the default settings.

   SAP Business Data Cloud should appear in the **Bundled Applications** list on your SAP Cloud Identity Services tenant. For example, you can change the subject name identifier used by SAP Cloud Identity Services to match the attribute you selected in Step 2. You can also configure the tenant to forward authentication from SAP Cloud Identity Services to a corporate IdP. For more information, see Forward All SSO Requests to Corporate IdP.

6. Verify that you can sign in to your SAP Cloud Identity Services tenant: in another browser, sign in to the URL provided in the **Verify Your Account** dialog, using your SAP Cloud Identity Services tenant credentials.

   > **Note**
   > - You can copy the URL by selecting (**Copy**).
   > - You must use a private session to sign into the URL; for example, Guest mode in Google Chrome. This ensures that when you sign in to the dialog and select SAP Datasphere, you are prompted to sign in and do not reuse an existing browser session.

   If you can sign in successfully, the authentication setup is correct.

7. On the **Validate Login** page, select **Validate Login**, then **Step 3**.

   A summary page will appear with the system information.

8. Select **Finish**.

   A success dialog will appear.

9. Select **Close**.

Results

You will be returned to the **My Tenants** page, and the status of your tenant will be updated.

Identity provisioning is partially configured:

- Identity authentication is configured as the source system.
- SAP Business Data Cloud is partially configured as the target system.

Note

Identity Provisioning Service is currently not available for SAP Business Data Cloud.

Modify Your Authentication Setup

Once you have created your authentication bundle, you can change the configuration if needed.

Procedure

1. In the **My Tenants** page, go to the bundled tenant you want to modify, then select **Configure Authentication**.
2. In the **Select User Attribute Type** step, you can change the user attribute type, or enable dynamic user creation.
3. Click **Step 2**.
4. Go through steps 5-8 of the **Configure Authentication** procedure above.

Logging In to SAP Business Data Cloud

Once a tenant in the SAP Business Data Cloud product package has been provisioned in the SAP for Me, the user assigned the Owner role receives a Welcome email with activation links to the tenant. This email is valid for 7 days. Click the links to activate your accounts and set passwords. You'll then be automatically logged on.

After the initial login, you can log in to the tenant via the main URL, which is found in SAP for Me under the tenant resource in the **Resources** tab of the SAP Business Data Cloud card.

Note

If you activate your account after 7 days, click the activation link in the email, select the **Forgot password?** link on the log-on page, and enter the email address that the Welcome email was sent to. You can then set your password up using the email to reset your password. Or, if you have a custom identity provider (IdP), ask your administrator how to reactivate your account.

If you didn't receive a Welcome email, check your Spam and Junk folders.

Managing Users and Roles

Users with a **BD Administrator** role can create SAP Business Data Cloud users and manage secure access to the tenant through roles and privileges.

Note

All instructions are provided for the enterprise user interface of the **Users** and **Roles** pages. The legacy user interface is still available for your convenience:

- To switch to the legacy user interface, click **Show Former Interface** on the page's toolbar.



- To switch back to the enterprise user interface, refresh the page.

Related Information

Create Users
Create Roles

Installing Intelligent Applications

Users with the **BDC Administrator** role can install and manage intelligent applications in SAP Business Data Cloud to allow users to consume the data as SAP Analytics Cloud stories (analytical dashboards).

Learn More about Intelligent Applications and Data Products

For detailed information on all intelligent applications offered by SAP, refer to Visualize and Explore Intelligent Applications.

For information on the data products included in the intelligent application, refer to the SAP Business Accelerator Hub, which lists all data products available via SAP Business Data Cloud, with rich filtering capabilities. If you find a data product that you would like to use, open the SAP Business Data Cloud cockpit, find the intelligent application in which this data product is included, and install it.

ℹ Note

Due to differing publishing schedules, there may be temporary discrepancies between SAP Business Accelerator Hub and SAP Business Data Cloud cockpit.

Prerequisites

- An intelligent application is eligible for installation if the following conditions are true:
  - Your global account has a commercial entitlement to the SAP business solution along with the add-on entitlement to the intelligent application. See SAP Business Data Cloud Entitlements.
  - At least one SAP business solution tenant of the relevant application namespace exists in one of **Integration with SAP Business Data Cloud** formations.
- **Important!** Please check the following SAP note before installing and before making any updates to intelligent applications:
  - 3607594 - Activation and Consumption of SAP Data Products for Business Data Cloud - Prerequisites (Collection Note).

Context

Intelligent applications are SAP Business Data Cloud applications that are delivered to the user as SAP Analytics Cloud stories (or analytical applications), supported by SAP Datasphere content.

Intelligent applications contain the following components:

- Data products - A data product is a self-contained set of data exposed for consumption outside the producing application or service via APIs.

  SAP applications such as SAP S/4HANA Cloud produce data products that can be consumed in SAP Datasphere via SAP Business Data Cloud data packages. Data products are also included in and provide the data for consumption by SAP Business Data Cloud intelligent applications.

- SAP Datasphere content to prepare and model these data products and expose them as analytic models (see Creating an Analytic Model in the *SAP Datasphere* documentation).

- SAP Analytics Cloud stories or analytical applications that consume the analytic models exposed by SAP Datasphere and deliver insights to the user (see Stories in the *SAP Analytics Cloud* documentation).

Intelligent applications are SAP-managed, meaning that only SAP Technical Support can create them, update their content, and manage their lifecycle.



Before You Install

When installing multiple intelligent applications with the same target SAP Datasphere and SAP Analytics Cloud tenants, install them sequentially, not in parallel.

Installing in parallel consumes more resources (memory, CPU) and might increase the risk of installation failure due to a timeout. However, it will not speed up the installation, since the import of the business content objects to SAP Datasphere and SAP Analytics Cloud tenant is performed sequentially.

Install Intelligent Applications

1. Open SAP Business Data Cloud.
2. Choose **Intelligent Applications and Data Packages** in the side navigation area.

3. Open the **Available** tab.
4. Choose the intelligent application that you wish to install.
5. The intelligent application page opens. Review the application's information to make sure it is the one you want to install.
6. Click **Install** at the top-right corner of the page.

   The **Install Options** dialog opens.
7. In the **Source System** field, specify the source system that provides the business data.

   If an application displays a warning symbol in the **Minimum System Version** column, you cannot install it. See Minimum System Version Incompatibility for Intelligent Applications.

   Selecting a source system triggers a connection test that checks whether the connection exists between the source system and the formation. The test might take up to several seconds to complete. If the connection test fails, an error message appears and you cannot install the application. See System Landscape Monitoring.
8. The **System Alias** field provides the alias of the source system that will be appended to the names of all SAP Datasphere spaces related to this intelligent application (for example, "Working Capital Insights_1A", where '_1A' is the alias). This enables the system to distinguish between artifacts belonging to the different sources.

   The source system alias cannot be modified.

   If this field doesn't appear, this means that intelligent applications from this source system were installed before aliases were implemented (this includes applications in status 'Failed Installation'). In this case, you cannot install the application for additional source systems. To rectify this, uninstall all legacy/non-aliased installations installed on top of this source system (see Uninstalling Intelligent Applications) and then reinstall them.
9. In the **Business Name** field, optionally specify a business name that would be added to all SAP Datasphere spaces. This allows you to easily distinguish between artifacts belonging to the different source systems.

   The business name can be changed after the application has been installed. The business name is limited to up to 200 characters.
10. In the **Install Location** dropdown, select the formation in which you want to install the intelligent application.

    Only formations that contain the selected source system are available for selection.
11. Click **Install**.

Results

- The intelligent application's status changes to **Installation in progress**.
- The system creates three protected SAP Datasphere spaces. It imports connections, replication flows, local tables, views, and analytic models to these spaces, and starts an `Initial and Delta` load type of the replication flows to keep data fresh in SAP Datasphere.
- The system creates a protected SAP Analytics Cloud workspace, and SAP Analytics Cloud stories, which will be automatically linked to the relevant analytic models in SAP Datasphere.
- Once the intelligent application has been installed, it moves to the **Installed** status. See Reviewing Installed Intelligent Applications.

Additional Steps to Communicate to Other SAP Administrators

After installation is complete, communicate the following steps to the relevant SAP Datasphere administrators to ensure that the intelligent application is ready to provide data to users:

- Add appropriate Modeler users access to the scoped role, giving access to the preparation space. See Add Users to a Scoped Role in the *SAP Datasphere* help.
- Monitor Replication Status. See Monitoring Flows in the *SAP Datasphere* help.
- Fill the permission table in the preparation space. See Applying Row-Level Security to Data Delivered through Intelligent Applications in the *SAP Datasphere* help.
- Run any delivered task chains. See Running and Scheduling Intelligent Application Task Chains in the *SAP Datasphere* help.
- Add appropriate business analyst users (who will consume the data exposed via analytic models) to the Consumer scoped role, giving access to the application space. See Add Users to a Scoped Role in the *SAP Datasphere* help.

If the application contains one or more SAP Analytics Cloud stories, communicate the following steps to SAP Analytics Cloud administrators, to ensure that the users have appropriate access to the stories:

- Grant access to SAP Analytics Cloud and to the specific folder where the stories are delivered to this same list of business analyst users. See Permissions in the *SAP Analytics Cloud* help.

i Note

When an intelligent application is installed, its data products are shown in the Catalog. However, these data products cannot be installed from the Catalog until the data package in which they are included is activated. To enable modeler users to use the data products that come with the intelligent application, proceed as follows:

- Activate the relevant data package. See Activating Data Packages.
- Enable the modelers to install data products in their spaces. See Authorize Spaces to Install SAP Business Data Cloud Data Products.

Once the intelligent application has been installed, you can view it in SAP Business Data Cloud (see Viewing Intelligent Applications).

View Intelligent Application Properties

Overview

Property	Description
Category	Display the product category of the intelligent application.
Version	Displays the version of the intelligent application.
Source System	This field appears for installed intelligent applications. Displays the source system that provides the business data populating the data products.
System Type	Displays the type of the source system that provides the business data populating the data products.
Install Location	This field appears for installed intelligent applications. Displays the name and details of the **Integration with SAP Business Data Cloud** formation in which the intelligent application was installed. The details include the types and names of tenants included in the formation.
Last Modified	This field appears for installed intelligent applications. Displays the date and time when the intelligent application was installed or last modified.

Property	Description
Minimum System Version	Displays the minimum version of the source system that is required for this intelligent application to be installed. If a warning sign is displayed, this means that the current source version included in your **Integration with SAP Business Data Cloud** formation is lower than the minimum version required by the intelligent application, and this intelligent application cannot be installed. For more information, see Minimum System Version Incompatibility for Intelligent Applications.
System Version	This field appears for installed intelligent applications. Displays the current version of the source system.

Documentation

Description
Review the intelligent application's documentation to learn more about the application and the recent updates.

Data Products

Property	Description
Name	Displays the name of the data product included in the intelligent application.
Description	Displays the description of the data product.
Number of Entities	Displays the number of entities that comprise this data product.
Status	Displays the provisioning and lifecycle status of the data product. For the list of possible statuses, see .
Version	Displays the version of the data product.
System Version	Displays the minimum version of the source system required for the installation of this data product. See Minimum System Version Incompatibility for Intelligent Applications.

Content

Property	Description
Name	Displays the name of the business content object.
Description	Displays the description of the business content object.
Location	This field appears for installed intelligent applications. Displays the SAP Analytics Cloud workspace in which the application was installed.
Version	Displays the version of the business content object.
Status	Displays the installation status of the content object. For the list of possible statuses, see .

View Intelligent Application Statuses

The intelligent application can display several separate statuses, depending on the situation. The statuses appear by the applications's name on top of the page.



These statuses provide the lifecycle status of the intelligent application, aggregated across the statuses of all data products and business content objects included in this application. The following statuses exist:

List of statuses

Status	Description
Lifecycle statuses, aggregated across the statuses of all data products included in this package.	
Available	The intelligent application has been made available for use by SAP.
Pending	The data products & business content objects included in the intelligent application are waiting to be installed.
Installation in Process	The data products & business content objects included in the intelligent application are currently being installed.
Installed	The data products & business content objects included in the intelligent application have successfully completed.
Installation Failed	The installation of one or more data products or business content objects included in the intelligent application failed. To retry a failed installation, see Repairing a Failed Intelligent Application Installation. To rectify the issue, open a support case with SAP Technical Support. See Requesting Help from SAP Technical Support.
Entitlement Invalid	The entitlement for this intelligent application is no longer valid. It may have expired or been cancelled. Because of this, the application might not work as expected or may not be available. To continue using the application, please renew the entitlement or reach out to your SAP administrator for help. If you no longer need this intelligent application, you can safely uninstall it. See Uninstalling Intelligent Applications.
Uninstallation in progress	The intelligent application is being uninstalled. See Uninstalling Intelligent Applications.
Uninstallation Failed	The uninstalaltion of some data products & business content objects included in the intelligent application could not complete. For details, see Uninstalling Intelligent Applications. To retry failed uninstallation, see Repairing a Failed Intelligent Application Installation.
Not Operational	One or more of the data products included in the intelligent application is currently inactive in the catalog due to a technical issue. Please try again later. Contact SAP Support if the status doesn't change to **Installed** after a period of time.

Status	Description
Update statuses	
Update Available	A new update exists for the already-installed intelligent application, which contains a fix, an improvement or new KPIs. Install the update to get access to the new content. See Updating Intelligent Applications and Data Packages.

View Data Product and Content Object Statuses

These statuses indicate the provisioning and lifecycle stage of individual data products or business content objects. The following statuses exist:

List of statuses

Status	Description
Installing	• The data product is being installed in the catalog. • The content object is being installed in the SAP Datasphere space and in the SAP Analytics Cloud workspace.
Queued	• The data product is queued in line to be installed in the catalog. • The content object is queued in line to be installed in the SAP Datasphere space and in the SAP Analytics Cloud workspace.
Pending	• The data product is waiting to be installed in the catalog. • The content object is waiting to be installed in the SAP Datasphere space and in the SAP Analytics Cloud workspace.
Active	• The data product has been successfully installed in the catalog. • This status is not displayed for content objects.
Active with a warning	• The data product was active in the catalog at the most recent sync, but the current status is unknown. • This status is not displayed for content objects.
Installed	• The data product has been installed in the catalog. • The content object has been installed in the SAP Datasphere space and in the SAP Analytics Cloud workspace.
Failed	• The data product could not be installed in the catalog. • The content object could not be installed in the SAP Datasphere space and in the SAP Analytics Cloud workspace.
Uninstalling	• The data product is being uninstalled from the catalog.

Status	Description
	• The content object is being uninstalled from the SAP Datasphere space and from the SAP Analytics Cloud workspace.
Uninstalled	• The data product has been successfully uninstalled from the catalog. • The content object has been successfully uninstalled from the SAP Datasphere space and from the SAP Analytics Cloud workspace.
Skipped	• The data product was not uninstalled because it is used in other intelligent applications that are currently installed. • The content object was not uninstalled because it is used in other intelligent applications that are currently installed.
Not Activated	The data product was not activated because it requires a higher source system version than the one in the formation, see Minimum System Version Incompatibility for Intelligent Applications.
Inactive	• The data product is inactive in the catalog. • This status is not displayed for content objects.

Applying Row-Level Security to Data Delivered through Intelligent Applications

All intelligent applications delivered through SAP Business Data Cloud are secured in SAP Datasphere through data access controls. By default, no user can view any data presented in the provided SAP Analytics Cloud stories. To make data available to the users authorized to see it in SAP Datasphere, you must upload your authorizations to the provided permissions table.

i Note

When data is delivered to SAP Datasphere through SAP Business Data Cloud, any authorizations that are applied to the data in the source system are not imported. For general information about providing row-level security, see Securing Data with Data Access Controls.

Procedure

1. In your preparation space, identify the fact views and the permissions table.
2. Prepare your permissions records in the `operator and values` format to provide row-level access to the data in your facts (see Create an "Operator and Values" Data Access Control).

   ### i Note

   - By default, users cannot see any data in the protected views. To enable a user to see data, you must have at least one permissions record with their user id in the permissions table.
   - To show all records to a selected user, use the ALL or * operator.
   - For performance reasons, avoid having more than 5,000 permissions records for a single user.

3. Upload the appropriately formatted `operator and values` permissions data as a CSV file (see Load or Delete Local Table Data).

   You can also maintain permissions data manually using the data editor (see Maintain Local Table Data) .

4. [optional] Review the data that are accessible to different users, using the **View as User** dialog (see Viewing Object Data).

5. Maintain the permissions table as necessary.

Extending Intelligent Applications

The data products installed via SAP Business Data Cloud as part of an intelligent application do not include any extensions defined in your source system. However, you can update the data products in SAP Datasphere to include any required custom fields, and adjust the delivered views and analytic models to consume them.

Context

If your organization has extended the SAP source system with custom fields in this way, then you will need to copy the preparation and application spaces in order to modify the SAP-managed content and consume the updated data products in your intelligent application.

ℹ Note

You must always copy both the preparation and application spaces and complete the entire extension process, so that your copied spaces are entirely independent of the intelligent application preparation and application spaces. A situation, for example, where objects in a copied application space depend on objects in the intelligent application preparation space, is not supported.

ℹ Note

If SAP updates the data products and content, these updates are not made available automatically to your copied space and, therefore, you would need to repeat this process for any updated data products.

Procedure

1. Identify all the relevant spaces which contain your data product or depend on it.

   In this example, two data products are consumed by views and eventually exposed via analytic models:



2. Request a user with the **DW Administrator** role (or equivalent privileges) to copy the preparation and application spaces. This will create editable versions of all objects by removing them from the protective namespace, transforming `sap.s4.entity` technical names to `sap_s4_entity`.

   For more information, see [Copy a Space](#).

   In our example, the spaces are copied and, for the moment, the preparation and application spaces are still consuming data from the ingestion space:



3. Request a user with the **DW Administrator** role (or equivalent privileges) to add the necessary Modeler users to the new preparation and application spaces, and to authorise the new preparation space to install the data products.

   For more information, see Authorize Spaces to Install SAP Business Data Cloud Data Products.

4. A user with the **DW Modeler** role (or equivalent privileges) installs the data products in the copied preparation space (for more information, see Evaluating and Installing SAP Business Data Cloud Data Products). This updates the data products in the ingestion space to include the custom fields.

5. The user with the **DW Modeler** role (or equivalent privileges) adjusts the sources of the views, and they then adjust the analytic models in the copied application space to use the views in the copied preparation space as sources.

   For more information, see Replace a Source.

   In our example, the analytic models in the copied application space now use views in the copied preparation space as sources:

6. Modify the objects in the preparation and application spaces, to take into account the new extension fields.

   For more information, see Process Source Changes in the Graphical View Editor or Process Source Changes in the SQL View Editor.

7. Ensure that the data access controls applied to the fact views are still protecting data appropriately.

   For more information, see Applying Row-Level Security to Data Delivered through Intelligent Applications.

8. Communicate the new models and fields to the business analyst working in SAP Analytics Cloud. See Modifying and Sharing Intelligent Applications for the next steps.

Modifying and Sharing Intelligent Applications

Create a copy of the intelligent applications story in SAP Analytics Cloud to modify and share the content.

! Restriction

Installed intelligent applications are SAP-managed, meaning that only SAP staff can create them, update their content, and manage their lifecycle. This restriction also applies to the stories based on intelligent applications.

Sharing an Intelligent Application Story

When launching the intelligent application, the displayed story does not support any functionality for sharing. In addition, an intelligent application needs all its files to work properly; sharing its individual files or subfolders is not supported. However, to let users view or extend a particular intelligent application, a system administrator can share the specific intelligent application folder, giving users **View** access. For more information, see "Sharing an Intelligent Application" in Sharing Files or Folders.

Copy a Story

In a typical enterprise scenario, a data modeler may enhance the delivered intelligent applications to better align with specific business objectives. This can involve customizing existing analytic models or developing new ones based on SAP-delivered content. To preserve these tailored solutions and avoid disruption from potential SAP updates, you can create a copy of the delivered story and modify it to leverage the enhanced or modified analytic models. This approach ensures both business agility and the long-term maintainability of reporting assets. For more information, check Extending Intelligent Applications.

⚠ Caution

SAP will not manage the copied story. Therefore, it will not receive future updates, enhancements, or bug fixes from SAP.

1. From the side navigation, selec **Files**.
2. Find and select the story you want to copy, and then select **(Copy To)**.
3. (Optional) Select the location where you want to copy the story to (for example, a different private, public, or workspace folder).

   → Tip

   If you want all users to have **Read** permission to your story, you can copy it to the **Public** folder. Also, if you want to make your story available to all users as a template, you can copy it to the **Samples** folder.

4. Enter a unique name and an optional description for the story.

   i Note

   Your story name can include valid alphanumeric characters and underscores. Spaces can be included, but not at the start or end of a name.

5. Select **Copy**.
6. You can now share or further modify the new story.

   i Note

   You can share the copied story and modify the sharing settings. For more information, see Share Stories.

   You can enable a story for translation, import, export, and delete translated content in the **Translation** Dashboard. For more information on SAP Analytics Cloud translation services, see Enable Stories for Translation.

Utilizing SAP Datasphere Model Extensions

You can modify data products installed via SAP Business Data Cloud to add custom fields and adjust the delivered views and analytic models to use them. These products do not include extensions from your source system by default. SAP-managed stories will not consume any post-installation modifications.

→ Remember

The SAP Datasphere admin must copy both the preparation and app spaces to ensure extensions are fully independent of SAP-managed content. Dependencies on original spaces are not supported. Updates to SAP data products are not applied automatically, so the process must be repeated for any updates.

After modifying a model used in an intelligent application story, the copied story will reflect those changes only if you repoint it to the updated model.

Activating Data Packages

Users with the **BDC Administrator** role can activate and manage data packages in SAP Business Data Cloud to make the data products included in them available for users in the catalog.

Data Packages on SAP Business Accelerator Hub

The SAP Business Accelerator Hub lists all data packages and data products available via SAP Business Data Cloud, with rich filtering capabilities. If you find a data package that you would like to use, simply activate it in the SAP Business Data Cloud cockpit.

> **Note**
>
> Due to differing publishing schedules, there may be temporary discrepancies between SAP Business Accelerator Hub and SAP Business Data Cloud cockpit.

Prerequisites

- The **SAP Business Accelerator Hub** displays all data packages that are offered by SAP. However, a data package is displayed in SAP Business Data Cloud and is eligible for activation only if the following conditions are true:
  - Your global account has a commercial entitlement to the SAP business solution along with the add-on entitlement to the data package. For more information, see SAP Business Data Cloud Entitlements.
  - At least one SAP business solution tenant of the relevant application namespace exists in one of **Integration with SAP Business Data Cloud** formations.
- To successfully activate and consume SAP Business Data Cloud data products, please consult this SAP note that lists all prerequisites for each release and contributing application:
  - SAP Note 3607594 - Activation and Consumption of SAP Data Products for Business Data Cloud - Prerequisites (Collection Note)

Context

Data packages contain sets of related data products for use in your modeling projects and SAP applications. Once activated, they can be installed in SAP Datasphere, or shared with other SAP products and services such as SAP Databricks, SAP HANA Cloud, and SAP Customer Data Platform.

A data product is a self-contained set of data exposed for consumption outside the producing application or service via APIs. SAP applications such as SAP S/4HANA Cloud produce data products that can be consumed in SAP Datasphere via SAP Business Data Cloud data packages. Data products are also included in and provide the data for consumption by SAP Business Data Cloud intelligent applications.

Data packages delivered through SAP Business Data Cloud are SAP-managed. Only SAP Technical Support can create them, update their content, and manage their lifecycle.



Activate Data Packages

1. Open SAP Business Data Cloud.
2. Choose **Intelligent Applications and Data Packages** in the side navigation area.
3. Open the **Available** tab.
4. Choose the data package that you wish to activate.
5. The data package page opens. Review the package's documentation and details to make sure this is the package you wish to activate.
6. Click **Activate** at the top-right corner of the page.
7. The **Activation Options** dialog opens. Specify the source system that provides the business data.

If certain data products display the **Minimum System Version** message, you cannot activate these data products; however, the other data products will be activated. For more information, see Minimum System Version Incompatibility for Data Packages.

Selecting a source system triggers a connection test that checks whether connection exists between the source system and the formation. The test might take up to several seconds to complete. If the connection test fails, an error message appears and you cannot install the data package. For more information, see System Landscape Monitoring.

8. Click **Activate**.

Results

Once activation is complete:

- The data package moves to **Activation in Progress** status.
- Communicate to catalog administrators that the data products are now available for sharing to any of the data consumer systems in your BTP landscape. See Sharing Data Products to SAP Systems.
- For SAP Datasphere users, communicate to the SAP Datasphere administrator to authorize spaces that need to consume the data products included in the data package. See Authorize Spaces to Install SAP Business Data Cloud Data Products.

  SAP Datasphere modelers can install data products to their space for use in their modeling projects (see Evaluating and Installing SAP Business Data Cloud Data Products).

View Data Package Properties

Overview

Property	Description
Category	Display the product category of the data package.
Version	Displays the version of the data package.
System Type	Displays the SAP S/4HANA Cloud Private Edition system that provides that business data populating the data products.
Last Modified	This field appears for active data packages. Displays the date on which the data package was activated or last modified.
Minimum System Version	This column appears for available data packages only. Displays the minimum version of the data-provider system required for this data package to be installed. For more information, see Minimum System Version Incompatibility for Data Packages.
System Version	This field appears for activated data packages. Displays the current version of the SAP S/4HANA Cloud Private Edition system.

Documentation

Description
Review the documentation to learn more about the data package and the recent updates.

Details

Property	Description
Name	Displays the name of the data product.
Description	Displays the description of the data product.
Number of entities	Displays the number of entities that comprise this data product.
Status	Displays the provisioning and lifecycle status of the data product. For the list of possible statuses, see
Version	Displays the version of the data product.
System Version	Displays the minimum version of the SAP S/4HANA Cloud Private Edition system that is required for this data package to be activated.

View Data Package Statuses

The status of each data package appears by its name on top of the page:



The following statuses exist:

List of statuses

Status	Description
Lifecycle statuses, aggregated across the statuses of all data products included in this package.	
Available	The data package has been made available for use by SAP.
Activation in Progress	The data products included in the data package are being activated in the catalog.
Active	All data products included in the data package have been successfully activated in the catalog.
Activation Failed	The activation in the catalog of one or more data products included in the data package failed. To retry activation, see Retry Activation. To rectify the issue, open a support case with SAP Technical Support. See Requesting Help from SAP Technical Support.
Entitlement Invalid	The entitlement for this data package is no longer valid. It may have expired or been cancelled. Because of this, the package might not work as expected or may not be available. To continue using the package, please renew the entitlement or reach out to your SAP administrator for help. If you no longer need this package, you can safely uninstall it. See Deactivating Data Packages.
Deactivation in Progress	The data products included in the data package are being deactivated. See Deactivating Data Packages.

Status	Description
Deactivation Failed	The deactivation of one or more data products included in the data package could not complete. See Deactivating Data Packages. To retry failed deactivation, see Retry Deactivation.
Update statuses	
Update Available	A new update exits for the already-activated data package, which contains a fix, an improvement, or new KPIs. Install the update to get access to the new content. See Updating Intelligent Applications and Data Packages.

View Data Product Statuses

These statuses provide the lifecycle status of the of individual data products included in the data package. The following statuses exist:

List of statuses

Status	Description
Activating	The data product is being installed in the catalog.
Queued	The data product is queued in line to be installed in the catalog.
Pending	The data product is waiting to be installed in the catalog.
Active	The data product has been successfully installed in the catalog.
Active with a warning	The data product was active in the catalog at the most recent sync, but the current status is unknown.
Failed	The data product could not be installed in the catalog.
Deactivating	The data product is being uninstalled from the catalog.
Deactivated	The data product has been successfully uninstalled from the catalog.
Skipped	The data product was not deactivated because it is used in other data packages that are currently active.
Not Activated	The data product was not activated because it requires a higher source system version than the one in the formation, see Minimum System Version Incompatibility for Intelligent Applications.
Inactive	The data product is inactive in the catalog.

Configuring the Data Product Generator

For more information on this process, see Configuring the Data Product Generator in the SAP BW/4HANA help.

Creating Data Subscriptions

For more information on this process, see Creating Data Subscriptions in the SAP BW/4HANA help.

Sharing Data Products to SAP Systems

For more information on this process, see Sharing Data Products to SAP Systems in the Governing and Publishing Data in the Catalog help.

Sharing Data Products to External Systems

For more information on this process, see Sharing Data Products to External Systems in the Governing and Publishing Data in the Catalog help.

Installing Data Products

For more information on this process, see Installing Data Products in the SAP Datasphere help.

Updating Intelligent Applications and Data Packages

Update intelligent applications and data packages to ensure that they remain up-to-date with the latest SAP changes.

Prerequisites

- **Important!** Please check the following SAP note before each update:
  - 3607594 - Activation and Consumption of SAP Data Products for Business Data Cloud - Prerequisites (Collection Note).

Context

Occasionally, SAP updates the contents of an intelligent application or a data package, for example adding new data products or deploying a fix to a data product. When this happens, the status **Update Available** is displayed at the top of the page. You can install the update at any moment. If you are not interested in the update, you can ignore it.



While the update of the latest version is in progress, or if it did not proceed successfully, the currently-installed version of the intelligent application or a data package remains available to you, preventing loss of data. The **Installed**/**Active** status is displayed on the intelligent application / data package, and on the included data products.

Procedure

Note

Updating to a higher version is only possible when the intelligent application or the data package was installed/activated successfully. If the application/data package is in status **Installation/Activation Failed**, you first need to repair this (see Retry and Clean Up Installation and Retry and Clean Up Activation), and when the application/data package is in **Installed** or **Active** status, can you update to a higher version.

1. Open SAP Business Data Cloud.
2. Choose **Intelligent Applications and Data Packages** in the side navigation area.
3. Open the **Installed** tab.
4. Choose an intelligent application or the data package in status 'Update Available' that you wish to update.

   Open the **Documentation** tab and review the updates made, to establish if you want to update the intelligent application/data package.
5. When ready to update, click **Update** at the top-right of the page.

Deactivating Data Packages

Users with the **BDC Administrator** role can manually deactivate data packages when they are no longer needed or when their entitlement was terminated or expired.

Context

You can deactivate a data package from SAP Business Data Cloud cockpit in two cases:

- When the data package is no longer needed.
- When your global account is missing either the commercial entitlement to the SAP business solution to which the data package belongs OR the entitlement to the data package add-on. This can happen either because their entitlement was terminated or expired.

  Before deactivating a data package, consult with you SAP Administrator whether entitlement renewal is expected.

The following happens when you deactiate a data package:

- When you initiate deactivation, the status changes to **Deactivation in progress**.
- During the deactivation, the data products activated by this data package in the specific tenant are deleted from the catalog.

  Data products that are part of a deactivated data package still remain shared by other intelligent applications or data packages on the same source system are not deleted, to remain available to these applications/packages.

Once these steps take place, the data package is successfully deactivated. In the SAP Business Data Cloud cockpit, the data package is no longer displayed in the **Installed** tab.

For SAP Datasphere users, the data products included in the deactivated data package are no longer visible for the SAP Datasphere tenant in the catalog; any replication jobs that reference these data products will fail.

In other data consumer systems in your BTP landscape, these data products are no longer visible nor accessible.

> **ℹ Note**
> Data products that are part of a deactivated data package still remain available in other data packages or intelligent applications.

When deactivation fails

Deactivation might fail (for example, due to connection issues). In this case:

- The data package remains in **Deactivation Failed** status in the **Installed** tab.
- The failure correlation ID is available on the data package page, so you can open a support case for SAP Technical Support to deactivate the data package. See Requesting Help from SAP Technical Support.



- Deactivation may fail due to lack of connection of the source system to the formation, see System Landscape Monitoring for an explanation on how to test the connection and rectify failed connection.

Re-activation

If the commercial entitlement is renewed at a future date, the deactivated data package is available for re-activation in all tenants it was deactivated from (provided it has the necessary commercial entitlement).

Manually Deactivate Data Packages

1. Open SAP Business Data Cloud.
2. Choose **Intelligent Applications and Data Packages** in the side navigation area.
3. Open the **Installed** tab.
4. Choose the data package in status **Active** that you wish to deactivate.
5. The data package page opens. Click **Deactivate** at the top-right corner of the page.
6. The **Deactivate Data Package** dialog opens. Type the word “Deactivate” as written in the dialog (in the language in which it appears) and click **Deactivate**.

The status of the data package changes to **Deactivation in progress**.

Once uninstalled, it no longer appears in the **Installed** tab.

Retry and Clean Up Deactivation

The deactivation of the data package might fail due to connectivity issues, data issues, or configuration issues. The failure correlation ID is available on the data package page, ensuring quicker turnaround if submitting a support case. Choose **View Details** in the page's banner to check more details. See Requesting Help from SAP Technical Support.

Once that happens, you can either retry deactivation or clean up and reset your environment.

Retry Deactivation

You can retry activation after fixing the data or configuration issues, or after the issue has been fixed by SAP Technical Support. The number of retry attempts is unlimited.

1. Open SAP Business Data Cloud.
2. Choose **Intelligent Applications and Data Packages** in the side navigation area.
3. Open the **Installed** tab.
4. Choose the data package in **Deactivation Failed** status that you wish to try to activate.
5. On the data package page, open the **Repair** dropdown at the top-right corner and select **Retry Deactivate**.
6. Click **Yes** in the **Retry Deactivate** confirmation message.

   If the retry is successful, the status changes to **Deactivating**. If you still need the correlation id of the initial failed activation, click **Notifications** to find it.

   If the retry is not successful, the status remains **Deactivation Failed**. Retry may fail when the source system is disconnected from the formation, see System Landscape Monitoring for an explanation on how to test the connection and rectify failed connection.

Clean Up Failed Deactivation

You can clean up the partially deactivated artifacts of the data package and reset your environment to the state it was in before you attempted to deactivate it.

1. Open SAP Business Data Cloud.
2. Choose **Intelligent Applications and Data Packages** in the side navigation area.
3. Open the **Installed** tab.
4. Choose the relevant data package in the **Deactivation Failed** status.
5. On the data package page, open the **Repair** dropdown at the top-right corner and select **Cleanup**.
6. Click **Yes** in the **Deactivation Cleanup** confirmation message.

   If the cleanup is successful, then all artifacts removed during the failed deactivation have been restored, and the status changes back to **Deactivating**. You can attempt to deactivate it at a later time. If you still need the correlation id of the initial failed deactivation, click **Notifications** to find it.

   If the retry is not successful, the status remains **Deactivation Failed**.

Uninstalling Intelligent Applications

Users with the **BDC Administrator** role can manually uninstall intelligent applications when they are no longer needed or when their entitlement was terminated or expired.

Context

Uninstallation of an intelligent application from SAP Business Data Cloud cockpit can happen in two cases:

- When the intelligent application is no longer needed.
- When your global account is missing either the commercial entitlement to the SAP business solution to which the intelligent application belongs OR the entitlement to the application add-on. This can happen either because the entitlement has expired or been terminated. Before uninstalling an application, consult with you SAP Administrator whether entitlement renewal is expected.

The following happens when you uninstall an application:

- The status changes to **Uninstallation in progress**.
- You can no longer update the intelligent application.

During the uninstallation, the following happens:

- Data products referenced by this intelligent application on the same SAP Datasphere tenant are deleted.

  Data products referenced by other intelligent applications on the same SAP Datasphere tenant, or by data packages on the same source system, are not deleted to remain visible to these applications.

- SAP Datasphere content delivered by this intelligent application is deleted in the SAP Datasphere tenant where it was installed.

  SAP Analytics Cloud content delivered by this intelligent application is deleted in the SAP Analytics Cloud tenant where it was installed.

  Content referenced by other intelligent applications on the same SAP Analytics Cloud or SAP Datasphere tenant is not deleted, to remain available to these applications.

Once these steps take place, the intelligent application is successfully uninstalled. In the SAP Business Data Cloud Cockpit, the intelligent application is no longer displayed in the **Installed** tab.

In the SAP Datasphere tenant, the data products that were part of the data package are no longer visible in the catalog; any replication jobs that reference these data products will fail.

When several instances of the intelligent application were installed that are connected to different source systems, then each instance of the intelligent application is independent from others. Uninstallation of one instance does not impact other instances.

Re-installation

If the commercial entitlement is renewed at a future date, the uninstalled intelligent application is available for re-installation for all tenants it was uninstalled from.

When Uninstallation Fails

Uninstallation might fail (for example, due to connection issues). In this case:

- The intelligent application remains in **Uninstallation Failed** status in the **Installed** tab.
- The failure correlation ID is available on the intelligent application page, so you can open a support case for SAP Technical Support to uninstall the intelligent application. See [Requesting Help from SAP Technical Support](#).



- Uninstallation may fail when the source system is disconnected from the formation, see [System Landscape Monitoring](#) for an explanation on how to test the connection and rectify failed connection.

Manually Uninstall an Intelligent Application

Before manually uninstalling an intelligent application, please ensure that you have deleted the following artifacts relating to this intelligent application:

- all customer-owned spaces and all objects depending on them in SAP Datasphere,
- the model and all related data in SAP Analytics Cloud.

If any of these artifacts have not been deleted, the uninstallation will fail.

1. Open SAP Business Data Cloud.
2. Choose **Intelligent Application and Data Packages** in the side navigation area.
3. Open the **Installed** tab.
4. Select the intelligent application that you wish to uninstall.
5. The intelligent application page opens. Click **Uninstall** at the top-right corner of the page.
6. The **Uninstall Intelligent Application** dialog opens. Type the word "Uninstall" as written in the dialog (in the language in which it appears), and click **Uninstall**.

The status of the intelligent application changes to **Uninstallation in progress**. Once uninstalled, it no longer appears in the **Installed** tab.

Retry and Clean up Uninstallation

The uninstallation of an intelligent application might fail due to connectivity issues, data issues, or configuration issues. The failure correlation ID is available on the intelligent application page, ensuring quicker turnaround while submitting a support case. Choose **View Details** in the page's banner to check more details. See Requesting Help from SAP Technical Support.

Once that happens, you can either retry uninstallation or clean up and reset your environment.

Retry Uninstallation

You can retry uninstallation after fixing the data or configuration issues, or after the issue has been fixed by SAP Technical Support. The number of retry attempts is unlimited.

1. Open SAP Business Data Cloud.
2. Choose **Intelligent Applications and Data Packages** in the side navigation area.
3. Open the **Installed** tab.
4. Choose the intelligent application in **Uninstallation Failed** status that you wish to try to uninstall.
5. On the intelligent application page, open the **Repair** dropdown at the top-right corner and select **Retry Uninstall**.
6. Click **Yes** in the **Retry Uninstall** confirmation message.

   If the retry is successful, the status changes to **Uninstalling**. If you still need the correlation id of the initial failed uninstallation, click **Notifications** to find it.

   If the retry is not successful, the status remains **Uninstallation Failed**. Retry may fail when the source system is disconnected from the formation, see System Landscape Monitoring for an explanation on how to test the connection and rectify failed connection.

Clean Up Failed Uninstallation

You can clean up the partially uninstalled artifacts of the intelligence application and reset your environment to the state it was in before you attempted to uninstall it.

1. Open SAP Business Data Cloud.
2. Choose **Intelligent Applications and Data Packages** in the side navigation area.
3. Open the **Installed** tab.
4. Choose the relevant intelligent application in **Uninstallation Failed** status.
5. On the intelligent application page, open the **Repair** dropdown at the top-right corner and select **Cleanup**.
6. Click **Yes** in the **Uninstallation Cleanup** confirmation message.

   If the cleanup is successful, then all artifacts removed during the failed uninstallation have been removed, and the status changes back to **Uninstalling**. You can attempt to uninstall it at a later time. If you still need the correlation id of the initial failed uninstallation, click **Notifications** to find it.

   If the retry is not successful, the status remains **Uninstallation Failed**.

Requesting Help from SAP Technical Support

You can count on SAP Technical Support to help you resolve SAP Business Data Cloud issues when they arise. Following this procedure makes it easier for support engineers to understand your case and provide the right solution faster.

Prerequisites

Before creating a case, make sure you have:

- Checked the availability by service and region in the platform status. See SAP Trust Center.
- Reviewed the guidelines on how to engage with support. See Customer Support Best Practices and Offerings.
- Checked what to provide in an SAP BDC case and created a support user with the appropriate roles to allow an SAP support engineer to log in and troubleshoot your system. See SAP Note 3568017.

Procedure

To report a case to SAP Technical Support using SAP for Me, follow these steps:

1. Open SAP for Me and log in.
2. Open the **Services & Support** dashboard.
3. (Optional) You can use the **Knowledge Search** tab to find existing solutions in the following resources:
   - SAP Notes & KBAs
   - SAP Community
   - SAP Support Portal
   - Product Documentation
4. Use the **Get Support (Case, Expert Chat...)** card within SAP for Me to get assistance via the available support channels.

   For more information on how to report technical issues, see Get Support Application.

   You can receive SAP BDC service status notifications. See Manage Cloud Service Availability Notifications.

For non-technical assistance, see Customer Interaction Center.

Related Information

SAP Business Data Cloud Community

Latest News on SAP Business Data Cloud