






IGHV4-4*02_C20T- Final 3 nucleotides as a triplet

















IGHV6-1*01 IGHV1/OR15-9*01 186 sequences assigned 1 sequences assigned 121 (65.1%) exact matches, in which: 120 unique CDR3 No exact matches. 6 unique J 125 1.00 -100 0.75 Count Count 75 Count 50 0.25 25 0.00 0 11.50 11.75 12.00 12.25 5 10 **Nucleotide Difference Nucleotide Difference** IGHV7-4-1*01 IGHV5-10-1*03 4 sequences assigned 4 (100%) exact matches, in which: 4 unique CDR3 397 sequences assigned 283 (71.3%) exact matches, in which: 281 unique CDR3 3 unique J 6 unique J 3 200 Count 100 1 0 5 10 15 20 0

-0.50

-0.25

0.00

Nucleotide Difference


0.25

0.50


IGHV5-51*01


404 sequences assigned 253 (62.6%) exact matches, in which: 248 unique CDR3 6 unique J

Nucleotide Difference



IGHV4-4*02_C20T





Sequence Count by IGHJ6 allele usage



arning -	- no	inferred	sequences	found.
arning -	- no	inferred	sequences	found.
arning -	- no	inferred	sequences	found.
/arning -	- no	inferred	sequences	found.
arning -	- no	inferred	sequences	found.
/arning -	- no	inferred	sequences	found.
/arning -	- no	inferred	sequences	found.
/arning -	- no	inferred	sequences	found.
/arning -	- no	inferred	sequences	found.
/arning -	- no	inferred	sequences	found.
/arning -	- no	inferred	sequences	found.
/arning -	- no	inferred	sequences	found.
/arning -	- no	inferred	sequences	found.
/arning -	- no	inferred	sequences	found.
			sequences	
_			sequences	
			,	