








TRBV20-1*bp04_322GA323- Final 3 nucleotides as a triplet



















TRBV29-1*bp01

1405 sequences assigned 554 (39.4%) exact matches, in which: 338 unique CDR3 14 unique J





TRBV29-1*bp03

247 sequences assigned 122 (49.4%) exact matches, in which: 88 unique CDR3 10 unique J




TRBV20-1*bp04_322GA323






Sequence Count by TRBJ1-6 allele usage



Sequence Count by TRBJ2-7 allele usage



/arning – no inferred sequences found.	
/arning – no inferred sequences found.	
/arning – no inferred sequences found.	
/arning – no inferred sequences found.	
/arning – no inferred sequences found.	
/arning – no inferred sequences found.	
/arning – no inferred sequences found.	
/arning – no inferred sequences found.	
/arning – no inferred sequences found.	
/arning – no inferred sequences found.	
/arning – no inferred sequences found.	
/arning – no inferred sequences found.	
/arning – no inferred sequences found.	
/arning – no inferred sequences found.	
/arning – no inferred sequences found.	
/arning – no inferred sequences found.	
/arning – no inferred sequences found.	
/arning – no inferred sequences found.	
/arning – no inferred sequences found.	
/arning – no inferred sequences found.	
/arning – no inferred sequences found.	