



TRBV7-6*bp01 TRBV29-1*bp01 983 sequences assigned 576 (58.6%) exact matches, in which: 366 unique CDR3 217 sequences assigned 156 (71.9%) exact matches, in which: 116 unique CDR3 12 unique J 14 unique J 600 150 400 100 Count 200 50 0 0 3 **Nucleotide Difference Nucleotide Difference** TRBV29-1*bp03 TRBV7-7*bp01 405 sequences assigned 160 (39.5%) exact matches, in which: 101 unique CDR3 2 sequences assigned 1 (50%) exact matches, in which: 1 unique CDR3 1 unique J 10 unique J 1.00




3


TRBV7-9*bp01

455 sequences assigned 331 (72.7%) exact matches, in which: 261 unique CDR3 14 unique J





Sequence Count by TRBJ1-6 allele usage



Warning: sequence(s) for allele(s) TRAV30*01 can't be found in the reference set or the novel alleles file.
Warning: sequence(s) for allele(s) TRAV40*01 can't be found in the reference set or the novel alleles file.
Warning – no inferred sequences found.
Warning – no inferred sequences found.
Warning – no inferred sequences found. Warning – no inferred sequences found.
Warning – no inferred sequences found. Warning – no inferred sequences found.
Warning – no inferred sequences found.
Warning - no inferred sequences found.
Warning – no inferred sequences found.
Warning – no inferred sequences found. Warning – no inferred sequences found.
· · · · · · · · · · · · · · · · · · ·

Warning – no inferred sequences found.