






TRBV7-1\*ap01\_G291C\_T296C- Final 3 nucleotides as a triplet


















## TRBV7-7\*ap01 TRBV7-9\*ap01 578 sequences assigned 574 (99.3%) exact matches, in which: 4703 sequences assigned 4695 (99.8%) exact matches, in which: 572 unique CDR3 4694 unique CDR3 14 unique J 14 unique J 600 4000 400 3000 Count 2000 Count 200 1000 0 0 -0.50.0 0.5 1.0 1.5 **Nucleotide Difference** Nucleotide Difference TRBV7-8\*ap01 TRBV29-1\*ap01 1127 sequences assigned 1125 (99.8%) exact matches, in which: 2054 sequences assigned 2045 (99.6%) exact matches, in which: 1125 unique CDR3 2042 unique CDR3 14 unique J 14 unique J 2000 900 1500 600 1000 300 500 0 0 1.5 0.0 0.5 1.0 -0.5**Nucleotide Difference Nucleotide Difference** TRBV7-8\*ap03 TRBV29-1\*ap02 532 sequences assigned 376 sequences assigned 388 (72.9%) exact matches, in which: 376 (100%) exact matches, in which: 388 unique CDR3 376 unique CDR3 14 unique J 14 unique J 400 300 300 Count 200 200 100 100 0 0 0.0 0.5 1.0 1.5 -0.50-0.250.00 0.25 0.50 -0.5**Nucleotide Difference Nucleotide Difference**

TRBV7-1\*ap01\_G291C\_T296C





## Sequence Count by TRBJ2-7 allele usage

