






## IGHV4-117\*01\_S0201 IGHV4-144\*01\_S7342 IGHV4-174\*02\_S5400 1565 sequences assigned 594 sequences assigned 143 sequences assigned 70 (11.8%) exact matches, in which: 120 (7.7%) exact matches, in which: 1 (0.7%) exact matches, in which: 103 unique CDR3 61 unique CDR3 uniqué CDR3 5 unique J 6 unique J 1 unique J 12.5 120 200 10.0 90 150 7.5 Count 60 100 5.0 30 50 2.5 0.0 0 0 5 20 10 15 5 10 15 20 0 5 10 15 20 0 **Nucleotide Difference** Nucleotide Difference Nucleotide Difference IGHV4-NL 1\*01 S1456 IGHV4-117\*01\_S5847 IGHV4-149\*01\_S0794 532 sequences assigned 1963 sequences assigned 66 (3.4%) exact matches, in which: 3511 sequences assigned 68 (12.8%) exact matches, in which: 421 (12%) exact matches, in which: 46 unique CDR3 316 unique CDR3 52 unique CDR3 4 unique J 5 unique J 5 unique J 250 80 200 60 400 150 Count 40 100 200 20 50 0 0 0 20 15 20 5 10 15 0 5 10 0 15 20 0 5 10 Nucleotide Difference Nucleotide Difference Nucleotide Difference IGHV4-150\*01 S9374 IGHV4-144\*01\_S2372 IGHV4-NL\_1\*01\_S5424 680 sequences assigned 1254 sequences assigned 3772 sequences assigned 67 (9.9%) exact matches, in which: 141 (11.2%) exact matches, in which: 186 (4.9%) exact matches, in which: 46 unique CDR3 105 unique CDR3 141 unique CDR3 5 unique J 6 unique J 6 unique J 250 300 75 200 200 150 Count 50 100 100 25 50 0 0 0 5 10 15 20 5 10 15 20 0 0 5 10 15 20 **Nucleotide Difference** Nucleotide Difference Nucleotide Difference














## Sequence Count by IGHJ5-2 allele usage





