





TRBV7-1*ap01_G291C_T296C_C314T- Final 3 nucleotides as a triplet





TRBV7-1*ap01_G291C_T296C- Final 3 nucleotides as a triplet




















TRBV7-7*ap01 TRBV7-9*ap01 917 sequences assigned 910 (99.2%) exact matches, in which: 7883 sequences assigned 7810 (99.1%) exact matches, in which: 903 unique CDR3 7757 unique CDR3 14 unique J 14 unique J 8000 750 6000 Count Count Wood 500 250 2000 0 0 0 -0.50.0 0.5 1.0 1.5 **Nucleotide Difference** Nucleotide Difference TRBV7-8*ap01 TRBV29-1*ap01 1731 sequences assigned 1715 (99.1%) exact matches, in which: 3554 sequences assigned 3504 (98.6%) exact matches, in which: 1706 unique CDR3 3462 unique CDR3 14 unique J 14 unique J 1500 3000 Count 1000 2000 500 1000 0 -0.50.0 0.5 1.5 -0.50.0 0.5 1.0 **Nucleotide Difference Nucleotide Difference** TRBV7-8*ap03 TRBV29-1*ap02 1066 sequences assigned 761 sequences assigned 743 (97.6%) exact matches, in which: 609 (57.1%) exact matches, in which: 606 unique CDR3 729 unique CDR3 14 unique J 14 unique J 600 600 400 Count 400 200 200 0 0 **Nucleotide Difference Nucleotide Difference**

TRBV7-1*ap01_G291C_T296C_C314T



TRBV7-1*ap01_G291C_T296C





Sequence Count by TRBJ2-7 allele usage

