






## IGHV4-117\*01\_S4901 IGHV4-149\*01\_S4098 IGHV4-174\*02\_S9172 2287 sequences assigned 2553 sequences assigned 927 sequences assigned 173 (18.7%) exact matches, in which: 531 (20.8%) exact matches, in which: 103 (4.5%) exact matches, in which: 383 unique CDR3 68 unique CDR3 114 unique CDR3 7 unique J 9 unique J 8 unique J 600 400 200 300 150 400 Count 200 100 200 100 50 0 0 0 5 10 15 20 5 10 15 20 10 15 20 0 0 Nucleotide Difference Nucleotide Difference Nucleotide Difference IGHV4-150\*01\_S6287 IGHV4-144\*01\_S3577 IGHV4-NL\_1\*01\_S3619 205 sequences assigned 1470 sequences assigned 248 (16.9%) exact matches, in which: 904 sequences assigned 175 (19.4%) exact matches, in which: 32 (15.6%) exact matches, in which: 21 unique CDR3 116 unique CDR3 178 unique CDR3 3 unique J 7 unique J 8 unique J 250 40 200 200 30 150 Count 20 100 100 10 50 0 0 0 10 15 20 10 15 20 0 0 5 10 15 0 **Nucleotide Difference** Nucleotide Difference Nucleotide Difference IGHV4-150\*01 S8107 IGHV4-149\*01\_S0794 IGHV4-NL\_1\*01\_S4823 198 sequences assigned 1748 sequences assigned 1027 sequences assigned 29 (14.6%) exact matches, in which: 216 (12.4%) exact matches, in which: 97 (9.4%) exact matches, in which: 19 unique CDR3 160 unique CDR3 64 unique CDR3 6 unique J 9 unique J 7 unique J 250 40 200 30 100 150 Count 20 100 50 10 50 0 0 0 10 15 10 20 5 20 0 15 0 10 15 20 **Nucleotide Difference** Nucleotide Difference **Nucleotide Difference**
















## IGHV6-1\*01\_S5053

337 sequences assigned 18 (5.3%) exact matches, in which: 8 unique CDR3 3 unique J





## Sequence Count by IGHJ1-1 allele usage

