




IGHV1-2*02 IGHV1-8*01 IGHV1-24*01 485 sequences assigned 140 sequences assigned 74 sequences assigned 51 (10.5%) exact matches, in which: 34 (24.3%) exact matches, in which: 12 (16.2%) exact matches, in which: 30 unique CDR3 46 unique CDR3 10 unique CDR3 5 unique J 5 unique J 3 unique J 12.5 30 10.0 40 7.5 20 Count Count Count 5.0 20 10 2.5 0.0 0 0 5 20 10 15 0 0 10 15 20 10 5 0 5 15 **Nucleotide Difference** Nucleotide Difference Nucleotide Difference IGHV1-18*01 IGHV1-45*02 IGHV1-3*04 162 sequences assigned sequences assigned 16 sequences assigned 29 (17.9%) exact matches, in which: 1 (100%) exact matches, in which: No exact matches. 29 unique CDR3 unique CDR3 5 unique J 1 unique J 30 2.0 1.00 1.5 0.75 20 Count Count 0.50 10 0.5 0.25 0.0 0.00 0 0.50 12 15 18 21 -0.250.25 0.00 -0.5010 0 5 15 20 Nucleotide Difference **Nucleotide Difference Nucleotide Difference** IGHV1-18*04 IGHV1-46*01 IGHV1-3*01_05 225 sequences assigned 187 sequences assigned 119 sequences assigned 9 (7.6%) exact matches, in which: 55 (24.4%) exact matches, in which: 29 (15.5%) exact matches, in which: 9 uniqué CDR3 51 unique CDR3 27 unique CDR3 5 unique J 4 unique J 5 unique J 30 40 20 Count Count 5.0 20 10 2.5 0.0 0 0 20 10 0 5 0 5 10 15 20 0 10 15 20 Nucleotide Difference Nucleotide Difference Nucleotide Difference

















Sequence Count by IGHJ3 allele usage

