






IGHV3-13*01 IGHV3-7*03 IGHV2-70*04 629 sequences assigned 11 (1.7%) exact matches, in which: 1238 sequences assigned 18 (1.5%) exact matches, in which: 88 sequences assigned 2 (2.3%) exact matches, in which: 11 unique CDR3 2 uniqué CDR3 18 unique CDR3 5 unique J 2 unique J 6 unique J 60 7.5 9 40 Count Count Count 5.0 6 20 2.5 3 0.0 0 0 10 15 20 0 0 10 15 20 5 0 20 Nucleotide Difference Nucleotide Difference **Nucleotide Difference** IGHV3-9*01 IGHV3-15*01 IGHV2-70*12 3427 sequences assigned 87 (2.5%) exact matches, in which: 1525 sequences assigned 1 sequences assigned 60 (3.9%) exact matches, in which: 49 unique CDR3 No exact matches. 74 unique CDR3 6 unique J 5 unique J 1.00 -60 75 0.75 0.50 Count Count 50 20 0.25 25 0.00 0 0 3.25 3.50 2.50 2.75 3.00 10 15 20 10 15 20 0 5 0 5 Nucleotide Difference Nucleotide Difference Nucleotide Difference IGHV3-20*01 IGHV3-7*01 IGHV3-11*01 29 sequences assigned 4 (13.8%) exact matches, in which: 4 unique CDR3 1010 sequences assigned 959 sequences assigned 25 (2.5%) exact matches, in which: 32 (3.3%) exact matches, in which: 17 unique CDR3 31 unique CDR3 3 unique J 4 unique J 6 unique J 40 30 40 Count Count Count 20 20 2 10 0 0 0 0 5 10 15 20 0 10 15 20 20 0 5 10 15 Nucleotide Difference Nucleotide Difference Nucleotide Difference
















IGHV3/OR16-8*01

1 sequences assigned No exact matches.




IGHV3/OR16-9*01


2 sequences assigned No exact matches.



IGHV3/OR16-12*01

4 sequences assigned No exact matches.





Sequence Count by IGHJ6 allele usage

