





TRBV7-1*ap01_G291C_T296C_C314T- Final 3 nucleotides as a triplet





TRBV7-1*ap01_G291C_T296C- Final 3 nucleotides as a triplet




















TRBV7-7*ap01 TRBV7-9*ap01 573 sequences assigned 571 (99.7%) exact matches, in which: 4602 sequences assigned 4538 (98.6%) exact matches, in which: 564 unique CDR3 4461 unique CDR3 14 unique J 14 unique J 4000 400 3000 Count 2000 200 1000 0 0 -0.50.0 0.5 1.0 1.5 0.5 -0.50.0 1.0 1.5 **Nucleotide Difference Nucleotide Difference** TRBV7-8*ap01 TRBV29-1*ap01 1291 sequences assigned 1273 (98.6%) exact matches, in which: 2111 sequences assigned 2075 (98.3%) exact matches, in which: 1249 unique CDR3 2035 unique CDR3 14 unique J 14 unique J 2000 1000 1500 Count 1000 500 500 0 -0.50.0 0.5 1.5 -0.50.0 0.5 1.0 **Nucleotide Difference Nucleotide Difference** TRBV7-8*ap03 TRBV29-1*ap02 657 sequences assigned 469 (71.4%) exact matches, in which: 359 sequences assigned 351 (97.8%) exact matches, in which: 463 unique CDR3 348 unique CDR3 14 unique J 14 unique J 400 300 300 Count 200 100 100 0 0 -0.50.0 0.5 1.0 **Nucleotide Difference**


Nucleotide Difference

TRBV7-1*ap01_G291C_T296C_C314T










Sequence Count by TRBJ2-7 allele usage



Warning – no inferred sequences found.

Warning – no inferred sequences found.