

IGHV5-51*07 IGHV4-61*01 5822 sequences assigned 10 (0.2%) exact matches, in which: 6 unique CDR3 9678 sequences assigned 624 (6.4%) exact matches, in which: 352 unique CDR3 1 unique J 6 unique J 1250 750 1000 750 500 Count Count 500 250 250 0 0 0 10 15 20 0 5 10 15 20 Nucleotide Difference Nucleotide Difference IGHV4-61*08 IGHV5-51*01_03 4166 sequences assigned 5 (0.1%) exact matches, in which: 14011 sequences assigned 531 (3.8%) exact matches, in which: 325 unique CDR3 4 unique CDR3 2 unique J 6 unique J 1500 300 1000 200 Count Count 500 100 0 0 0 10 20 10 15 20 0 5 **Nucleotide Difference Nucleotide Difference** IGHV6-1*01_02 IGHV1/OR15-2*02_03 10762 sequences assigned 13 sequences assigned 316 (2.9%) exact matches, in which: No exact matches. 167 unique CDR3 5 unique J 2.0 600 1.5 400 0.5 200 0.0 0

19

Nucleotide Difference

20

5

10

Nucleotide Difference

15

20

IGHV7-4-1*02

5

10

Nucleotide Difference

15

6 unique J

500

400

300


200

100

0

6103 sequences assigned 43 (0.7%) exact matches, in which: 32 unique CDR3

20



Sequence Count by IGHJ6 allele usage

