







IGHV5-2*01_G51A_A59G_G166A_C167T_T171C_G172 IGHV4-2*01_C4G_C173 14281 sequences assigned 139 (1%) exact matches, in which: 12596 sequences assigned 741 (5.9%) exact matches, in which: 643 unique CDR3 132 unique CDR3 6 unique J 6 unique J 1000 1500 750 1000 Count Count 500 500 250 0 0 10 5 10 15 20 0 15 Nucleotide Difference **Nucleotide Difference** IGHV6-1*01_G233C 3_C166T_G167A_C173A_C201 IGHV4-2*01_C4G_C90T 454 sequences assigned 61 (13.4%) exact matches, in which: 83 sequences assigned 10 (12%) exact matches, in which: 50 unique CDR3 10 unique CDR3 5 unique J 3 unique J 10.0 60 7.5 Count 5.0 20 2.5 0.0 0 10 15 20 5 0 10 15 0 20 Nucleotide Difference Nucleotide Difference IGHV6-1*01_G233C_G28@166T_G167A_C173A_C201A_ IGHV4-2*01_C4G_C90T_/ 47 sequences assigned 203 sequences assigned 7 (14.9%) exact matches, in which: 7 unique CDR3 34 (16.7%) exact matches, in which: 32 unique CDR3 3 unique J 5 unique J 30 6 Count P Count 20 10 2 0 0 0 5 10 15 0 5 10 15 Nucleotide Difference Nucleotide Difference



