




IGHV1-2*04 IGHV1-8*01 IGHV1-46*01 262 sequences assigned 25 (9.5%) exact matches, in which: 22 unique CDR3 380 sequences assigned 52 (13.7%) exact matches, in which: 613 sequences assigned 90 (14.7%) exact matches, in which: 85 unique CDR3 49 unique CDR3 5 unique J 6 unique J 6 unique J 50 30 75 40 Count Count 30 Count 50 20 10 25 10 0 0 0 0 10 15 20 10 15 20 10 5 5 15 Nucleotide Difference Nucleotide Difference Nucleotide Difference IGHV1-58*01 IGHV1-3*01 IGHV1-18*01 22 sequences assigned 5 (22.7%) exact matches, in which: 5 unique CDR3 1055 sequences assigned 198 (18.8%) exact matches, in which: 582 sequences assigned 97 (16.7%) exact matches, in which: 189 unique CDR3 92 unique CDR3 3 unique J 6 unique J 7 unique J 100 200 75 150 3 Count Count 50 100 2 25 50 0 0 0 10 15 20 5 10 15 20 0 5 0 0 2 6 Nucleotide Difference **Nucleotide Difference Nucleotide Difference** IGHV1-69-2*01 IGHV1-24*01 IGHV1-3*04 6 sequences assigned 2 (33.3%) exact matches, in which: 2 unique CDR3 139 sequences assigned 156 sequences assigned 46 (33.1%) exact matches, in which: No exact matches. 45 unique CDR3 2 unique J 7 unique J 3 15 40 2 30 Count Count 20 5 10 0 0 0 15 10 20 0 0 10 15 20 **Nucleotide Difference** Nucleotide Difference **Nucleotide Difference**












393 sequences assigned 49 (12.5%) exact matches, in which: 25 unique CDR3 6 unique J


Nucleotide Difference


IGHV5-10-1*03

IGHV4-61*01



IGHV6-1*01






IGHV7-4-1*01

IGHV5-51*01

373 sequences assigned 35 (9.4%) exact matches, in which: 29 unique CDR3 5 unique J





Sequence Count by IGHJ6 allele usage



Warning – no inferred sequences found.

Warning – no inferred sequences found.