





TRBV7-1*ap01_T296C_C314T- Final 3 nucleotides as a triplet





TRBV7-1*ap01_T296C- Final 3 nucleotides as a triplet

















TRBV7-7*ap01 TRBV7-9*ap01 690 sequences assigned 686 (99.4%) exact matches, in which: 8084 sequences assigned 8039 (99.4%) exact matches, in which: 681 unique CDR3 7984 unique CDR3 14 unique J 14 unique J 8000 600 6000 Count 400 4000 200 2000 0 0 -0.50.0 0.5 1.0 1.5 **Nucleotide Difference** Nucleotide Difference TRBV7-8*ap01 TRBV29-1*ap01 1697 sequences assigned 1682 (99.1%) exact matches, in which: 3670 sequences assigned 3624 (98.7%) exact matches, in which: 1667 unique CDR3 3584 unique CDR3 14 unique J 14 unique J 1500 3000 1000 Count 2000 500 1000 0 -0.50.0 0.5 **Nucleotide Difference Nucleotide Difference** TRBV7-8*ap03 TRBV29-1*ap02 656 sequences assigned 698 sequences assigned 460 (70.1%) exact matches, in which: 689 (98.7%) exact matches, in which: 455 unique CDR3 685 unique CDR3 14 unique J 14 unique J 400 600 300 Count Count 400 200 100 0 0

-0.5


Nucleotide Difference


0.0

0.5

Nucleotide Difference

1.0





Sequence Count by TRBJ2-7 allele usage

