



TRBV7-4*bp01 TRBV7-9*bp01 45 sequences assigned 25 (55.6%) exact matches, in which: 20 unique CDR3 7 unique J 282 sequences assigned 175 (62.1%) exact matches, in which: 90 unique CDR3 10 unique J 25 150 20 15 Count 100 10 50 5 0 0 2 **Nucleotide Difference Nucleotide Difference** TRBV7-6*bp01 TRBV29-1*bp01 49 sequences assigned 22 (44.9%) exact matches, in which: 9 unique CDR3 646 sequences assigned 267 (41.3%) exact matches, in which: 140 unique CDR3 3 unique J 12 unique J 20 300 15 200 Count 10 100 5 0 0 2 3 0 0 2 3 **Nucleotide Difference Nucleotide Difference** TRBV29-1*bp03 TRBV7-7*bp01 144 sequences assigned 15 sequences assigned 49 (34%) exact matches, in which: 10 (66.7%) exact matches, in which: 29 unique CDR3 8 unique CDR3 5 unique J 6 unique J 10.0 75 7.5 Count 50 Count 5.0 25 2.5 0.0 0 2 **Nucleotide Difference Nucleotide Difference**



Sequence Count by TRBJ1-6 allele usage



| Warning: sequence(s) for allele(s) TRAV36/DV7*04 can't be found in the reference set or the novel alleles file. |
|---|
| Warning: sequence(s) for allele(s) TRAV30*01 can't be found in the reference set or the novel alleles file. |
| Warning: sequence(s) for allele(s) TRAV40*01 can't be found in the reference set or the novel alleles file. |
| Warning – no inferred sequences found. |

Warning – no inferred sequences found. Warning - no inferred sequences found. Warning - no inferred sequences found. Warning - no inferred sequences found. Warning – no inferred sequences found.