





IGHV1-58*02 IGHV2-5*02 IGHV2-70D*04 62 sequences assigned 598 sequences assigned 19 (30.6%) exact matches, in which: 3 sequences assigned 98 (16.4%) exact matches, in which: 18 unique CDR3 No exact matches. 98 unique CDR3 5 unique J 5 unique J 100 -1.00 15 0.75 75 Count 0.50 50 0.25 5 25 0.00 0 0 8 9 10 11 5 10 15 20 0 0 10 15 5 **Nucleotide Difference** Nucleotide Difference Nucleotide Difference IGHV3-7*01 IGHV2-26*01 IGHV1-69*08_C191T 219 sequences assigned 80 (36.5%) exact matches, in which: 604 sequences assigned 367 sequences assigned 144 (39.2%) exact matches, in which: 64 (10.6%) exact matches, in which: 80 unique CDR3 64 unique CDR3 139 unique CDR3 6 unique J 5 unique J 6 unique J 150 80 60 60 100 Count Count 40 50 20 20 0 0 0 5 10 15 20 0 10 15 20 10 15 20 0 5 0 **Nucleotide Difference** Nucleotide Difference Nucleotide Difference IGHV2-5*01 IGHV2-70*01 IGHV3-7*04 269 sequences assigned 98 sequences assigned 232 sequences assigned 20 (20.4%) exact matches, in which: 35 (15.1%) exact matches, in which: 60 (22.3%) exact matches, in which: 60 unique CDR3 20 unique CDR3 35 unique CDR3 5 unique J 5 unique J 6 unique J 20 30 15 Count Count 20 10 20 10 5 0 0 0 0 10 15 20 0 10 15 20 0 10 15 20 Nucleotide Difference Nucleotide Difference Nucleotide Difference











IGHV4-61*02_A234G

848 sequences assigned 98 (11.6%) exact matches, in which: 94 unique CDR3




IGHV6-1*01

224 sequences assigned 67 (29.9%) exact matches, in which: 66 unique CDR3 6 unique J




IGHV5-10-1*03


577 sequences assigned 155 (26.9%) exact matches, in which: 154 unique CDR3 6 unique J



IGHV5-51*01_C45G

866 sequences assigned 236 (27.3%) exact matches, in which: 235 unique CDR3 7 unique J





Sequence Count by IGHJ6 allele usage

