# Introduction to Robotics: Computer Project #1 Description

### **Project Overview:**

The objective of this computer project is for you to gain experience with the challenges involved in implementing a kinematic simulation of an articulated object. Your program must generate the joint angles required to move a planar, n-link robot so the robot's hand follows a specified trajectory. Generating the joint angles will require you to calculate Jacobians and perform both forward and inverse kinematics.

## Description of Input Files:

Two files are provided in the project folder and will need to be inputs to your MATLAB script. The first file, which is called *arm*, contains a subset of the Denavit-Hartenberg parameters for the robot arm in its initial configuration. Specifically, the format for *arm* is as follows:

$$\begin{array}{ccc} n & \lambda \\ l_1 & \theta_1(0) \\ l_2 & \theta_2(0) \\ \vdots & \vdots \\ l_n & \theta_n(0) \end{array}$$

where  $l_i$  is the length of link i and  $\theta_i(0)$  is the initial angle of joint i. Note the value of  $\lambda$  (for Damped Least Squares) is included in the arm file.

The second input file is called *trajectory* and contains the desired end-effector trajectory for the robot. The file format is as follows:

$$\begin{array}{ccc}
m & \lambda \\
x(0) & y(0) \\
x(1) & y(1)
\end{array}$$

$$\vdots & \vdots \\
x(m) & y(m)$$

where m is the number of desired positions specified for the robot. Note, m depends on the input file and should be a variable within your program. The pair [x(i), y(i)] is the desired position of the end-effector at the ith frame.

From these two input files, you need to generate an output file called *angles* which specifies the joint angles needed to reach each point in *trajectory*. The format of *angles* should be:

$$\begin{array}{ccccc} \theta_1(0) & \theta_2(0) & \dots & \theta_n(0) \\ \theta_1(1) & \theta_2(1) & \dots & \theta_n(1) \\ & \vdots & \vdots & \vdots & \vdots \\ \theta_1(m) & \theta_2(m) & \dots & \theta_n(m) \end{array}$$

where m corresponds to the number of points provided in trajectory and n again refers to the total number of joints. In short - your code should read two files, arm and trajectory, and output a single file called angles as shown in the block diagram of Figure 1.

## **Outline of General Procedure:**

You will first need to import the provided input files, arm and trajectory. Consider using the fscanf command to read the files or use dlmread. Make sure the imported data matches the corresponding format as described. Using forward kinematics and the initial robot configuration described by arm, determine the location of the end effector at t=0 using forward kinematics. Compare the actual end-effector location to the desired location as specified in trajectory to generate a position error.

The next task is to reduce the position error by determining the joint angles required to reach the desired position, aka. perform inverse kinematics. You are to use the Damped Least Squares (DLS) technique which is iterative.




Figure 1: Box diagram of Input/Output for project

Within the DLS loop, you first need to form the Jacobian of the end-effector for the current robot configuration. Using the Jacobian and given value of  $\lambda$ , perform DLS to calculate the change in joint angles,  $\Delta\theta$  which are added to the initial angle values. Determine the robot's end-effector position using the updated angle values and repeat the angle update until the position error is satisfactorily small or you are unable to get any closer to the specified point (i.e. the desired trajectory may not be within the robot's reachable workspace). Store the total change in joint angles as this is the first row in your output file. Repeat the entire process for the next point in trajectory.

#### Additional Comments:

You can evaluate the performance of your robot in many ways. One suggestion is to plot the desired position and the actual position - a task accomplished by the single MATLAB script provided with the project. The script check\_angles.m loads the angles file you generated, the arm parameters as needed for forward kinematics, along with the trajectory file. From these files, a plot of the actual positions and desired positions is generated along with a curve indicating the workspace boundary for your robot.

What to Submit: All the materials of computer project #1 is in the "computer project #1 materials" document under the Computer Projects module on Canvas. When you submit your computer project #1 on Canvas, please submit the following files: (1) all MATLAB code you created or modified; (2) two figures plotted by "PlotResults" Matlab function (these two figures should be saved to jpg format). Compress the folder containing all these files, and upload the .zip folder to Canvas by the deadline.