Table 1. Concepts and symbols used in the replay

Concept and symbol	Definition and measurement	Decision informed
Document budget K; task coverage C0 and C	K is list length; C0 is the baseline's task-document count; C is the proposed or realized count	Identify the task positions added or displaced under a finite budget
Baseline U and coverage match B(C)	U follows frozen scores; B(C) selects C task documents by those scores	Attribute the change reproduced by task allocation
Unfamiliarity and exposure	A core document contains a subclass combination absent from preceding core history; exposure counts such selected documents	Record unfamiliar documentary inputs, without measuring cognition or distinct new combinations
Unfamiliar minimum m and list N(C,m)	Require at least m unfamiliar core documents at C, preserving B(C)'s noncore identifiers	Assess selection within the same task allocation
Shortfall d and a binding requirement	d=max{0,m−n_B(C)}, where n_B(C) counts unfamiliar core documents in B(C); binding means d>0	Identify whether a feasible rule actually exchanges documents
Task-linked documents	Selected documents cited by an external task-core grant in the observation window; means are per list and totals are selection events	Compare recorded task links gained and lost, rather than inventions or adoption
General reach	Selected documents cited by at least two external organizations in the observation window	Retain broader archival reach as a separate objective
Handoff state	Source-supported direct function, mechanism analogy, unsupported match or unresolved evidence	Specify the next technical question; routes remain proposed

Note. The main replay uses K=30 and three subsequent grant years. Repeated selection of a patent in different screens remains separate events. Strict C,m comparisons require adequate task, noncore and unfamiliar supply. The shortfall equals actual exchanges only for the specified deterministic selector; it predicts an action, not its value.