

Sample L^AT_EX-Based Research Paper

Geordi LaForge

Abstract

Describe your paper in 100-200 words, give or take. The command-line `wc` utility is really useful here! This particular sample paper is meant to demonstrate a variety of L^AT_EX directives for producing a well-structured, consistently-formatted scholarly document. The actual content and outline may vary according to the needs of your specific research topic.

Contents

List of Figures

List of Tables

1 Introduction

You will almost certainly start with an introductory description of the topic that you investigated in your assignment. Discuss any goals, motivation, or examples of the subject; the key is to provide the reader with any information that is necessary to understand why your topic was worth investigating. This descriptive section should also allow the reader to understand the subsequent detail sections on the subject.

2 Background, Preliminary, and Related Work

Perhaps the most important functionality to learn for the paper is L^AT_EX bibliography support. Citations and references are handled automatically by L^AT_EX through its companion program, B_IB_TE_X. All you have to do is provide a bibliography file that provides the reference information and internal keys (very much like variable names) that you use in your document.¹

B_IB_TE_X supports virtually all kinds of references, including books [?, ?, ?, ?], parts of books [?], articles [?, ?, ?, ?], and conference proceedings [?, ?, ?, ?, ?], to name a few. If not already included in your L^AT_EX distribution, download and install the `url` package to support formatting of URLs; you can usually mention these in the *note* or *howpublished* fields of your B_IB_TE_X file.

Like Section ??, a background, preliminary, and related work section is also almost certainly needed for your paper. In this section, describe any history, work, or projects that serve as direct contributors to the subject of your research paper. Look at other papers in the literature to see how they organized, presented, and discussed prior work.

The Shneiderman/Plaisant text [?] provide some pointers to seminal or key works; because they made it into the textbook they aren't necessarily "bleeding edge," but they likely provide the foundation for your chosen subject matter.

3 Main Content Sections

The outline after the introductory and background, preliminary, and related work sections is more dependent on the specific subject of your research. Remember to cite references where appropriate, organize the material so that it flows well and is clear to the reader.

3.1 Multiple Outline Levels

L^AT_EX has support for up to three outline levels (`\section`, `\subsection`, and `\subsubsection`). It also recognizes `\paragraph` and `\subparagraph` directives, though those don't show up in the table of contents. All of these directives expect a title.

Note also the use of the `\verb` directive for inserting code-like labels or symbols. It was particularly needed here so that we can include the backslash character in the text.

3.2 Tables and Figures

L^AT_EX has full support for tables and figures. Table ?? shows a sample table and Figure ?? shows a sample figure. Note the built-in support for captions and the automated numbering functionality. Lists of tables and figures can also be automatically generated, as seen at the beginning of this document.

¹And always remember to run L^AT_EX *at least twice* after running B_IB_TE_X.

Column 1	Column 2	Column 3
a	b	c
d	e	f
g	h	i

Table 1: A sample table

Figure 1: A sample figure

One very important thing to remember about how L^AT_EX handles tables and figures by default: you don't have to worry about where they go exactly. The general rule is that you insert them in the source after your first reference to them, and L^AT_EX determines their final position. It also makes decisions on how much page space to devote to them. This all follows L^AT_EX's overall theme of focusing on the content of your paper, and not its format.

Just so you can see a second table, Table ?? is provided.

4 Another Section

We're adding another section just so you can see how that looks. Plus there are a few more L^AT_EX features to illustrate.

4.1 Bulleted and Numbered Lists

L^AT_EX is very good at providing clean lists. Examples are shown below.

- Bulleted items come out properly indented and spaced, every time.
 - Sub-bullets are a virtual no-brainer: just nest another `itemize` block.
 - Note how the bullet character automatically changes too.
- Just keep on adding `\items...`
- ...until you're done.

Numbered lists are almost identical, except that you specify `enumerate` instead of `itemize`. List items are specified in exactly the same way (thus making it easy to change list types).

1. A list item
2. Another list item
3. A list item with multiple nested lists
 - Nested lists can be of mixed types.

Column 1	Column 2	Column 3
a	b	c
d	e	f
g	h	i

Table 2: Another sample table

Figure 2: Another sample figure

- That’s a lot of power and flexibility for the price of learning a handful of directives.
 - (a) Like nested bullet lists, nested numbered lists also “intelligently” change their numbering schemes.
 - (b) Meanwhile, all *you* have to write is `\item`. \LaTeX does the rest.
- 4. Back to your regularly scheduled list item

4.2 Subsection with Another Figure

We may as well include a second figure also, shown in Figure ???. The same image file is used, but note how it can be resized. Again, observe how the positions of the tables and figures do not necessarily match their positions in the source file, reiterating the aforementioned \LaTeX functionality for deciding where these items go in the final document. You provide an approximate location, and \LaTeX does the rest.

5 Conclusion

Wrap up your paper with an “executive summary” of the paper itself, reiterating its subject and its major points. If you want examples, just look at the conclusions from the literature.